

BROAN[®]

We took the under-cabinet category **COMPLETELY OVER THE TOP.**

Broan took a fresh look at the under-cabinet range hood, from capture performance to design to control. The result? A product line that redefines the category and blends perfectly with contemporary appliance designs.



The Broan Captur™ system ensures on average 98.5% capture efficiency for unsurpassed ventilation performance.

The quiet Captur™ system—a combination of blower design, air flow management and filtration—provides the most effective smoke and odor capture in its class.

Shown: Shadowgraph of two boiling pots of water.



Every detail is fresh and new, from elegant curves to bold angles.

Sahale



Glacier



Spire



Multiple blower configurations up to 600 CFM depending on model.

APPLIANCE-MATCHING FINISHES


STAINLESS



BLACK STAINLESS



BLACK



WHITE



BISQUE




Bold, fresh and feature packed.

THE UNDER-CABINET RANGE HOOD IS REDEFINED.

When we set out to improve every aspect of under-cabinet kitchen ventilation, removing heat, smoke and moisture was key. So we designed the blower wheel and motor assembly to move more air with greater efficiency. Unique filters remove grease effectively without restricting airflow, and centric blower placement provides superior capture over all burners. It all adds up to better performance, quiet operation and less energy use.

LIGHTING




Brilliant LED lighting is designed to beat the heat of cooking environments, last longer without dimming and includes a 3-year warranty. Models with halogen lighting are also available, casting a warm gentle glow.

CONTROL, JUST THE WAY YOU WANT IT



Broan provides models with the control options consumers want most, from intuitive direct input switches to sophisticated, easy-to-clean touch controls. All models offer ADA compliance and may be operated remotely.

INTERCHANGEABLE FILTERS



Open-mesh

Micro-mesh

Deluxe Micro-mesh

Hybrid-baffle

Dishwasher-safe filters install without tools. Upgrade with optional filter designs best suited to your cooking and style preferences.


SINGLE-PERSON INSTALLATION—SIMPLIFIED



Two EZ1 brackets hold the hood in place while you make electrical and ducting connections.



Framed EZ1
Cabinet Brackets



Frameless EZ1
Cabinet Brackets



The clean, contemporary shape of Glacier complements any kitchen design. Impressive LED lighting and superior smoke and odor removal are a mere introduction to everything this hood has to offer. The LED modules included with this hood are the latest in LED cooktop illumination technology specially designed to operate in the elevated temperatures of cooking - offering bright lighting and lasting up to 25 times as long as a standard bulb and greater reliability than typical replacement LED bulbs.

SIZE	BLACK STAINLESS	STAINLESS	GREASE FILTERS (replacement)	NON-DUCTED FILTERS
30 in.	BCDF130BLS †	BCDF130SS	HPFAMM30 (Type "C2")	HPF30 (Type "Xc")
36 in.	BCDF136BLS †	BCDF136SS †	HPFAMM36 (Type "D2")	HPF36 (Type "Xd")
42 in.		BCDF142SS †	HPFAMM42 (Type "E2")	HPF42 (Type "Xe")

† Not available in Canada.

HVI PERFORMANCE									
Duct Orientation	Size	Damper	Sones			CFM			
			Normal	Medium*	High	Normal	Medium*	High 0.25 in. w.g.	High 0.1 in. w.g.
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	130	170	150	240
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	110	160	160	240
Round - Vertical	7 in.	Sold Separately	2.0	3.0	5.5	140	190	115	260

FEATURES	
Max. Blower CFM**	375 CFM
Control type	3-speed Capacitive Touch
Delay off	no
Filter Clean Reminder	yes
Heat Sentry™	no
ADA Capable	yes
Lighting	2-level LED (included)
Grease Filters	Micro Mesh (Qty. 2)
Installation Hardware	EZ1 brackets
ENERGY STAR®	no
Recirculation	Non-ducted filters sold separately


AC INPUT	
120 V, 60 Hz - 0.65 AMPS	

OPTIONAL ACCESSORIES	
7-in. Round Damper	BP87Q
Make-up Air Dampers	MD6TU, MD8TU and MD10TU
ADA Wiring Kit	HAWRK3

MOUNTING HEIGHT	
18 in. to 24 in. from cooktop to bottom of hood	

LIMITED WARRANTY	
1-year	
3-year (LED modules only)	
(See installation manual for full warranty text.)	


FOR INDOOR USE ONLY





HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

* Where noted performance rating is not HVI certified but was established in accordance with HVI Standardized test procedure.

** Max. blower CFM indicates the performance of the hood blower in open air.



Dimensions shown in inches.



Broan LED Modules are specially designed for cooking environments



Part Number S97020187 (pair)

Color Temperature	3000 K
Lumens	450 / module
Lux at cooktop	900
CRI	80
Ambient temperature rating	80° C
Watts	4.5 / module
Service life	25,000 hours
Warranty	3 years