

SENSONIC™

YOUR MUSIC  OUT OF SIGHT



Sensonic™

Bluetooth® Speaker Fan Light and Upgrade Grille Cover

The new Sensonic™ LED fan and speaker upgrade grille cover is the perfect way to add your favorite music, podcasts or audiobooks to your bathroom. Enjoy crisp, clean audio while showering or getting ready in the morning.

The new Sensonic™ line offers an 80 CFM 2.5 Sone full-lighted fan with speaker, as well as a grille upgrade kit to convert your tired old fan into a Bluetooth® speaker fan in five minutes or less, with no cutting or wiring required.



ENABLED SPEAKER

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Broan-NuTone LLC is under license. Other trademarks and trade names are those of their respective owners.

BROAN
NuTone
COME HOME TO FRESH AIR

FG800SPK Upgrade Grille Cover

In just five minutes you can add LED lighting and a Bluetooth® speaker to your bathroom



No electrician required!
Easily convert a non-lighted fan to a fan-light.
Effective LED task lighting (equivalent 60W).



Stays cleaner longer. Fewer vent slots to clean, low-profile, streamlined design.



Fastest bath fan upgrade –
5-minute, no-cut, quick-connect install.

NO CUT
5MIN
INSTALL

Hides existing dry wall cuts – no cutting or professional installation required.

Compatible with these Broan® fan models:

If your grille looks like this:



Compatible with these models*:

Broan: 576, 670, 671, 674, 676, 678, 679, 680, 683, 684, 688, 689, 770, 771, 784, 679L, 683L, E050, E070, HD50, HD50L, HD80, HD80L

Existing fan housing sizes:

7-1/2" x 7-1/4" and 8" x 8-1/4"

Compatible with these NuTone® fan models:

If your grille looks like this:



Compatible with these models*:

NuTone: 695, 763, 6950, 50NT, 684NT, 696N, 696N0, 763N, 80NT, HD50LNT, HD50NT, HD80LNT, HD80NT


Existing fan housing sizes:

7-1/2" x 7-1/4" and 8" x 8-1/4"

SPK80L Exhaust Fan

Bluetooth® Enabled Speaker offers crisp, bold sound

- 80 CFM, operating at 2.5 Sones
- Bright 3000K energy efficient LED lighting to help illuminate your room
- Fan and Speaker / Light can be wired to operate together or independently
- Compact housing for versatile installation
- UL listed for use over bathtubs or showers when connected to a GFCI circuit




* No other usage has been tested and authorized by Broan NuTone LLC. For ceiling mount applications only.



SPECIFICATIONS

Model Number	Description	CFM	Sones	Duct
SPK80L	BROAN® 80 CFM, 2.5 SONES BLUETOOTH® SPEAKER / FAN / LED	80	2.5	4"
FG800SPK	BROAN NUTONE® ECONOMY SPEAKER / LED REPLACEMENT GRILLE (4 PACK W / PDQ TRAY)			
FG800SPKS	BROAN NUTONE® ECONOMY SPEAKER / LED REPLACEMENT GRILLE (SINGLE PACK)			

LED GRILLE AND SPEAKER UPGRADE - FG800SPK

The fastest bath fan upgrade - turns a non-lighted bath fan into a LED-lighted unit with integrated speaker.

FEATURES	
Design	Low-profile. Fewer vent slots to clean. Stays cleaner longer.
Fits most Broan and NuTone fans with the housings shown (see complete model list below)	
Color	Bright white. Coordinates with most white ceiling paint.
Lighting	Soft LED illuminates darker areas of the bathroom.
Installation	DIY retrofit hides existing drywall cuts.
Average install time	5 minutes
Grille springs	Includes two sets of springs - allows use with multiple models.
LIGHTING SPECIFICATIONS	
Lumens	600
Correlated Color Temperature (CCT)	3000K
Color Rendering Index (CRI)	80
Efficacy (lumens/Watt)	50
Rated Life	25,000 hours
Dimming Compatible	No
SPEAKER SPECIFICATIONS	
Power	4 Watts
Connectivity	Bluetooth® 5.0
Range	up to 30 feet
ELECTRICAL SPECIFICATIONS	
Volts	120 VAC
Hertz	60 Hz
Amps	0.2 A (Add to fan Amps for total current draw.)
Safety Tested	For use in USA and Canada (UL File No. E17814) Meets all applicable FCC and Canadian IC requirements FCC ID: 2ADLL-1102136 IC ID: 2143B-1102136 U.L. Listed for use over bathtubs and showers when connected to a GFCI protected branch circuit.
FOR USE ONLY WITH THESE FAN MODELS	
NuTone: 695, 763, 6950, 50NT, 684NT, 696N, 696NO, 763N, 763NC, 80NT, 80NTE, HD50LNT, HD50NT, HD80LNT, HD80NT, HB80RL, 696NC, 695C, 671SP, 672SP, NT080C	
Broan: 576, 670, 671, 674, 676, 678, 679, 680, 683, 684, 688, 689, 770, 771, 784, 679L, 683C, 683L, E050, E070, HD50, HD50L, HD80, HD80L, B678, B679, EC50, EC70, DX50L, DX70L, DX90, DX110	
Does not work with fans with attached decorative lighting fixtures.	



Dimensions shown in inches. Compatible with existing fan housing dimension of 7½" x 7¼" and 8¼" x 8". See chart for specific models.

