

DURACELL®

POWER INVERTERS 150-400 WATT





175 peak

• Smartphones/Tablets



400 WATT INVERTER



DRINVP150

DRINV400 400 peak

DRINV400TG

Watts Works with

- 150 peak Smartphones/Tablets
- Laptops TVs/Video Games
- Laptops • TVs/Video Games
- 2X AC outlet 2X USB ports

- Smartphones/Tablets
- Laptops
- TVs/Video Games
- Small Power Tools
- 2X AC outlets
- 1X USB port

- Smartphones/Tablets

400 continuous

- Laptops
- TVs/Video Games
- Small Power Tools
- 3X AC outlets
- 2X USB ports

POWER INVERTERS 800-3000 WATT



1X AC outlet

• 1X USB ports

800 WATT HIGH POWER INVERTER

DRINV800 800 continuous

1200 WATT **HIGH POWER INVERTER**



3000 WATT HIGH POWER INVERTER

DRINV1200

1200 continuous

DRINV3000 3000 continuous

Works with

Watts

- Smartphones/Tablets
- Laptops
- TVs/Video Games
- Small Power Tools
- Small appliances
- · 2X AC outlet
- 1X USB ports

• Smartphones/Tablets

- Laptops/Desktop Computers
- TVs/Video Games
- Power Tools
- Small appliances
- · 3X AC outlet
- 1X USB port

- Smartphones/Tablets
- Laptops/Desktop Computers
- TVs/Video Games
- Power Tools
- Household appliances
- 3X AC outlets
- Remote control switch
- LCD readout

Product Features

Product Features

DURACELL®

HIGH POWER INVERTER

CONVERTS VEHICLE POWER TO HOUSEHOLD POWER



1200 WATT

CONTINUOUS POWER

2 x 😱

1 x



FEATURES:

- 2400 Watts peak power
- 3 AC Outlets
- USB port with 2.1A output
- Power-saving on/off switch

- Two 1.5 foot power cables
- Rugged metal frame includes integrated mounting brackets
- Threaded terminals for securely attaching power cables

IDEAL FOR:



















Available Exclusively from



DURACELL®

Details & Dimensions	
SKU	DRINV1200
UPC	609525765229
Size: (LxWxH):	8.7 x 10.1 x 3.1 in.
Weight	5.8 Lbs.

Retail Set-Up	
Retail pack dimensions (LxWxH):	10.3 x 13.8 x 5.2 in.
Master carton UPC:	50609525765224
Master carton quantity:	2
Master carton dimensions (LxWxH):	14.5 x 11.1 x 11.5 in.
Master carton weight:	15.4 Lbs.
Country of origin:	China
Warranty:	3 year
Availability date:	Currently Available

Technical Specifications		
Output power (peak)	2400 Watts	
Output power (continuous)	1200 Watts	
DC input voltage	12 Vdc	
AC output voltage	115 V	
USB output	5V, 2.1A	
Output frequency	60 Hz	
Output waveform	Modified sine wave	
AC outlets	3	

Technical Specifications cont.		
Connector	Terminal binding posts	
No load current draw	<0.5A DC	
Operating temperature range	-5°C – 40°C	
Low voltage alarm	10.5 V	
Low voltage shutdown	10.0 V	
High voltage shutdown	15 V	
Protections	Input reverse, overload, short-circuit	
Over temperature shutdown	<65°C	

Learn more about RV converters and inverters we have.