

DURACELL®

POWER INVERTERS 150-400 WATT





175 peak

• Smartphones/Tablets



400 WATT INVERTER



DRINVP150

DRINV400 400 peak

DRINV400TG

Watts Works with

- 150 peak Smartphones/Tablets
- Laptops TVs/Video Games
- Laptops • TVs/Video Games
- 2X AC outlet 2X USB ports

- Smartphones/Tablets
- Laptops
- TVs/Video Games
- Small Power Tools
- 2X AC outlets
- 1X USB port

- Smartphones/Tablets

400 continuous

- Laptops
- TVs/Video Games
- Small Power Tools
- 3X AC outlets
- 2X USB ports

POWER INVERTERS 800-3000 WATT



1X AC outlet

• 1X USB ports

800 WATT HIGH POWER INVERTER

DRINV800 800 continuous

1200 WATT **HIGH POWER INVERTER**



3000 WATT HIGH POWER INVERTER

DRINV1200

1200 continuous

DRINV3000 3000 continuous

Works with

Watts

- Smartphones/Tablets
- Laptops
- TVs/Video Games
- Small Power Tools
- Small appliances
- · 2X AC outlet
- 1X USB ports

• Smartphones/Tablets

- Laptops/Desktop Computers
- TVs/Video Games
- Power Tools
- Small appliances
- · 3X AC outlet
- 1X USB port

- Smartphones/Tablets
- Laptops/Desktop Computers
- TVs/Video Games
- Power Tools
- Household appliances
- 3X AC outlets
- Remote control switch
- LCD readout

Product Features

Product Features

DURACELL®

HIGH POWER INVERTER

CONVERTS VEHICLE POWER TO HOUSEHOLD POWER



3000 WATT

CONTINUOUS POWER



FEATURES:

- 6000 Watts of peak power
- Three switchable 3-prong AC outlets
- Optional remote on/off switch
- Direct connect AC terminal

- Included two 1.5 ft power cables
- Power-saving master on/off switch
- Digital display shows total power draw and voltage

IDEAL FOR:

























Available Exclusively from



DURACELL®

Details & Dimensions		
SKU	DRINV3000	
UPC	609525765205	
Size: (LxWxH):	10 x 16.5 x 3.7 in.	
Weight	12.9 Lbs.	

Retail Set-Up	
Retail pack dimensions (LxWxH):	12.4 x 19.6 x 6.1 in.
Master carton UPC:	50609525765200
Master carton quantity:	1
Master carton dimensions (LxWxH):	12.9 x 20.1 x 6.9 in.
Master carton weight:	17.2 Lbs.
Country of origin:	China
Warranty:	3 year
Availability date:	Currently Available

Technical Specifications		
Output power (peak)	6000 Watts	
Output power (continuous)	3000 Watts	
DC input voltage	12 Vdc	
AC output voltage	115 V	
Output frequency	60 Hz	
Output waveform	Modified sine wave	
AC outlets	3	
Connector	Bolt on posts	

Technical Specifications cont.		
No load current draw	<1.0A DC	
Operating temperature range	-5°C – 40°C	
Low voltage alarm	10.5 V	
Low voltage shutdown	10.0 V	
High voltage shutdown	16 V	
Protections	Input reverse, overload, short-circuit	
Over temperature shutdown	<65°C	