









ABOUT US

In 1966, Walter R. "Tommy" Tucker purchased a new style battery hydrometer to sell from his small Wagon Jobber Business, which he ran out of a Volkswagen Micro Bus. After discovering the uniqueness and quality of this inexpensive hydrometer, he sold his Jobber Wagon Business and partnered with the inventor. Tommy eventually bought out the inventor and expanded the line. Since then, the EZ Red Company has grown steadily, moving from its origin in Tommy's basement to its present location at Evergreen Corporate Park with several stops in between. Over the years additional product lines have been added, from hand tools to lighting products, always with the same emphasis on quality and value. Today EZ Red products are distributed worldwide, but the company is still family owned and operated, and still headquartered in Deposit on the Delaware where it began.



LIGHTING: PAGE 1		
24242424	HOOD HAWK	PAGE 2
	XTREME COB WORK LIGHT	PAGE 3
10101101101	SOLARUS LIGHT	PAGE 3
	PEN LIGHT	PAGE 3
	COB LED POCKET LIGHT	PAGE 4
HYDROMETERS: PAGE 5	SLIM LIGHT	PAGE 4
というだらいいい	BATTERY HYDROMETER 101	PAGE 6
	ANTI-FREEZE HYDROMETER 102	PAGE 6
RATCHETS: PAGE 7	WINDSHIELD WASHER HYDROMETER 104	PAGE 6
ひつしていいいい	LOCKING FLEX HEAD EXTENDABLE COMFORT GRIP	PAGE 8
	LOCKING FLEX HEAD FULL CHROME GRIP	PAGE 8
レンシン	EXTENDABLE RATCHETS COMFORT GRIP	PAGE 8
10,0,0,0,0,0	DOUBLE EXTRA LONG FULL CHROME GRIP	PAGE 10
	3/4" EXTENDABLE FULL CHROME	PAGE 10
コンコン	1" EXTENDABLE FULL CHROME	PAGE 10
SPECIALTY: PAGE 13	0707070707070	7,07,0
マンシン	QUARTER STICKS	PAGE 14,15
-0-0-0-0-0-	HAND TOOL SETS	PAGE 17
	PLASTIC REPAIR KIT WRENCHRAC SOCKET HOLDER	PAGE 16
2222	FIVE IN ONE PLIERS KIWI PLIERS WRIST MAG	PAGE 18
YUYUYUYUY	TELESCOPING TOOLS	PAGE 19
レーレーレーレー	RAZOR SCRAPERS	PAGE 20
100000000	WRENCH SETS	PAGE 22
シャンプレングング	HEX / TORX/ BIT SETS HEAT SHRINK	PAGE21
BATTERY, PAGE 25	してしてしてしてしてし	1. J. Y. J
KUYUYUYUYUY	POWER POST CLEANERS PAGES 2	6, 27, 28, 29
2727272	BATTERY POST CLEANERS	AGES 30, 31
	SERIES BATTERY CHARGERS	PAGE 32
シンシン	FORMATION JUMPERS / ADAPTERS	PAGE 33
	LOAD TESTERS	PAGE 34
J. J. J. J. J. J	MEMORY SAVERS	PAGE 35
12/12/12/12	BATTERY LIFTERS	PAGE 36
	BATTERY FILLERS	PAGE 37
ノーノーノーノー	BATTERY MAINTENANCE KIT	PAGE 38
	DVM / SOLUTION TESTERS	PAGE 39
	BATTERY CABLE TOOLS	PAGE 40
ALIGNMENT: PAGE 41	してしてしてしてしてして	
SUNJYUYUYUY	EZLINE TRAILER ALIGNMENT	PAGE 42 PAGE 42 PAGE 42
	EZLINE COMPLETE	PAGE 42
リブンブンブングング	EZLINE ACCESSORIES	PAGE 42
WEIGHTS / DIMENSIONS	FOR ALL EZRED PRODUCTS	PAGE 44, 45
	DXUXUXUXUXU	You division
INDEX	CATALOG INDEX	PAGE 46



LIGHTING



Tools and equipment for automotive technicians and battery specialists



KUUD KAWK

REVOLUTIONARY UNDERHOOD LIGHT







Includes: Clamp Light Pistol Grip



XLUHLS

Hood Hawk

- COB LED 1000 lumens on high setting
- 550 lumens on low setting
- 3 hour run time on high
- 6 hour runtime on low
- Clamp nearly anywhere for instant illumination
- · Bumpers on clamp protect surfaces from damage
- · Light adjusts on two axes for easy positioning
- Tough and durable ABS construction

Clamp swivels to any direction!

RECHARGEABLE





"An amazing innovation"



PATENT PENDING











XLM500

Logo work light with magnetic base

- Stepless dimming feature
- Logo COB LED
- 500 Lumens on High
- 250 Lumens on low
- 3 hour run time on high
- 6 hour run time on low
- · Rechargeable
- · Battery level indicator lights
- Rugged construction
- · Protective corner bumpers offer drop protection







XLF1000

10 Watt Rechargeable Focusing Light

- Focusing Lens
- · Stepless dimmer
- COB LED
- 1000 Lumens on High
- 500 Lumens on low
- 4 hour run time on high
- 8 hour run time on low
- · Rechargeable with on-board USB charge cord
- Outbound USB charging for compatible devices
- . Battery level indicator lights
- Rugged aluminum construction
- Protective corner bumpers offer drop protection



XL5500

Xtreme Logo Work Light

- . 500 lumens high, 150 lumens low
- Up to 3 hours high / 6 hours low
- 5 hour charge time
- Micro USB charging port
- · Impact protection, ergonomic grip and bumper
- Dimmable logo COB and spot
- . Separate switches for Logo COB and top spot
- Magnets on bottom and back
- · Rotating nylon hook
- Slim design for easy access to tight areas





175 LUMENS

POCKET LIGHT

PCOB

Pocket COB LED Light Sticks

- COB LED's
- Magnetic Base
- Up to 7 Hour Run Time
- Pocket Clip
- . Operates on 3 AAA Batteries
- . Weather Resistant Button
- · Warranty code L90



12 PCOB (RED)

POCKET LIGHT

PCOB12PKC



3 PCOB, 3 PCOB-OR, 3 PCOB-G, 3 PCOB-P

PCOB12C2



4 PCOB-OR, 4 PCOB-G

175

PCOB 12 PACKS

Pocket COB LED Light Sticks

- · COB LED's
- Magnetic Base
- Up to 7 Hour Run Time
- · Pocket Clip
- Operates on 3 AAA Batteries
- Weather Resistant Button
- · Warranty code L90



XTREME LIGHT

COB Rechargeable Work Light

- COB LEDs
- 100% field repairable
- 3.7V 4400mAh Li-ion rechargeable battery(included)
- 450 Lumens High, 250 Lumens Low
- · USB charging port
- Over-charge protection
- · Impact protection, ergonomic grip handle and bumper
- . Easy operating soft touch switch
- · 360 degree rotating hook for easy maneuverability
- . Warranty code L1Y

XL334PK

COB XTREME Work Light 4 Pack



Tools and equipment for automotive technicians and battery specialists







SP101

101

Battery Hydrometer

- Temperature compensating
- . Obtain direct, accurate readings
- Designed so that anyone can see the state of the battery acid
- Wide range of 1.100 1.300 SG
- . Unbreakable, E-Z to read, economical
- Used by battery manufacturers worldwide
- · Warranty code LLT

Please see page 33 for the B108 Refractometer.





SP102

102

Anti Freeze Hydrometer

- Tests ethylene glycol solutions
- Temperature compensating
- . Obtain direct, accurate readings
- Wide range: +32°F to 60° F
- · Fahrenheit & Celsius scales
- · Unbreakable, E-Z to read
- . Tests both hot and cold solutions
- Tests Dex-Cool® (Used in late model vehicles)
- · Warranty code LLT





S104

104

Windshield Washer Hydrometer

- Tests methanol solutions
- Temperature compensating
- · Obtain direct, accurate readings
- Wide range: +32°F to -60° F
- Fahrenheit & Celsius scales
- · Unbreakable, E-Z to read
- Warranty code LLT





RATCHETS

MRIZEL LOCKING FLEX HEAD EXTENDABLE RATCHETS, COMFORT GRIP PAGE 8

MR1224FL LOCKING FLEX HEAD RATCHETS , FULL CHROME GRIP PAGE 8

RK12 REPAIR KITS FOR RATCHET HEADS PAGE 8

IR12 EXTENDABLE RATCHETS , COMFORT GRIP PAGE 1

DOUBLE EXTRA LONG FULL CHROME GRIP PAGE

RTX 1" EXTENDABLE FULL CHROME PAGE

Tools and equipment for automotive technicians and battery specialists











MR12 / MR38 / MR14

Extendable Ratchet

- . Unique, extendable locking shaft
- Thermal Plastic over-molded handle ensures firm grip
- Precise 5 degree drive head contains 72 teeth
- . Meets and exceeds ANSI torque requirement
- · Replacement Head Kits available
- . Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.









MR12XLC / MR38XLC / MR14XLC

Full Chrome Ratchet

- Double Extra Long
- · Full Chrome for easy cleaning
- · Low profile
- · Reversible switch
- · Exceeds ANSI torque requirements
- Replacement Head Kits available
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.







MR34

Extendable 3/4" or 1" Ratchet

- · Unique, extendable locking shaft
- Extends from approx 24" to 40"
- . Knurled handle ensures firm grip
- · Precise 15 degree drive head contains 24 teeth
- · Replacement Head Kits available
- . Meets and exceeds ANSI torque requirement
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



All items listed below are available individually or in the 3 piece set.

ITEM #	DESCRIPTION	SPECS
MR12	EXTENDABLE RATCHET	.50" DRIVE X 13.78" TO EXTENDED LENGTH OF 19.79"
MR38	IR38 EXTENDABLE RATCHET .375" DRIVE X 9.84" TO EXTEN	
MR14	EXTENDABLE RATCHET	.25" DRIVE X 6.89" TO EXTENDED LENGTH OF 8.85"
MR482	R482 SET OF 3 EXTENDABLE RATCHETS MR12, MR38, MR14	
RK12	11 PIECE REPAIR KIT FOR THE MR12	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK38	11 PIECE REPAIR KIT FOR THE MR38	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK14	11 PIECE REPAIR KIT FOR THE MR14	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD

All items listed below are available individually or in the 3 piece set.

ITEM # DESCRIPTION		SPECS	
MR12XLC XXL FULL CHROME RATCHET		.50" DRIVE X 22" LONG	
MR38XLC	38XLC XXL FULL CHROME RATCHET .375" DRIVE 16.00"		
MR14XLC XXL FULL CHROME RATCHET .25		.25" DRIVE X 9.02"LONG	
MR482XLC SET OF 3 XXL FULL CHROME RATCHETS MR12XLC, MR38XLC, M		MR12XLC, MR38XLC, MR14XLC RATCHETS	
RK12	12 11 PIECE REPAIR KIT FOR THE MR12XLC ALL THE PARTS YOU NEED TO REBUILD		
RK38 11 PIECE REPAIR KIT FOR THE MR38XLC ALL THE PARTS YOU NEED TO I		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR14XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	

ITEM #	DESCRIPTION	SPECS
MR34	EXTENDABLE RATCHET	.75" DRIVE X 24.00" TO EXTENDED LENGTH OF 39.87"
RK34	11 PIECE REPAIR KIT FOR THE MR34	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
MR1X EXTENDABLE RATCHET 1.00° drive for the 24 to exten		1.00" drive for the 24 to extended length of 39.47"
RK1X	11 PIECE REPAIR KIT FOR RHW MR1X	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD







Also available: full set of all 3 ratchets Item # MR482FL

1 HONI





MR12FL / MR38FL / MR14FL

Locking Flex Head Extendable Ratchet

- Locking 180° flex heads
- 72 tooth drive
- Comfort grip
- · Low profile
- Reversible
- · Extendable locking shaft
- Exceeds ANSI specs
- · Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.











MR1224FL / MR3818FL / MR1412FL

Locking Flex Head Full Chrome Ratchet

- Locking 180° flex heads
- 72 tooth drive
- · Full chrome grip
- · Low profile
- Reversible
- Extendable locking shaft
- · Exceeds ANSI specs
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



Also available : set of 3 ratchets Item # MR482XLF







MR1224F / MR3818F / MR1412F

Flex Head Comfort Grip Ratchet

- 180° flex heads (non locking)
- 72 tooth drive
- · Comfort grip
- · Low profile
- Reversible
- · Exceeds ANSI specs
- · Ratchets are available separately
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



All items listed below are available individually or in the 3 piece set.

ITEM #	DESCRIPTION	SPECS
MR12FL	LOCKING FLEX HEAD EXTENDABLE RATCHET	.50" DRIVE X 13.78" TO EXTENDED LENGTH OF 19.79"
MR38FL LOCKING FLEX HEAD EXTENDABLE RATCHET .3		.375" DRIVE X 9.84" TO EXTENDED LENGTH OF 13.78"
MR14FL	1/4" LOCKING FLEX HEAD EXTENDABLE RATCHET	.25" DRIVE X 6.89" TO EXTENDED LENGTH OF 8.85"
MR482FL SET OF 3 LOCKING FLEX HEAD EXTENDABLE RATCHETS		MR12FL, MR38FL, MR14FL RATCHETS
RK12	11 PIECE REPAIR KIT FOR THE MR12FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK38	11 PIECE REPAIR KIT FOR THE MR38FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK14	11 PIECE REPAIR KIT FOR THE MR14FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD

ITEM #	DESCRIPTION	SPECS	
MR1224FL	XXL FULL CHROME LOCKING FLEX HEAD RATCHET	.50" DRIVE X 22" LONG	
MR3818FL	XXL FULL CHROME LOCKING FLEX HEAD RATCHET	.375" DRIVE 16.75" LONG	
MR1412FL	XXL FULL CHROME LOCKING FLEX HEAD RATCHET	.25" DRIVE X 10.25"LONG	
MRT438FL SET OF 2 XXL FULL CHROME LOCKING FLEX HEAD RATCHETS		MR1412FL, AND MR3818FL RATCHETS	
RK12 11 PIECE REPAIR KIT FOR THE MR1224FL ALL THE PARTS YOU NEED TO REBUIL		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK38	11 PIECE REPAIR KIT FOR THE MR3818FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR1412FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	

All items listed below are available individually or in the 3 piece set.

ITEM#	DESCRIPTION	SPECS
MR1224F XXL FLEX ONLY RATCHET		.50" DRIVE X 24" LONG
MR3818F	318F XXL FLEX ONLY RATCHET .375" DRIVE 18.0	
MR1412F	XXL FLEX ONLY RATCHET	.25" DRIVE X 12.00"LONG
MR482XLF	SET OF 3 XXL FLEX ONLY RATCHETS	MR1224F, MR3818F, MR1412F RATCHETS
RK12	11 PIECE REPAIR KIT FOR THE MR12XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK38	11 PIECE REPAIR KIT FOR THE MR38XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
RK14	11 PIECE REPAIR KIT FOR THE MR14XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD




NEW PACKAGING



The E-Z Red logo and brand has undergone a significant transformation. The new identity had to satisfy all of the existing expectations of what our original mark stands for; quality, innovation, and strength... while simultaneously moving the brand forward.

Striving to maintain the iconic and recognizable mark was a primary goal. This was achieved by carefully reconstructing the existing mark and studying its fundamental shapes, angles and weight. Color provides a strong visual link to our brand identity across a wide range of applications. The consistent representation of these core colors helps reinforce the distinctiveness of the E-Z Red brand.

Black, red, and blue serve as our brand's corporate colors for print and electronic applications. An extended color palette has been created for use in presentations and other corporate materials. To find colors that are consistent with the business needs of your department, please refer to the relevant style guides. To ensure consistent representation of our brand identity, we always use high-quality vendors and reproduction methods. I hope you will join us in embracing these new elements, designed to integrate the strength of our past with our future. Thank you for the significant role you play in helping fulfill its mission. Your loyalty, hard work, and support are deeply appreciated.



Tools and equipment for automotive technicians and battery specialists





4512L

Locking Quarter Stick

- ¼" Combination bit and square drive with locking heads
- Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- . Knurled low profile thumb wheels for extra precision
- Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- · Exceeds ANSI torque requirements
- · Warranty code LLT

Covered by US Patent No. D677, 536 and U.S. Patent No. 9,446,506.



4504

Stubby Quarter Stick

- 1/4" Combination bit and square drive
- · Great for tight spots under dashboards and bumpers
- · Custom Reversible switches
- . Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- 180 degree flex heads at each end for multiple angles
- · High polished chrome finish
- Exceeds ANSI torque requirements
- · Warranty code LLT



4538L

Dual Square Drive

- 15° offest heads
- Great for tight spots, under dashboards, and bumpers
- · Custom reversible switch
- · Knurled low profile thumb wheel for extra precision
- Push button quick release
- · High polished Chrome finish
- · Exceeds ANSI torque requirement
- · Warranty code LLT

Covered by US Patent No. D677, 536 and U.S. Patent No. 9,446,506.





4S12XL

Extra Long Quarter Stick

- ¼" Combination bit and square drive with 15° offset heads
- · Great for tight spots, under dashboards, and bumpers
- · Custom Reversible switches
- . Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- . 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- · Exceeds ANSI torque requirements
- Warranty code LLT



4508XL

8" Quarter Stick

- 1/4" Combination bit and square drive with 15° offset heads
- Great for tight spots, under dashboards, and bumpers
- · Custom Reversible switches
- . Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- Exceeds ANSI torque requirements
- · Warranty code LLT



4SO4XL

Stubby Quarter Stick

- 1/4" Combination bit and square drive with 15° offset heads
- · Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- . Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- . 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- · Exceeds ANSI torque requirements
- · Warranty code LLT



4S3XL

3 Piece Quarter Stick Set

- 15° offest heads
- · Great for tight spots, under dashboards, and bumpers
- · Custom reversible switch
- . Knurled low profile thumb wheel for extra precision
- · Push button quick release
- High polished Chrome finish
- · Exceeds ANSI torque requirement
- Warranty code LLT







Spline Sockets

Flex-head 1/4"



1/4" Mini Master Set 20 Pieces

- 1/4" flex head drive with bit holder end
- 8 spline low profile metric sockets (4-11mm)
- 10 bits
- 3" extension
- · Rugged nylon roll up pouch
- · LLT (Ratchet only)





41255

33 Piece Socket & Bit Set

- 1/4" sockets: 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm
- 1/4" bits: PH 1, 2, 3 PZ 0, 2(x 2pc), 3 H3, 4, 5, 6 T 8, 10, 15, 20, 25, 27, 30, 35, 40
- 1/4" drive 4" extension bar
- 4S04: Stubby bit and socket driver
- · 4S12L: Extra long bit and socket driver
- · Blow molded case.
- · Warranty code LLT



4S3XL

3 Piece Quarter Stick Set

- 15° offest heads
- · Great for tight spots, under dashboards, and bumpers
- · Custom reversible switch
- . Knurled low profile thumb wheel for extra precision
- Push button quick release
- · High polished Chrome finish
- · Exceeds ANSI torque requirement
- · Warranty code LLT



HOLDS UP TO 15 WRENCHES



WR1500 - WR1500B - WR1500G

Magnetic Wrench Rac

- Individual magnet design holds any size wrenches securely allowing EZ one handed access
- Wrench Rac is designed to magnetically hold from the center of the wrench, unlike conventional "V" style holders
- Non-scratch Heavy Duty anodized aluminum with magnetic end caps
- · Great for flex head & stubby wrenches
- . Warranty code L1Y

ALSO AVAILABLE:

WR2400 - WR2400B

24 Inch Magnetic Wrench Rac





Holds 12 metric sockets ranging from 8-19mm

Holds 11 SAE sockets ranging from 1/4-7/8 inch



Holds 12 metric sockets ranging from 5-15mm

Holds 10 SAE sockets from 3/16-9/16 inch



- Socket Sizes, drive size, and type Printed right on the socket holder
- Helps cut down socket clutter and helps to find the right socket quickly
- Fits easily into tool boxes or shop cart drawers for quick storage
- Rugged EVA foam takes abuse and resists common shop fluids
 Warranty code L1Y











HC001

Cordless Plastic Repair Kit

- Adjustable head for multiple angles
- LED Light
- LED charging and low battery indicator lights
- 120 V charger included
- · Finished repair is strong and flexible
- Great for repairing broken locater pins, door panel clips, and tabs
- Expensive plastic parts can be saved
- 3 types of 100 repair pins included
- Kit comes in a hard plastic storage case
- · Warranty code L1Y





PG5

Five in One Pistol Grip Pliers

- 10" long nose pliers with crimping, cutting, wire stripping, and fastener extraction functions
- Offset jaws offer a clear line of sight to the work being performed
- Ergonomic design of pistol grip is easier to use in difficult to reach areas
- Offers better orientation of the hand and forearm during grip exertion, reducing muscle fatigue
- · Warranty code L1Y



KWP2

2 Piece Kiwi Pliers Set

- Includes 6" short nose and 8" long nose Kiwi Pliers.
- · Needle-nose pliers at an angle.
- . More powerful grip with less effort.
- · Better hand alignment provides a clear line of sight.
- · Curved handles fit your hand comfortably.
- Internal spring opens the pliers jaws.
- Made from heat treated long lasting quality steel
- · Warranty code LLT



WM396

Wrist mag Magnetic Wrist Band

- Super strong with 6 neodymium magnets!
- · Rated to hold 6 pounds of steel parts.
- · Saves time by keeping steel parts close at hand.
- Ends the frustration of losing loose nuts & bolts.
- Magnets also hold tools.
- Made from comfortable waterproof neoprene.
- · Warranty code ND





HH1000 / HH40

Locking / Extendable Monster Hood Props

- Exclusive double locking system includes button locks and clutch locks
- Special guide channel ensures the button lock to line up every time
- The only prop to hold SUV, crossover and mini-van gates 100% open
- Made of thick wall tube aluminum
- . Warranty code L90

ITEM#	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER
HH1000	Red	25"	60"	1"
ITEM #	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER
HH40	Red	23"	40"	.50"



MM36 / SWMM36 / MM38

Locking / Extendable Monster Magnets

- Telescoping with clutch locks Insulated handle
- Neodymium rare earth magnet Removes broken axle pieces
- Will start bolts in tight spots Made of thick wall tube aluminum
- Warranty code L90

ITEM#	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM36	10 lbs.	20.5"	36"	.50" X 1"
ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	FEATURE
SWMM36	10 lbs.	22"	38"	180 DEGREE Locking Swivel Head
ITEM#	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM38	20 lbs	20.5"	38"	1" X .25"









NEW! Solid aluminum scraper heads!





Plastic blades, Item # 77239 are also available

MS3000

Monster Scraper Kit

- Three scrapers and five spare razor blades
- Includes: 13", 8" and 4" long scrapers
- Unique design angled head
- · Durable and dependable
- In a blow molded case
- · Warranty code L90

NEW! Solid aluminum scraper head!





Powder-coated aluminum



MS1900

19" Extra Long Scraper

- · Super heavy duty
- Extra long 19" length
- Rugged aluminum body
- · Comfortable poly foam grip
- . Store up to 15 extra blades in the handle
- Warranty code L90

NEW! Solid aluminum scraper head!





MS60010PK Jar of ten MS600

MS600

6" Monster Scraper

- · Pocket sized, 6" long
- · Single-edge razor included
- · Heavy-duty, made to last
- · Angled head
- Rugged aluminum body
- · Red vinyl grip
- · Warranty code LLT

NEW! Solid aluminum!





MS40020PK Jar of twenty MS400

MS400

Compact Monster Scraper

- · Compact at 4" long
- Scrape in tight spots
- · Ergonomic design
- . Molded from chemical resistant PC
- Single-edge razor blade included
- · Warranty code LLT





HS34

Heat Shrink Tube Set

- 8 Different size tubes.
- 158 Total pieces.
- Tubes shrink to fit over cable splices & can be used for wire harnessing, covering, marking & bundling wires.
- Use for auto, marine, home, industrial, and many more applications.
- 2:1 Shrink Ratio.
- · Case features a molded in ruler.
- · Assortment includes sizes in multi-colors:.
- 2.5 x 170mm, 3.0 x 170mm, 5.0 x 150mm, 6.0 x 150mm, 16 x 170mm, 10 x 170mm, 12 x 170mm, 20 x 170mm
- · Warranty code ND



T1000

Low Profile Torx Bit Set

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm, or 17mm wrench or socket.
- Precision made
- · Warranty code LLT



HLS1000

Low Profile HEX Bit Set

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm, or 17mm wrench or socket.
- Precision made
- Warranty code LLT

T1000 Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60

HLS1000 Sizes: SAE 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8



SD3

3 Pc Square Adapter Bit Set

- Low profile design for superior access to tight areas
- Wrench side fits on any 17mm, 12mm, or 10mm wrench.
- · Ball Detents on both sides
- Set includes 1/2", 3/8" and 1/4" drive adapters
- · Warranty code LLT





WR5ML

5 Pc. Locking Flex Head Ratcheting Wrench Set

- . Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- · Reverse switch
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 8mm x 10mm, 12mm x 14mm,
 13mm x 15mm, 16mm x 18mm and 17mm x 19mm
- · Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



WR4SL

4 Pc. Locking Flex Head Ratcheting Wrench Set

- Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- · Reversible switch
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 5/16 x 3/8, 7/16 x 1/2, 9/16 x 5/8, 11/16 x 3/4
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



NR5M

5 Pc. Extra Long Flex Head Ratcheting Wrench Set

- . Box ends with slim heads for greater reach capabilities
- Extra Long Spline with 180 degree flex heads
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 8mm x 10mm, 12mm x 14mm, 13mm x 15mm, 16mm x 18mm and 17mm x 19mm
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



All items listed below are available individually or in the 5 piece set.



ITEM#	DESCRIPTION	DIMENSIONS
WRM810	8 X 10 MM	9.5" LONG X .75" WIDE X .50" HIGH
WRM1214	12 X 14 MM	12.75" LONG X 1.12" WIDE X .62" HIGH
WRM1315	13 X 15 MM	14.25" LONG X .125" WIDE X .50" HIGH
VRM1618	16 X 18 MM	16.75" LONG X 1.37" WIDE X .75" HIGH
VRM1719	17 X 19 MM	16.75" LONG X 1.37" WIDE X .75" HIGH
WRM5L	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH

REPLACEMENT HEADS ARE AVAILABLE. Call for more info.

Universal Spline fits 6 different fasteners

All items listed below are available individually or in the 4 piece set.

ITEM #	DESCRIPTION	DIMENSIONS
WRS51638	5/16" X 3/8"	9.5" LONG X75" WIDE X .50" HIGH
WRS71612	7/16" X 1/2"	12.75" LONG X 1.12" WIDE X .62" HIGH
WRS91658	9/16" X 5/8"	16.75" LONG X 1.37" WIDE X .75" HIGH
WRS111634	11/16" X 3/4"	16.75" LONG X 1.37" WIDE X .75" HIGH
WR4SL	COMPLETE SET	22" LONG X 8" WIDE X 1" HIGH

REPLACEMENT HEADS ARE AVAILABLE. Call for more info.



Universal Spline fits 6 different fasteners

All items listed below are available individually or in the 5 piece set.

ITEM #	DESCRIPTION	DIMENSIONS
NRM810	8 X 10 MM	9.5" LONG X75" WIDE X .50" HIGH
NRM1214	12 X 14 MM	2.75" LONG X 1.12" WIDE X .62" HIGH
NRM1315	13 X 15 MM	14.25" LONG X .125" WIDE X .50" HIGH
NRM1618	16 X 18 MM	16.75" LONG X 1.37" WIDE X .75" HIGH
NRM1719	17 X 19 MM	16.75" LONG X 1.37" WIDE X .75" HIGH
NR5M	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH

REPLACEMENT HEADS ARE AVAILABLE. Call for more info.





The E-Z Red logo and brand has undergone a significant transformation. The new identity had to satisfy all of the existing expectations of what our original mark stands for; quality, innovation, and strength... while simultaneously moving the brand forward.

Striving to maintain the iconic and recognizable mark was a primary goal. This was achieved by carefully reconstructing the existing mark and studying its fundamental shapes, angles and weight. Color provides a strong visual link to our brand identity across a wide range of applications. The consistent representation of these core colors helps reinforce the distinctiveness of the E-Z Red brand.

Black and red serve as our brand's corporate colors for print and electronic applications. An extended color palette has been created for use in presentations and other corporate materials. To find colors that are consistent with the business needs of your department, please refer to the relevant style guides. To ensure consistent representation of our brand identity, we always use high-quality vendors and reproduction methods. I hope you will join us in embracing these new elements, designed to integrate the strength of our past with our future. Thank you for the significant role you play in helping fulfill its mission. Your loyalty, hard work, and support are deeply appreciated.

Tools and equipment for automotive technicians and battery specialists



Tools and equipment for automotive technicians and battery specialists





ITEM#	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505BT	.31"	1.18"	1.83" X 2.64"	18mm	.625"
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
5058TSSHQD	.25"	1.02"	1.63" X 2.50"	18mm	.625"

505BT / 505BTSSHQD

"Bent-Tooth" Power Post Cleaner

- . Bent tooth staple cloth. The wires have a 70° bend.
- . Clean up to 50 posts per minute
- . 400 to 800 RPM is strongly recommended
- · Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction. After the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505ST	.31"	1.18"	1.83" X 2.64"	18mm	.625"
ITEM#	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505STSSHQD	.25"	1.02"	1.63" X 2.50"	18mm	.625"

505ST / 505STSSHQD

"Straight-Tooth" Power Post Cleaner

- Straight tooth staple cloth where the wires are perpendicular from the inside circumference.
- . Clean up to 50 posts per minute
- . 400 to 800 RPM is strongly recommended
- · Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



ITEM#	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JP	.25"	1.062"	11-15mm	1.75"	1.62" X 2.5"

505JP

"JIS" Power Post Cleaner

- . JIS indicates Japanese Industrial Standard
- · Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction, after the effectiveness diminishes, switch or reverse the machine, or electric / pneumatic drill for extending the life of this cleaner.





ITEM#	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505N	.25"	1.062"	16mm	1.75"	1.83" X 2.75"

505N

Negative Power Post Cleaner

- Bent tooth staple cloth. The wires have a 70° bend.
- . Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505N cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505NSSHQD	.25"	1.02"	16mm	1.75"	1.63" X 2.50"

505NSSHQD

Negative Power Post Cleaner Steel Shaft

- . Bent tooth staple cloth. The wires have a 70° bend.
- . Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- · Warranty code ND

Helpful hint:

The 505NSSHQD cleans up to 1000 battery posts in one direction, after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



ITEM#	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JPN	.25"	1.062"	11-13mm	1.75"	1.83" X 2.75"

505JPN

JIS Power Post Cleaner

- . JIS indicates Japanese Industrial Standard
- . Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505JPN cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.









BK50112PCK

Battery Terminal Cleaner Wire Brush

- · Highest quality cleaner of its kind
- . Brush will not twist loose!!
- · Protective cover fits both ends
- Clean top post terminals
- · Great for battery cable ends
- Ensures a great connection
- · Available on vinyl cards or bulk
- Warranty code ND





503

Battery Janitor

- Reshape battery terminals
- Ensures a great connection
- · Steel blades stay sharp
- · Highest quality cleaner of its kind • Made from unbreakable plastic
- · Available on vinyl cards or bulk
- Warranty code ND





Battery Terminal Cleaner Steel Blades

- · Reshape battery cable ends
- Staple cloth removes corrosion from posts
- Ensures a great connection
- · Steel blades stay sharp
- · Protective cover fits both ends
- · Made from durable plastic
- · Available on vinyl cards, bulk, or counter display
- · Warranty code ND





516

Side Terminal Cleaner

- · Center brush cleans threaded area
- · Circular outer brushes clean contact area
- · Cleans cable end with stud removed
- ¼" ratchet included with the EZSP516R
- Can be used with 1/4" impact tools
- · Available packaged, bulk, or counter display
- · Warranty code ND



541

4-in-1 Battery Terminal Cleaner

- Service most battery post types and cable ends
- Top post, Group 31 Truck, Marine, and Side Terminal
- Available packaged on vinyl card for retail sales, bulk, or counter display
- · Warranty code ND



BK534QD

3/4" Wire Brush

- · Quick disconnect
- Use with pneumatic or any type of drill
- . Clean top terminal cable ends
- Case quantity 10.
- · Warranty code ND





FITS ANY ¼" QUICK DISCONNECT TOOL



PP12PK

Battery Brush Kit

- · Clean and polish corroded battery posts
- 400 to 800 RPM recommended
- ¼" Hexagonal drive shaft to use with air drill or cordless driver.

KIT INCLUDES

- 6 pieces 505BTSSHQD top post power battery brushes
- 3 pieces 506COSSHQD side terminal and group 31 brushes
- 3 pieces 509SSHQD utility brushes
- · Warranty code ND

Spins over the battery post, at a recommended maximum speed of 800 RPM's. When it starts losing it's effectiveness, the machine, or electric pneumatic drill can be switched to reverse to extend the life.





509SSHQD

Utility Brush

- Cleans Side terminals
- Removes corrosion from a variety of surfaces
- · Can be used in many applications
- · Stainless steel brushes are made to last
- · Warranty code ND





506COSSHQD

S/T and Group 31 Brush

- · Center hole accommodates the threaded stud
- . Outer brushes clean contact area
- · Warranty code ND





505BTSSHQD

Top Post Brush

- . Clean and polish entire battery post
- Lasts for up to 1000 battery posts
- 400 to 800 RPM is strongly recommended
- •18mm post size. "BT" indicates bent tooth staple cloth where the wires are at a 70° bend.
- Warranty code ND





506

Side Terminal Cleaner

- Center brush cleans inside threads of side terminal batteries
- · Outer brushes clean contact area
- · Warranty code ND





506CO / 506COSSHQD

Group 31 Battery Post Cleaner

- · Center hole accommodates the threaded stud
- Outer brushes clean contact area
- · Warranty code ND





509 / 509SSHQD

Utility Brush

- Cleans Side terminals
- Removes corrosion from a variety of surfaces
- · Can be used in many applications
- · Stainless steel brushes are made to last
- Warranty code ND



507BT

Bent Tooth Commercial Post

- Clean battery posts up to 1 inch in height Cleans tops and sides of battery posts
- Boxed in quantities of 200 per carton Warranty code ND

ITEM#	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
507BT	.31"	1.18"	1.83" X 2.89"	18mm	.85"



502

Bi-level Marine Post

- Top layer of staple cloth cleans threaded area. Bottom layer cloth cleans the lead base.
- . Boxed in quantities of 200 per carton. . Warranty code ND

ITEM#	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
502	.31"	1.18"	1.83" X 2.89"	9mm	.80"





KS1612

250 Amp Load Tester

- 15 second manual test
- 0-16 volt scale
- . 6 and 12 volt zones
- Convenient 6 & 12 volt test buttons
- · 4 gauge test leads
- . Will test up to a 500 CCA battery
- No sparking at the battery as connection is made inside the tester.
- Warranty code L90



BT104

125 Amp Load Tester

- Test 6 and 12 volt batteries.
- . This rugged unit is built to last.
- Heavy duty insulated safety clamps with 300 Amp jaws.
- Perform diagnostic tests: state of charge, battery load test, charging system test.
- Lightweight and easy to use.
- Pistol grip
- Warranty code L90



B1100

100 Amp Load Tester

- Test 6 and 12 volt batteries
- Test complete in 10 seconds
- Copper plated clamps
- Instructions on back label
- Warranty code L90





EZ612

Digital Volt Meter

- Test both 6 and 12V batteries.
- · Checks charging systems.
- Tests to within 1/100th of a volt.
- . Polarity reversal and over voltage protection.
- Accuracy: ± .03 DCV.
- Warranty code L90



B108

2-in-1 Refractometer

- · Use only one drop of solution
- · Adjustable lens focus
- Test Propylene Glycol
- Test Ethylene Glycol
- · Calibration adjustment screw
- . Check state of battery charge (specific gravity)
- Screwdriver, eyedropper, and padded case included.
- · Fahrenheit & centigrade scales
- Warranty code L90





SP101

101

Battery Hydrometer

- Temperature compensating
- . Obtain direct, accurate readings
- Designed so that anyone can see the state of the battery acid
- Fahrenheit & Celsius scales
- Wide range of 1.100 1.300 SG
- . Unbreakable, E-Z to read, economical
- · Used by battery manufacturers worldwide
- Warranty code LLT







BK520 / S520

Side Battery Lifter

- All steel construction makes this battery lifter last a long time
- The rubber pads are adhered with a super strong adhesive
- . Non-slip ribbed vinyl hand grip
- Lift batteries from 4½ to 7½ inches wide
- · Warranty code L90





BK530 / S530

Super Grip Battery Lifter

- . Tapered design for tight spots
- · Round over teeth grip battery tight
- · Heavy duty rivets
- All steel Construction
- . Multiple ply rubber strap handle
- Fits virtually all car batteries including group 65
- . Warranty code L90



BK550

Battery Lifter

- Overall spread is 18¼ inches
- . Double grip jaw with zinc plated safety catch
- Heavy duty acid resistant vinyl strap
- · Warranty code L90





BK560 / S560 **Deep Cycle Battery Lifter**

- Lift deep cycle golf cart batteries from golf carts
- · Place the hooks on the end of the lifter into the slots at the ends of the battery
- · Warranty code L90







B901N Replacement Nozzle

R901

Jug Type Battery Filler

- Acid resistant polyethylene
- . Automatic shut off to prevent overflowing
- · Double action valve tip prevents after drips
- 2 ¼ quart capacity
- Warranty code ND



S929

Dry Charge Filler

- Fast, neat way to fill batteries
- . S929ADP motorcycle battery adapter is included
- · Positive thumb release valve controls acid flow
- · Cell-eye shows when cell is full
- . Ribbed nipple holds tube on snugly
- Spacers included for different fill heights
- Warranty code ND

S929ADP Motorcycle battery adapter is included with this product, but it is also available as a separate item



BK919

Bulb Type Battery Filler

- 6 ounce capacity
- Acid resistant
- · Built in hanger
- Compact at 9 inches long
- · Warranty code ND





BMK1914

7 Piece Battery Maintenance Kit

This kit includes everything for cleaning and maintaining battery terminals

- BK541 4-in-1 Battery Terminal Cleaner
- . BK703 5/16" Side Terminal Ratchet
- BK708 10mm Side Terminal Ratchet
- BK705 XL 5/16" Side Terminal Ratchet
- BK725 Battery Pliers
- BK720IM Battery Terminal Spreader / Cleaner
- . BK706 Battery Terminal Puller
- Warranty code L90







BK705 5/16" size. Longer handle, added reach and leverage

BK703 / BK705 / BK708

Side Terminal Wrenches

- · Reversible ratcheting box wrenches
- . Made of heavy duty chrome plated steel
- . Use for side terminal batteries only
- Insulated handle
- · Accommodates the 506 side terminal cleaner
- · Warranty code L90



BK720IM

Battery Terminal Spreader

- Spreads and cleans clamp in one quick operation
- Prolongs battery terminal life
- Insulated handles
- . Warranty code L90



BK725

Angle Nose Battery Pliers

- . Contoured head fits in tight spots
- · Grips hex, square, or rounded nuts
- Drop forged steel jaws for super gripping
- Insulated handles
- Warranty code L90



BK706

Battery Terminal Puller

- Tapered jaw will not damage post
- · Adjustable height
- · Knurled pressure screw
- Internal springs
- Warranty code L90



BK541

4-in-1 Battery Terminal Cleaner

- Service most battery post types and cable ends with one tool; Top post, Group 31 Truck, Marine, and Side Terminal
- · Warranty code ND





BK201

Cup Ends

- Simple to install on many different battery types
- · Pre-tinned wire will not pull out of lead
- . Used by battery manufacturers worldwide
- 10 gauge wire
- Universally sized
- · Warranty code ND



BK260

Clip Ends

- 50 amp clips, crimped and soldered to wire
- · Pre-tinned wire for a secure bond
- . Joints will not loosen or corrode
- . E-Z to install and remove
- •Can be used on many different battery types
- · Warranty code ND



BK500

50 Amp Replacement Clips

- · Copper plated steel
- · Red and black vinyl insulators included
- Zinc plated 2 mm springs
- · Warranty code ND

BK605P



Group 31 positive Molded "+" on the top

BK605N



Group 31 negative Molded "-"

BK601



Side terminal universal

BK605U



Group 31 universal

BK601 / BK605 / BK605U

Charging Post / Adapters

- The two arms make it E-Z to install and remove.
- . BK601 is a one size fits all (Universal) 3/8"
- -16 thread size.
- Used for charging, testing or as an adapter.
- BK605 / BK605U fits the 3/8" -16 threaded stud on a group 31 battery.
- · Warranty code ND





POWERMASTER

KS1272P-B / KS1272PT-B / KS1272PCLP-B /KS1272PTCLP-B

120 V AC Series Charger / Timer / Clips / Cups

- . Charge rate: 0 to 8 amps
- Maximum charging capacity: 72 cells in series (12 twelve volt batteries)
- Input: 120 volts 50/60 hertz
- . Output: 0-140 volts DC
- · Max output capacity: 8 amps
- Max KVA: 1.40
- . Warranty code L1Y



POWERMASTER

KS1440PTCLP-B

240 V AC Series Charger / Timer /Clips

- . Charge rate: 0 to 8 amps
- Maximum charging capacity: 144 cells in series
 24 twelve volt batteries or 48 six volt batteries
- Input: 240 volts 50/60 hertz
- Output: 0-280 volts DC
- · Max output capacity: 8 amps
- Max KVA: 2.6
- . Warranty code L1Y



Rectifier 01306 (1272-B Series) 01304 (KS1440PTCLP-B)



Amp Meter 00520 (All)



10 amp breaker 01296 (1272-B Series)



10 amp breaker 01298 (AII)



10 amp breaker 01298 (AII)



Polarity Board 00567 (1272-B Series) 00571 (KS1440PTCLP-B)



Timer 00525 (All)



10 Ga. Output Leads 01034 (Red, Clip) 01035 (Black, Clip) 00709 (Red, Cup) 00710 (Black, Cup)

POWERMASTER

REPLACEMENT PARTS

240 V AC Series Charger / Timer /Clips 120 V AC Series Charger / Timer /Clips / Cups

- These are the most common parts for replacement for our series chargers.
- Warranty code ND



Transformer Brush 00771 (KS1272P-B) 00559 (KS1440PTCLP-B)

Transformer 00540 (KS1272P-B) 00535 (KS1440PTCLP-B)





MS4000

Super Memory Saver

- . NOW WITH BUILT IN CHARGER
- . Direct wired OBDII Connector
- 12 volt 4.5 amp hour sealed lead acid battery
- · Power on / power off switch
- · Protected by a 4 amp circuit breaker
- Saves all codes and settings when disconnecting a vehicle's battery
- · Warranty code L1Y

Also protects settings and codes for:

- Anti-theft radios Clocks Key-less entry systems
- Alarms Cell phone settings GPS memory
- . TPMS . Other memory related functions



MSBD28

CLA to OBDII Hi-Vis 8' Cord

- Prevents the loss of electronic memory when disconnecting the vehicle's battery
- . High visibility coiled cord stretches to 8'
- . Easy storage in tool box
- OBDII connection uses positive and ground pins only, will not interfere with fault codes
- · Coiled cord prevents tangles
- Includes in-line fuse in the cigarette lighter input
- · Replacement 5amp fast blow fuse not included
- · Warranty code L90



BMK1914

7 Piece Battery Maintenance Kit

This kit includes everything for cleaning and maintaining battery terminals

- BK541 4-in-1 Battery Terminal Cleaner
- . BK703 5/16" Side Terminal Ratchet
- . BK708 10mm Side Terminal Ratchet
- . BK705 XL 5/16" Side Terminal Ratchet
- BK725 Battery Pliers
- BK720IM Battery Terminal Spreader / Cleaner
- BK706 Battery Terminal Puller
- Warranty code L90





B7946

3 Point Copper Terminal Crimper

- . Crimps terminal ends to cables
- 8 guage to 4/0 AWG cable sizes
- 3/8" drive holding fixtures, top and bottom
- · Portable, compact no need for a hammer
- Designed for 3/8" cordless or impact tools
- . Crimps cables right on the vehicle
- · Great for stereo installs and hard to reach places like under dashboards
- · Hardened drive screw for precise crimps
- Warranty Code L1Y



B790C

Hammer Indent Crimper

- · Spring loaded pin
- Compact and Lightweight
- 8 gauge to 4/0 AWG
- Made from cast steel
- Warranty code L90





Heavy-Duty Copper Cable Cutters

- Cuts cable up to 3/4" in diameter
- 14" handle length
- · Carbon steel blades
- Insulated handle
- . Not for solid copper or steel, strand copper only
- Warranty code L90



B796

9" Cutters Copper Cable/ Wire

- · Cuts wire and cable up to 2/0 gauge
- · Store in any tool box
- Insulated handles
- . Great gas line cutting too
- · Not for solid copper or steel, Strand copper only
- Warranty code L90



ALIGNMENT

EZLINE COMPLETE TRAILER ALIGNMENT SYSTEM PAGE 42

EZLINEBISW COMPLETE TRACTOR TRAILER ALIGNMENT SYSTEM PAGE 42

More Accessories Page 42

I I I N







EZLINE

Complete Trailer Alignment System

- For 18 wheelers, RV's, commercial vehicles and trailers.
 Works with 95% of vehicles 2 1/2 tons and higher.
- · Precise axle & wheel alignment
- · All measurements can be made quickly
- · Multipurpose measurement capabilities
- Compact design
- · Can align a fully loaded vehicle
- Aligns drop and tag axles
- · Warranty code L1Y

Includes: 4 lasers, 2 fifth wheel pin adapters, and tape measure. Packaged in a blow-molded case.



EZLINEB1SW

Complete Trailer Alignment System

- For 18 wheelers, RV's, commercial vehicles and trailers.
- Works with 95% of vehicles 2 1/2 tons and higher.
- · Precise axle & wheel alignment
- · All measurements can be made quickly
- · Multipurpose measurement capabilities
- Compact design
- . Can align a fully loaded vehicle
- Aligns drop and tag axles
- · Warranty code L1Y

Includes: 4 lasers, 2 fifth wheel pin adapters, 2 drive wheel adapters, two steer wheel bars, tape measure, and software package. Packaged in a blow-molded case.



Spacers designed to accommodate super single wheels.




EZLDWA

 $2-\mbox{Drive}$ wheel adapters designed to accommodate drive axle wheels that have automatic tire self-inflation systems.

FULL PARTS LIST

EZLINE Alignment Systems

Part #	Description
EZLINE	EZ Line Laser Trailer Alignment Kit
EZLINEB1SW	Basic EZLINE Package with Software
EZLDWA	U-Shaped Drive Wheel Adaptors (2)
EZLSSS	Super Single Spacers (4)
EZLBUS	Coach Bus Front Bar Adapters
EZLINEIL	Individual Laser
EZLINEHA	Hub Adapter Kit (2)
EZLINEPA	Fifth Wheel Pin Adapter
EZLINESW	Software
EZLINETP	Tape Measure



P/N	L	W	Н	Wt. lb.	MP
41288	13.00"	4.00"	1.75"	2.00	12
4\$12L	12.25"	0.75"	0.25"	1.50	100
4804	4.50"	1.00"	0.15"	0.18	100
4\$38L	12.00"	1.50"	1.00"	0.35	50
483XL	13"	1"	1"	.90	
4812XL	12.00"	0.75"	0.75"	0.35	100
4\$04XL		.5"	.5"	.25	1
4808XL		.75	.75	.30	
502		1.83"	1.83"	0.20	200
505BT		1.83"	1.83"	0.10	250
505BTSSHQD		1.63"	1.63"	0.10	250
505JP		1.83"	1.83"	0.10	250
505JPN		1.83"	1.83"	0.10	250
505N	No. of Contract Contr	1.83"	1.83"	0.10	250
505NSSHQD		1.63"	1.63"	0.10	250
5058T		1.83"	1.83"	0.10	250
505STSSHQD		1.63"	1.63"	0.10	250
506		1.07"	1.07"	0.10	500
506CO		1.07"	1.07"	0.10	500
506COSSHQD		1.07" 1.83"	1.07"	0.10	500
507BT 507ST			1.83"	0.20	200
509		1.83" 1.07"	1.83" 1.07"	0.20 0.10	200 500
509SSHQD		1.07"	1.07"	0.10	500
77239		1.75"	0.75"	0.10	100
B108		4.00"	2.50"	0.23	20
B110		7.00"	4.00"	3.00	10
B790C		3.00"	2.50"	2.00	10
B7946		4.00"	3.00"	2.50	10
B795		3.50"	3.50"	6.00	6
B796		3.00"	1.00"	0.75	20
B798		5.50"	1.50"	2.00	10
B901		9.00"	5.00"	0.35	10
B901N		2.00"	2.00"	0.10	10
BK101		2.50"	1.50	0.20	50
BK102	ACCUSED NO. 1 ACCUSED IN	2.50"	1.50"	0.20	50
BK201		1.00"	0.75"	0.30	200
BK260	20.50"	2.00"	0.50"	0.10	200
BK501	4.50"	1.50"	1.50"	0.10	25
	9.50"	8.50"	6.00"	2.25	10
BK503	3.00"	3.00"	1.25"	0.20	25
BK504		1.50"	1.50"	0.10	25
BK50412PCK		8.50"	6.00"	2.25	10
BK516		1.07"	1.07"	0.09	-1
BK51620PCK		4.00"	6.00"	1.25	1
BK520		6.00"	3.00"	1.25	10
BK530		6.50"	1.25"	0.75	40
BK534QD		1.00"	1.00"	0.10	500
BK541		3.00"	1.25"	0.20	25
BK54112PCK		8.50"	6.00"	2.00	10
BK550		6.00"	1.00"	1.75	10
BK560		1.00"	1.00"	0.25	20
BK601		1.25"	0.75"	0.20	200
BK605N		1.50"	1.75"	0.20	100
BK605P		1.50"	1.75"	0.20	100
BK605U		0.75"	0.75"	0.20	100
BK703		1.00"	0.50"	0.20	10
BK705	9.50	1.00"	0.50"	0.40	10

P/N	L	W	Н	Wt. lb.	MP
BK706	3.00"	1.20"	4.00"	0.60	10
BK708	5.50"	0.75"	0.25"	0.25	10
BK720IM		3.75"	1.50"	0.50	12
BK725		1.50"	0.50"	0.50	10
BK919		2.25"	9.00"	0.20	10
BMK1914		4.50"	3.00"	3.00	10
BT104		5.75"	4.50"	2.75	10
EZ612		4.25"	1.50"	0.25	10
EZLINE		11.00"	3.00"	5.00	1
EZLINEB1SW		15.00"	8.00"	35.00	1
FABD25		5.00"	0.25"	0.25	10
H240		8.00"	1.75"	3.00	10
HC001		4.50"	3.00"	3.00	5
HH1000		3.50"	1.50"	1.00	10
HH40	25.50"	3.50"	1.00"	0.50	15
HLS1000		4.00"	1.50"	1.00	20
HS34		7.50"	1.50"	1.00	20
K\$1272P-B		6.00"	8.50"	20.00	1
KS1272PCLP-B		6.00"	8.50"	20.00	1
KS1272PT-B		6.00"	8.50"	20.00	1
KS1272PTCLP-B		6.00"	8.50"	20.00	1
KS1440PTCLP-B		6.00"	9.00"	30.00	1
K\$1612		10.00"	9.00"	8.75	1
KWP2		8.00"	1.00"	1.50	20
MM36		3.00"	1.00"	0.30	25
MM38		3.00"	1.50"	0.35	25
MMS14		1.75"	1.50"	0.70	40
MR12		2.00"	2.00"	2.14	20
MR1224FL		1.75"	2.00"	3.25	12
MR12FL		2.00"	2.00"	2.40	20
MR12XLC		1.75"	2.00"	3.25"	12
MR14		1.50"	1.50"	0.50	10
MR1412FL		1.00"	1.25"	0.50	25
MR14FL		1.25"	1.25"	0.50	10
MR1438FL		1.75"	1.75"	2.40	20
MR14XLC		1.25"	1.25"	0.60	20
MR1X		2.75"	3.00"	12.85	4
MR34		2.50"	2.50"	9.50	4
MR3818FL		1.50"	1.50"	1.80	20
MR38FL		1.50"	1.50"	1.20	40
MR38		1.50"	1.50"	1.00	40
MR38XLC		1.50"	1.50"	1.60	20
MR482		2.75"	2.75"	3.80	10
MR482FL		2.75"	2.75"	4.50	10
MR482XLC		1.75"	1.75"	5.00	8
MS1300		1.00"	1.00"	0.25	10
MS1900	21.00"	3.00"	1.00"	0.25	50
MS3000		5.00"	2.00"	1.25	12
MS400	4.00	1.50"	0.25"	0.10	10
MS40020PCK	12.00"	6.50"	4.25"	1.80	10
MS4000		5.75"	3.50"	6.00	8
MS4000C		5.75"	3.50"	6.00	8
MS600		1.50"	2.00"	0.50	10
MS800		1.50"	2.00"	0.70	10
MS60010PCK	8.75"	4.00"	4.00"	1.20	10
MSBD28		4.00"	0.50"	6.00	20
NR5M		9.25"	1.25"	4.80	10
NRM810 NRM1214		0.75" 1.12"	0.50"	0.40	10 10
NRIVITZTA	17 /5	112	II hill	11 /11	



P/N		W	Н	Wt. lb.	MP
NRM1315	14 25"	1.25"	0.50"	0.75	10
NRM1618		1.37"	0.75"	1.10	10
NRM1719		1.37"	0.75"	1.10	10
PCOB		3.75"	1.50"	0.25	72
PCOB12PK		7.50"	7.00"	2.50	8
PCUV6		4.75"	1.50"	0.25	72
PG5		4.50"	0.50"	0.70	40
PL175CF		4.50"	1.50"	0.32	48
PL175G		4.50"	1.50"	0.32	48
PL1750		4.50"	1.50"	0.32	48
PL175R		4.50"	1.50"	0.32	48
PP12PK		6.00"	4.50"	1.25	12
PV6	4.25"	2.50"	0.75"	0.10	10
PV8	4.25"	2.50"	0.75"	0.10	10
PU6	4.25"	2.50"	0.75"	0.10	10
PU8	4.25"	2.50"	0.75"	0.10	10
PU6L	4.25"	2.50"	0.75"	0.10	10
PU8L		2.50"	0.75"	0.10	10
PW6	4.25"	2.50"	0.75"	0.10	10
PW8		2.50"	0.75"	0.10	10
\$104		4.50"	1.50"	0.25	25
\$500		4.00"	1.00"	0.20	25
\$501		3.00"	4.00"	0.25	10
\$503		3.75"	1.00"	0.15	10
\$504		3.00"	4.00"	0.25	10
8520	E. C. Total Control of the Control o	8.50"	3.00"	1.25	10
\$530		9.00"	1.50"	0.75	10
\$560		4.00"	1.50"	0.20	10
\$541		3.50"	1.50"	0.25	10
8919		4.50"	13.50"	0.25	10
8929		5.00"	1.00"	0.20	10
\$929ADP		2.25"	0.50"	0.05	10
SD3		2.65"	1.00"	0.10	10
SHM14	A SERVICE OF SERVICE O	6.00"	1.25"	0.36	20
SHM38		6.00"	1.25"	0.36	20
SHS14		6.00"	1.25"	0.36	20
SHS38		6.00"	1.25"	0.36	20
SL1350		3.75"	1.75"	0.22	12
SL3350 SP101		3.75"	2.50"	1.18	20 25
SP101		4.50" 4.50"	1.50" 1.50"	0.25 0.25	25
SP516		2.00"	1.25"	0.05	10
SP516R		3.00"	1.00"	0.40	10
SWMM36		3.00"	1.00"	0.75	25
T1000		4.00"	1.50"	1.00	20
TBL200		3.00"	2.25"	1.00	20
TF120	11.00"	5.75"	1.50"	0.38	10
TF120B		5.75"	1.50"	0.38	10
TF120R		5.75"	1.50"	0.38	10
WM396		4.00"	1.50"	0.75	10
WR1500		3.00"	1.25"	1.00	25
WR1500B		3.00"	1.25"	1.00	25
WR1500G	17.50"	3.00"	1.25"	1.00	25
WR2400	26.75"	2.75"	1.50"	1.55	20
WR2400B		2.75"	1.50"	1.55	20
WR5ML		9.25"	1.25"	4.80	10
WRM810	9.50"	0.75"	0.50"	0.40	10
WRM1214	12.75"	1.12"	0.60"	0.70	10

P/N	L	W	Н	Wt. lb.	MP
WRM1315	14.25"	1.25"	0.50"	0.75	10
WRM1618	16.75"	1.37"	0.75"	1.10	10
WRM1719	16.75"	1.37"	0.75"	1.10	10
WR4SL	22.00"	8.00"	1.00"	4.15	10
WRS51638	9.50"	0.75"	0.50"	0.40	10
WRS71612	12.75"	1.12"	0.60"	0.75	10
WR\$91658	16.75"	1.37"	0.75"	1.10	10
WRS111658	16.75"	1.37"	0.75"	1.10	10
XL3300	14.50"	3.50"	3.00"	1.50	20
XL3300FL-B	14.50"	3.50"	3.00"	1.50	20
XL3300FL-G	14.50"	3.50"	3.00"	1.50	20
XL3300FL-0	14.50"	3.50"	3.00"	1.50	20
XL3300FL-P	14.50"	3.50"	3.00"	1.50	20
XL334PK	13.50"	7.50"	5.00"	6.00	5
XLUHLS	9.00"	8.00"	6.50"	2.45	8





INDEX

412SS	4S04/4S12L combo socket set-33 pc	.16
4S12L	1/4" Stick Combination Drive Locking	.14
	1/4" Stick Combination Drive-STUBBY	
	1/4-3/8 Stick Combination	
	3 Piece Quarter Stick Set	
	1/4" Stick Combination Drive	
	Stubby Quarter Stick	
	8" Quarter Stick	
	Bi-Level Marine	
505BTSSHOD	Bent Tooth Steel Shaft, QD	26
505JP	Japanese Battery Post	.26
505JPN	JIS Battery Post	.27
505N	Negative Post (Black)	.27
505NSSHQD	Negative Steel Shaft	.27
505ST	Straight Tooth	.26
505STSSHQD	Straight Tooth Steel Shaft, QD	.26
	S/T Battery Cleaning Brush	
50500	Group 31 Battery Post	.31
SUBCUSSINU	Group 31 Battery Post Steel Shaft	.31 31
507BT	Commercial Post Straight Tooth	21
509	Utility Buffer	31
509SSHQD	Utility Buffer Steel Shaft, QD	31
793CS	Cable Stripper	.40
B108	Handheld Refractometer	.33
B1100	Battery Load Tester	.32
	Hammer Indent Tool	
	3 Point Crimper	
B795	Heavy Duty Crimping Tool	.40
	Nine Inch Cable/ Wire Cutters Heavy Duty Cable Cutters	
	2 1/4 Quart Battery Filler	
RK201	Top Post Formation Jumpers	.33 37
	Clip Jumpers	
	Top Post Terminal Cleaner	
	Jar of 12 501 Cleaners	
BK503	Battery Post Shaper	.28
	Battery Post Shaper	
BK50412PCK	Jar of 12 Battery Post Shaper	.28
BK516	Side Terminal Cleaner	.29
	Jar of 20 S/T Cleaners	
	Side Battery Lifter	
	3/4" Power Drill Brush QD	
	Four in One Battery Post Cleaner	
	Jar of 12 4 in 1 Cleaners	
	Super Gripper Battery Lifter	
	Strp Deep Cycle Battery Carrier	
	S/T Charging Post/ Adapter	
	Charge Post/Adapter Negative	
	Charge Post/Adapter Positive	
	Universal Grp 31 Chrg Post	
	Side Terminal Wrench	
	Battery Terminal Puller	
	10 MM Wrench - Short Handle	
	Battery Terminal Spreader	
	Angle Nose Battery Pliers	
	Bulb Type Battery Filler	
	Battery Maintence Kit	
BT104	125 Amp Load Tester	.32
EZ612	Digital Volt Meter 4.99 to 19.99 V	.33
EZI INE	E7 Line Locar Alignment Teel Kit	42

		Complete Trailer Alignment System	
	FABD25	OBD2 to CCLA cord	.39
	HC001	Cordless Hot Repair Kit	17
	HI 01000	Hood Prop	21
		Heat Shrink Tube Set 235 pieces	
		120V AC 8 amp Battery charger (cup)	
		120V AC 8 amp Battery charger (clip)	
		120V AC 8 amp with 12hr timer (cup)	
		120V AC 8 amp with 12hr timer (clip)	
	KS1440PTCLP-B	240 V AC Series Charger / Timer /Clips	35
i	KS1612	250 Amp Load Tester	32
	KWP2	2 Piece Kiwi Pliers Set	18
		Monster Magnet	
	MM38	Super Monster Magnet	19
	MMS14	1/4" Mini Master Set in Roll-up Pouch	.16
	MR12	1/2 inch Drive Extendable	8
	MR1224FL	1/2" Drive locking Flex Head 22" long	.10
		1/2" Drive Locking Flex Head Extendable	
	MR12XLC	1/2 " Drive x 22" long Ratchet	8
	MR14	1/4 inch Drive Extendable Ratchet	8
	MR1412FL	1/4" Locking flex head	.10
	MR14FL	1/4" Drive Locking Flex Head Extendable	11
ė		2 pc set-locking	
	MR14XLC	1/4" Drive X 9.06" Non Flex	8
		1" Drive Extendable Ratchet	
	MK34	3/4 inch Drive Extendable Ratchet	и.
	MR3818FL	3/8" Drive X 17" long locking Flex Head	10
ŀ	MR38FL	3/8" Drive Locking Flex Head Extendable 3/8 inch Drive Extendable	0
	MD38A1 C	3/8" Drive x 16" Non Flex	o
	MPAR2	MR14, MR382, & MR12 Set	٥ و
	MPAR2FI	Flex Head Ratchet/locking	11
į		3 Pc Ratchet set Xtra Long	
		13 Inch Monster Scraper	
ä		19 Inch Monster Scraper	
		Monster Scraper Kit	
i		4 Inch Monster Scraper	
		Jar of 20 MS400 Scrapers	
ď	MS4000	Automotive Memory Saver	.39
	MS600	6 Inch Monster Scraper	.20
à	MS60010PK	Jar of 10 MS600	20
	MSBD28	Memory Saver/CLA to OBD2	.39
j	NR5M	5 Pc Metric Flex Head Wrenches	.22
		Pocket COB Light Stick 12PK	
	PCOB12PK	Pocket COB 12PK	.4
	PG5	5 IN 1 Pistol Grip Plier	.18
	PL1/5CF	Rechargeable Slim Light - Carbon Fiber.	4
		Rechargeable Slim Light - Green	
	PL1750	Rechargeable Slim Light - Orange	.4
		Post Cleaner kit	35
		Post Cleaner kit	f.
		Top Post/Terminal cleaner	
		Top Post/Terminal cleaner	
		Top Post/Terminal cleaner	
		Side Lifter	
		Gripper	
		4 in 1 Cleaning Tool	
	\$560	Strap Deep Cycle Battery Carrier	.34
	\$919	Battery Filler	.35
	\$929	Dry Charge Battery Filler	.35

SD3	3 Pc Bit Set Square Adapter	21
	1/4" Drive Metric Socket Holder	
SHM38	3/8" Drive MetricSocket Holder	17
	1/4" Drive Standard Socket Holder	
SHS38	3/8" Drive Standard Socket Holder	17
SL1350	Pocket Sunlight	3
SL3350	Sunlight Rechargeable Worklight	3
	Battery Hydrometer	
SP102	Anti Freeze Hydrometer	6
SP516	Side Terminal Cleaner	29
SP516R	Side Terminal Cleaner w/Ratchet	29
SWMM36	Swivel Magnet	19
T1000	Torx Bit Set	21
	Rechargeable Pen Light - Black	
TF120B	Rechargeable Pen Light - Blue	3
TF120R	Rechargeable Pen Light - Red	3
WM396	Super Wrist Mag 1 - 499	18
WR1500	Magnetic Wrench Rack - Red	17
WR1500B	Magnetic Wrench Rack - Blue	17
WR1500G	Magnetic Wrench Rack - Green	17
WR2400	Magnetic Wrench Rack - RED	17
WR2400B	Magnetic Wrench Rack - BLUE	17
	4 Piece SAE Wrench Set Locking	
WR5ML	5 Piece Metric Wrench Set Locking	22
XL3300	COB EXTREME WORK LIGHT	3
	NEW COB Extreme light - Blue	
XL3300FL-G	NEW COB Extreme light - Green	3
	NEW COB Extreme light - Orange	
	NEW COB Extreme Light - Pink	
	NEW COB ExtremePack	
XLUHLS	Underhood Clamp Light System	2



All Rights Reserved. CAT, CATERPILLAR, BUILT FOR IT, their respective logos, "Caterpillar Yellow," the "Power Edge" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

E-Z Red Company, a licensee of Caterpillar Inc.