



Something magical happens when we interact with water. A warm shower can lift the spirit. A cool glass of water can refresh and renew. Exploring water in nature can make anyone feel a part of something bigger. Water is essential to life. It connects us to our environment, and to each other. It's no wonder that being with water inspires a greater sense of harmony with the world and deepens moments that make us feel most alive. With each new product Moen creates, we celebrate water's ability to nourish, cleanse and bring people together. One innovation after another, we create new products and technologies for the love of water.

Contents



Flara® Bath Collection Featured in Chrome

INNOVATION AND STYLE NEW

- 23 U by Moen™ Smart Faucets
- 26 Flo by Moen™
- 42 Sinema™ Kitchen Collection Black Stainless
- 94 M-CORE™ Perfectly Matched Trim
- 102 Flara® Bath Collection
- 107 Colinet™ Bath Collection
- 205 Nebia by Moen™
- 294 M-CORE™ Common Valve

MOEN® NETWORK NEW

- 23 U by Moen™ Smart Kitchen Faucets
- 25 U by Moen™ Smart Shower Options
- 26 Flo by Moen™

KITCHEN AND BAR


- 30 U by Moen™ Smart Faucets NEW
- 32 MotionSense™
- 33 MotionSense Wave
- 34 Waterhill®
- 36 Nio™
- 38 STō®
- 40 Weymouth®
- 42 Sinema™ NEW
- 44 Etch®
- 46 Paterson™
- 48 Aberdeen™
- 49 Voss
- 50 Notch®
- 52 Align®
- 54 Brantford®

- 56 Genta™
- 58 Arbor®
- 60 Camerist®
- 62 Sleek™
- 64 Belfield™
- 65 Integra®
- 66 Method™
- 67 Chateau®
- 69 Torrance™ 70 Banbury®
- 71 Pot Fillers
- 72 Sip™ Beverage Faucets
- 73 Soap Dispensers

KITCHEN SINKS	BATH FAUCETS AND ACCESSORIES	CUSTOM SHOWERING	COORDINATING ACCESSORIES AND SAFETY	
 76 Granite 78 1600™ Professional Series 79 1800™ Series 82 2000™ Series 84 2200™ Series 85 Sink Accessories 	92 Weymouth® 97 Arris® 102 Flara® NEW 107 Colinet® NEW 112 900®	 191 U by Moen™ Shower 192 M-CORE™ 3-Series Perfectly Matched Trim NEW 192 Moentrol® Perfectly Matched Trim 192 Posi-Temp® Perfectly Matched Trim 	230 Pro-Fit® Installation System 225 SecureMount™ System 226 Mason™ Bath Accessories 227 Retreat® Bath Accessories 228 Arlys™ Bath Accessories NEW 229 Triva™ Bath Accessories	
	122 Doux™ 126 Wynford®	204 Annex [™] 205 Nebia by Moen [™] NEW	230 Iso® Bath Accessories 232 Sage® Bath Accessories	
DISPOSALS	131 Align®	206 Tub Fillers	234 Kyvos™ Bath Accessories	
The Chef 86 EXL Series NEW	136 Voss™ 141 Belfield	208 Rainshowers 210 Showerheads	235 Lounge[™] Bath Accessories236 Madison[™] Bath Accessories	
86 GX Series The Host	146 Kingsley® 150 Rizon®	211 Handheld Showers 212 Moen x Inly	237 Preston [™] Bath Accessories 238 Edgestone [®] Bath Accessories	
87 GT Series 87 GX Series	157 Glyde™ ries 21	Aromatherapy Shower™ NEW 213 Handshower Accessories	239 Stockton® Bath Accessories 240 Danbury® Bath Accessories	
The Prep 88 GX Pro Series	159 Vichy™ 161 Brantford	213 Body Sprays 214 Tub Spouts and Drains	241 Yorkshire™ Bath Accessories242 Aspen™ Bath Accessories	
88 GX Series 88 GT Series	165 Eva® 169 Method™		243 30" Towel Bars246 Shower Rods and Rings	
The Lite 89 GX Pro Series	173 Gibson™ 176 Genta™		253 Moen Lighting255 Knobs and Pulls	
89 GT Series	179 Chateau®		256 Donner® 263 Bath Safety	

REFERENCE

279	Premium Kitchen Finishes	289	Bath and Shower Platforms
280	Kitchen Finishes	290	Bath-Matching Accessories Finishes
282	Premiun Kitchen and Bar/Prep Platforms	291	Coordinating Accessories Finishes
283	Kitchen and Bar/Prep Platforms	292	Premium Bath-Matching Accessories
285	Sinks Series Options	293	Coordinating Accessories
286	Premium Bath and Shower Finishes	294	Bath-Matching Accessories
287	Bath and Shower Finishes	295	Valve Choices
288	Premium Bath and Shower Platforms	296	Valve Flow Rate Chart





Science and sensation in sync. It's showering reimagined.

Indulge your senses with the shower of your dreams. Meticulously engineered for optimal warmth, rinsing and body coverage, Nebia by Moen[™] delivers an immersive, spa-like experience. The design-forward product architecture provides two times the coverage while using up to 45% less water*.

*When compared to standard Moen 2.5gpm showerhead



Speak volumes of water and more.

U by Moen Smart Kitchen Faucets are revolutionizing the home through the power of voice control and hands-free, intuitive operation. With multiple ways to dispense precise volumes and temperatures, together or separately, this is water delivery how you want it, when you want it – every time. Just say the word to fill your pasta pot. Simply speak to pour the perfect baby bottle. Or, don't say anything and simply wave your hand to activate the water flow. Say hello to your new kitchen assistant.

Available in 8 collections with 7 finish options




















Flexible installation meets freedom of design.

Easy install, countless possibilities. This is shower design on your time. The M-CORE™ Valve System makes the pro's life easier with a simpler install, and gives homeowners the flexibility to choose or change trim even after the valve has been installed. It's an ideal experience from start to finish.



Distinctive style elevates everyday water experiences.

Tailored traditional. Modern glamour. Industrial chic. All in one striking faucet. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details to flow seamlessly with any desired style aesthetic. Immerse yourself in the bathroom of your dreams with this full suite of stunning fixtures.











A departure from the ordinary.

A strikingly beautiful evolution of traditional stainless, Moen's black stainless finish is thoughtfully designed to stand out on its own, or blend with existing elements and details. The chameleon of finishes, it's crafted to coordinate with a mixture of materials and colors to anchor any kitchen design. Discover Moen black stainless and add a new sophisticated aesthetic to your daily water encounters.



Art Deco glamour dazzles in kitchen designs.

Dramatic grandeur, inspired by the opulence of the Roaring 1920's. The Sinema™ kitchen collection merges traditional and modern style cues to exude graceful sophistication. Luxurious architectural scalloped details on the base and handle combine with a statuesque profile to command attention in any kitchen.












The next level in home water security.

The Flo by Moen™ whole home water monitoring security system offers peace of mind and puts you in control over your home's water. Help prevent pipe leaks, and monitor usage with the Flo by Moen Smart Water Shutoff. And for what you can't control, Flo by Moen Smart Water Detectors sense moisture and notify you whenever there is a threat present. With convenient smartphone controls, there are more options to keep the things you love protected.

Moen® Network



The Moen® Network uses smart technology to help simplify everyday tasks in the kitchen and bath and to enhance home protection.





The Moen® Network Take Control of Your Home

We're at the dawn of a new age in which we have more control over where, when and how we experience water in our homes each day. We are refining our industry with products that not only look beautiful, but respond more intuitively, are more personalized and enhance every interaction with water.





NEW **ÔBY MOEN**

SMART FAUCET

A voice-activated kitchen assistant to simplify everyday tasks at the sink.



FLO BY MOEN. SMART WATER SHUTOFF

Remote water shutoff from your phone to protect your home, even when you're not there.



ÔBY MOENSMART SHOWER.

Personalize your shower experience and control it remotely with the latest in smart home technology.



NEW

FLO BY MOEN. SMART WATER DETECTOR

Identify leaks or water issues to prevent damage and protect your home.

U by Moen[™] Smart Kitchen Faucets

This line of smart kitchen faucets provides the extra set of hands everyone needs in the kitchen. Offering useful benefits – like precise measurements, exact temperature and unlimited personalized presets – and voice-activation technology, you can use new ways to activate your faucet to simplify everyday tasks at the sink.

See pages 30-31 for specific product detail.











Nio™ One-Handle Pulldown U by Moen Smart Faucet

\$75005EVC \$75005EVBL \$75005EVSRS• \$75005EVBLS•

♠ POWERBOOST (Q3) reflex
DURALOCK* DURALAST*



STō® One-Handle Pulldown U by Moen Smart Faucet

\$72308EVC \$72308EVBL \$72308EVSRS● \$72308EVBG

♦ POWERBOOST (Q3) reflex
DURALOCK® DURALAST®



Weymouth®
One-Handle Pulldown
U by Moen Smart Faucet

\$73004EVC \$73004EVNL \$73004EVSRS● \$73004EVBG \$73004EV0RB

B POWERBOOST reflex€
DURALOCK DURALAST



Paterson™ One-Handle Pulldown U by Moen Smart Faucet

S72003EVC S72003EVBL S72003EVSRS•

U by Moen[™] Smart Kitchen Faucets





Align® One-Handle Pulldown U by Moen™ Smart Faucet

7565EVC 7565EVBL 7565EVSRS• 7565EVBG 7565EVBLS•

▶ POWERBOOST (Q3) reflex
DURALOCK° DURALAST°



Brantford® One-Handle Pulldown U by Moen Smart Faucet

7185EVC 7185EVSRS• 7185EVORB

B POWERBOOST reflex€
DURALOCK DURALAST



Arbor® One-Handle Pulldown U by Moen Smart Faucet

7594EVC 7594EVBL 7594EVSRS• 7594EVORB

B POWERBOOST reflex€
DURALOCK® DURALAST®



Sleek™ One-Handle Pulldown U by Moen Smart Faucet

7864EVC 7864EVBL 7864EVSRS• 7864EVBLS•

Spot Resist Stainless Finish
POWER Boost**
reflex** Self-Retracting Spray Hose
DURALOCK*
DURALACK*
DURALAST*
DURALAST*
DURALAST*





U by Moen™ Smart Shower

The next-generation, Wi-Fi/cloud-based digital shower that offers mobile connectivity, unmatched personalization with up to 12 customized presets and the ability to control your shower with the in-shower controller, smartphone app or your voice via Amazon Alexa, Apple HomeKit/Siri and the Google Assistant.

See pages 188-191 for specific product detail.











U by Moen Two-Outlet Controller TS3302TB, TS3302BL



U by Moen Two-Outlet Valve S3102





U by Moen Four-Outlet Controller TS3304TB, TS3304BL



U by Moen Four-Outlet Valve S3104



Two- and Four-Outlet Controllers

- Wi-fi connected, app driven shower controller
- · Precise temperature control
- · Warm-up and pause mode
- Optional shower timer
- Compatible with Amazon Alexa, Apple HomeKit/ Siri and Google Assistant
- Smart phone app available for Apple iOS and Android OS
- · Remote activation via smart phone app
- Two presets on controller, 12 in total with smart phone app
- · Valve and showerhead sold separately

Two- and Four-Outlet Valves

- · Digital thermostatic shower valve
- · Precise temperature control
- Two-outlet connection size: 1/2" inlets & 1/2" outlets
- Four-outlet connection size: 3/4" inlets & 1/2" outlets
- · Fits standard 2'x4' wall
- Includes 30' data cable

Flo by Moen™ Whole Home Water Security


The best way to avoid water damage is to prevent it. Backed by years of product development and industry-leading technology, the smart water shutoff detects and stops leaks. From your toilet, shower or faucet, to the pipes in your foundation and behind your walls, the smart water shutoff monitors all of them, so there's no surprises on your water bill or catastrophes when you come home from vacation.















Smart Water Shutoff

Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline.

Microleak™ Technology

Advanced sensors detect leaks as small as one drop of water per minute.

Proactive Protection

Daily health tests help keep your home leak-free and alert you when there's an issue.

Smart Water Detector

Stand-alone sensors that can be placed anywhere in a home to alert users if, when and where it detects moisture, temperature and humidity.

Savings

Save water and money while protecting your home and possessions from water damage.

Support

On-call experts to help you identify and troubleshoot detected leaks.

Flo by Moen™ Whole Home Water Security

The smart water shutoff is a mainline water monitoring device for your home.

Flo by Moen includes built-in pressure, flow and temperature sensors and advanced cloud analytics. The smart water shutoff learns a consumers home; monitors water usage on a daily, weekly and monthly basis; identifies leaks or excess water usage; alerts the homeowner of any issues; and can automatically shut off the home's water to prevent water damage and protect the home.



	0.75" Shut Off	900-001*
NEW	1.00" Shut Off	900-006*
NEW	1.25" Shut Off	900-002**
NEW	0.75" NPT Spacer Kit	930-001
NEW	0.75" CC Spacer Kit	930-002
NEW	1" NPT Spacer Kit	930-003
NEW	1" CC Spacer Kit (Ships Q3)	930-004
NEW	1.25" NPT Spacer Kit (Ships Q3)	930-005
NEW	1.25" CC Spacer Kit (Ships Q3)	930-006
NEW	Battery Back-Up Kit	920-001***
NEW	25' DC Ext. Cable	920-003



The Smart Water Detector senses the presence of water, freezing temperatures or high humidity, it will notify you through a push notification from the Flo by Moen App and can pair to the smart water shutoff to automatically shut the water off to the whole house.

NFW Smart Water Detector 1 pk 920-004**** NEW Smart Water Detector 3 pk 920-005****

^{*} Can be installed on lines up to 1-1/4"

^{**} Can be installed on lines up to 1-1/2"
*** Comes with 48" detector extension

cable for hard to reach areas. **** Applicable laws and regulations require that these materials be shipped via ground transportation rather than air.

Kitchen and Bar



Sinema One-Handle Pulldown Kitchen Faucet featured in Spot Resist Stainless Finish







U by Moen[™] Smart Faucets



SMART FAUCETS



Nio⁻ One-Handle Pulldown Kitchen Faucet U by Moen⁻ Smart Faucet S75005EV�○



STō° One-Handle Pulldown Kitchen Faucet U by Moen⁻ Smart Faucet S72308EV �○



Weymouth®
One-Handle Pulldown Kitchen Faucet
U by Moen® Smart Faucet
S73004EV ��



Paterson⁻
One-Handle Pulldown Kitchen Faucet
U by Moen⁻ Smart Faucet
S72003EV ��



Align®
One-Handle Pulldown Kitchen Faucet
U by Moen® Smart Faucet
7565EV ❸○



Arbor®
One-Handle Pulldown Kitchen Faucet
U by Moen® Smart Faucet
7594EV ❸ ⑤

U by Moen[™] Smart Faucets







Brantford* One-Handle Pulldown Kitchen Faucet U by Moen Smart Faucet 7185EV @ @



Sleek-One-Handle Pulldown Kitchen Faucet U by Moen - Smart Faucet 7864EV@@

FINISH OPTIONS











Chrome (C), Matte Black (BL), Spot Resist* Stainless (SRS), Brushed Gold (BG), Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

KITCHEN FAUCETS WITH









PRODUCT INNOVATIONS:

U by Moen* | Spot Resist* | Power Boost* | Power Clean* | Reflex*

- ADA-Compliant
- Power Boost Sto, Nio and Align will transition to PowerBoost in Q3
- O Power Clean

MotionSense™





FAUCETS



STō° One-Handle Pulldown Kitchen Faucet with MotionSense S72308E ♣○



Align° One-Handle Pulldown Kitchen Faucet with MotionSense 7565E ♣○



Brantford® One-Handle Pulldown Kitchen Faucet with MotionSense 7185E ❸○



Arbor° One-Handle Pulldown Kitchen Faucet with MotionSense 7594E ♦○

FINISH OPTIONS







Chrome (C), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

Not all platforms available in all finishes.

KITCHEN FAUCETS WITH



PRODUCT INNOVATIONS:
MotionSense* | Spot Resist* | Power Clean* | Reflex*

ADA-Compliant

O Power Clean

MotionSense Wave™





FAUCETS



Align*
One-Handle Pulldown
Spring Kitchen Faucet with
MotionSense Wave
5923EW ©



Align*
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7565EW



Arbor*
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7594EW❸○



Brantford® One-Handle Pulldown Kitchen Faucet with MotionSense Wave 7185EW❸○



Sleek⁻ One-Handle Pulldown Kitchen Faucet with MotionSense Wave 7864EW�○

FINISH OPTIONS











Chrome (C), Matte Black (BL), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB), Lifeshine* Brushed Gold (BG), Black Stainless (BLS)

Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 279-284.

KITCHEN FAUCETS WITH



PRODUCT INNOVATIONS: MotionSense Wave" | Spot Resist" | Power Clean" | Reflex"

ADA-CompliantPower Clean

Waterhill®



FAUCETS



Two-Handle Kitchen Faucet S713 Also available in Wrought Iron finish



One-Handle Kitchen Faucet S711 **⑤**

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB9818



Towel Ring YB9886



Drawer Knob YB5405



Drawer Pull YB5407

Waterhill®







Traditional Soap Dispenser S3945



Sip⁻One-Handle Beverage Faucet S5510 **⑤**



Traditional Pot Filler S664 **⊗**



Bottom Grid GA780B 29" x 16"



Single Bowl G18180 31" x 18" x 81/2"

FINISH OPTIONS









Chrome (C), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB), Wrought Iron (WR)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist*

ADA-Compliant

Nio^{M}



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen[—] Smart Faucet S75005EVC �○





FAUCETS



One-Handle Pulldown Kitchen Faucet S75005 �○



One-Handle Bar Faucet S55005 **⊗**

MATCHING ACCESSORIES



Sip⁻ One-Handle Beverage Faucet S5550 **③**

Chrome Secondary Handle Finish: Matte Black (MB) Spot Resist Stainless Secondary Handle Finish: Matte Black (MB) Matte Black Secondary Handle Finish: Brushed Gold (BG)

Nio^{m}



COORDINATING ACCESSORIES



18" Towel Bar YB8818



Drawer Knob YB8805



Modern Soap Dispenser S3947



Modern Pot Filler S665 **⑤**



Single Bowl GGB4014B 33x x 20½ x 9½



Bottom Grid GA780B 29" x 16"

FINISH OPTIONS









Chrome (C), Matte Black (BL), Spot Resist Stainless (SRS), Black Stainless (BLS)

To view ordering instructions, see reference chart on pages 279-284.

Secondary two-tone handle option included:

-Chrome faucet: Chrome and Chrome/ Matte Black handle options

-Spot Resist Stainless faucet: Spot Resist Stainless and Spot Resist Stainless/Matte Black handle options

-Matte Black faucet: Matte Black and Matte Black/Brushed Gold handle options

PRODUCT INNOVATIONS:

U by Moen* | Spot Resist" | Power Clean* | Powewr Boost* | Reflex*

ADA-Compliant

O Power Clean

Power Boost - Ships Q3

STo®



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen⁻ Smart Faucet S72308EV �○





FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense⁻ S72308E **③**○



One-Handle Pulldown Bar Faucet S62308 © O



One-Handle Pulldown Kitchen Faucet S72308 �○

STo®





COORDINATING ACCESSORIES



Modern Soap Dispenser S3947



Modern Pot Filler S665 **⊗**



Beverage Faucet

S5530 🕲



Bottom Grid GA760

30" x 18"

Single Bowl G16100 32" x 20" x 10"

FINISH OPTIONS









Chrome (C), Matte Black (BL), Spot Resist* Stainless (SRS), Lifeshine*Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen" | MotionSense" | Spot Resist" Power Boost" | Power Clean" | Reflex"

- ADA-Compliant
- O Power Clean
- Power Boost Ships Q3

SELECT FAUCETS WITH NEW



Weymouth®



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen - Smart Faucet S73004EVC 60

Optional porcelain handle cap included.







Porcelain handle cap included with S73004EVC, S73104, S73004 and S53004

FAUCETS




One-Handle Pulldown Spring Kitchen Faucet S7310400

Optional porcelain handle cap included.



One-Handle Pulldown Kitchen Faucet





One-Handle Kitchen Faucet S72101 3



One-Handle Pulldown **Bar Faucet**

S53004@O

Optional porcelain handle cap included.



One-Handle Bar Faucet S62101 3

Weymouth®





MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB8418



Towel Ring YB8486



Drawer Knob YB8405



Drawer Pull YB8407



Traditional Soap Dispenser



Sip⁻One-Handle Beverage Faucet S5510 **⑤**



Traditional Pot Filler S664 6



Bottom Grid GA726 14" x 16"



Double Bowl G18252 321/2" x 181/8" x 9"

FINISH OPTIONS









Chrome, Spot Resist Stainless (SRS), Lifeshine Polished Nickel (NL), Oil Rubbed Bronze (ORB), Lifeshine Brushed Gold (BG)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen* | MotionSense* | Spot Resist* Power Boost* | Power Clean* | Reflex*

ADA-Compliant

Power Boost

O Power Clean

SELECT FAUCETS WITH NEW







FAUCETS



One-Handle Pulldown Spring Kitchen Faucet

S5235@@

Optional matching finish handle included.



One-Handle Pulldown Kitchen Faucet S7235 �®

Optional matching finish handle included.



One-Handle Pulldown Bar Faucet S6235 ♦ ○

Optional matching finish handle included.



Matching finish handle included with S5235, S7235 and S6235

SinemaTM NEW COLLECTION





COORDINATING ACCESSORIES



Modern Soap Dispenser S3946



Towel Ring S665 **⊗**



Sinema Sip⁻One-Handle Beverage Faucet S5535 ❸



Towel Bar YB5218 🗞



Single BowlGGB3019B - Black
GGR3019B - Gray
GGM3019B - Mocha
GGW3019B - White
25" x 22" x 91/2"

FINISH OPTIONS









Chrome (C), LifeShine* Polished Nickel (NL), Matte Black (BL), Spot Resist* Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen" | Spot Resist" Power Boost" | Power Clean" | Reflex"

ADA-Compliant

Power Boost

O Power Clean

Etch®



FAUCETS



One-Handle Pulldown Kitchen Faucet S72608 �○



One-Handle Pulldown Bar Faucet S62608 �○

COORDINATING ACCESSORIES



18" Towel Bar DN8318



Sip⁻ One-Handle Beverage Faucet S5520 **⑤**



Towel Ring DN8386

Etch®







Apron Front Double Equal Bowl G18220 30" x 21" x 9"



Bottom Grid GA772 13³/₅" x 16³/₅"

FINISH OPTIONS





Chrome, Spot Resist* Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Clean* | Reflex*

ADA-Compliant

O Power Clean

Paterson™



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen Smart Faucet S72003EVC 60

Optional wheel handle included.







Wheel handle included with S72003EVC, S72103EVC, S72003 and S52003

FAUCETS



One-Handle Pulldown Spring Kitchen Faucet

S72103EVC 60

Optional wheel handle included.



One-Handle Pulldown Kitchen Faucet S72003 60

Optional wheel handle included.



One-Handle Pulldown **Bar Faucet** S5200380 Optional wheel handle included.

Paterson™





MATCHING ACCESSORIES



One-Handle Beverage Faucet S5540 **③**



Soap Dispenser S3955**⊗**

COORDINATING ACCESSORIES



Apron Front Double bowl G18220 30" x 21" x 9"



Bottom Grid GA772 133/5" x 163/5"

FINISH OPTIONS







Chrome (C), Matte Black (BL), Spot Resist Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Boost* Power Clean* | Reflex*

ADA-Compliant

Power Boost

O Power Clean

SELECT FAUCETS WITH NEW



Aberdeen™



FAUCETS



One-Handle Pulldown Kitchen Faucet 7590 �○

COORDINATING ACCESSORIES



Towel Ring DN6886



Single bowl GGB3026B 33" x 22" x 97/16"



Bottom Grid GGA52B 28⁵/16" x 14⁵/16"

FINISH OPTIONS







Chrome (C), Lifeshine* Classic Stainless (CSL), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

Power Clean* | Reflex*

ADA-Compliant

O Power Clean

$Voss^{\text{\tiny{IM}}}$





FAUCETS



One-Handle Pullout Kitchen Faucet 9125 ♦○

MATCHING AND COORDINATING ACCESSORIES



Towel Ring YB5186



Transitional Soap Dispenser S3948

FINISH OPTIONS







Chrome (C), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Clean* | Reflex*

ADA-Compliant

O Power Clean

Notch®



FAUCETS



One-Handle Pulldown Kitchen Faucet 9124



One-Handle Pulldown Bar Faucet 6124 ♠○

COORDINATING ACCESSORIES



18" Towel Bar YB2818



Towel Ring YB2886



Transitional Soap Dispenser S3946



Sip⁻One-Handle Beverage Faucet S5520 **⊗**

Notch®







Double Bowl G18252 32¹/₂" x 18¹/₈" x 9"

FINISH OPTIONS







Chrome (C), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist* | Power Boost* | Power Clean* | Reflex*

- ADA-Compliant
- Power Boost
- O Power Clean

Align®



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen⁻ Smart Faucet 7565EVC �○





FAUCETS



One-Handle Pulldown
Spring Kitchen Faucet with
MotionSense Wave
5923EW © O



One-Handle Pre-Rinse Spring Pulldown Faucet 5923 � ⊕



One-Handle Pulldown Kitchen Faucet with MotionSense⁻ 7565E O



One-Handle Pulldown Kitchen Faucet with MotionSense Wave⁻ 7565EW © O



One-Handle Pulldown Kitchen Faucet 7565 � ⊕



One-Handle Kitchen Faucet 7165

Align®







One-Handle Kitchen Faucet 7365 **⑤**



One-Handle Pulldown Bar Faucet 5965 �○

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB0418



Sip⁻ One-Handle Beverage Faucet S5530 �



Hand Towel Bar YB0486



Modern Soap Dispenser S3947



Double Bowl GS18231 31³/₄" x 20¹/₂" x 10"



Modern Pot Filler S665 **⑤**

FINISH OPTIONS











Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:


U by Moen* | MotionSense* | MotionSense Wave*
Spot Resist* | Power Boost* | Power Clean* | Reflex*

- ADA-Compliant
- Power Boost (Ships Q3 7565 and 5965 Only)
- O Power Clean

SELECT FAUCETS WITH NEW

UBY MOEN SMART FAUCET.

Brantford®



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen Smart Faucet 7185EVC ��





FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense⁻ 7185E **③**○



One-Handle Pulldown Kitchen Faucet with MotionSense Wave⁻ 7185EW®O



One-Handle Pulldown Kitchen Faucet 7185 � ⊕



One-Handle Pulldown Bar Faucet 5985 ♦○



One-Handle Kitchen Faucet 7735**⊗**



One-Handle Pullout Kitchen Faucet 7295 �○

Brantford®





MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB2218



Towel Ring YB2286



Traditional Soap Dispenser S3945



Sip⁻One-Handle Beverage Faucet S5510 **③**

FINISH OPTIONS







Chrome, Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

MotionSense" | MotionSense Wave" | Spot Resist" Power Boost" | Power Clean" | Reflex*

- ADA-Compliant
- Power Boost
- O Power Clean

SELECT FAUCETS WITH NEW

UBY MOEN
SMART FAUCET.

Genta[™]



FAUCETS



One-Handle Pulldown Kitchen Faucet 7882 ��

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar BH3818



Modern Soap Dispenser S3947



Sip⁻One-Handle Beverage Faucet S5530**⊗**

Genta[™]







Single BowlGGB3026B
33" x 22" x 97/16"



Bottom Grid GGA52B 28⁵/16" x 14⁵/16"

FINISH OPTIONS







Chrome (C), Matte Black (BL), Spot Resist* Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Boost* | Reflex*

ADA-Compliant

Power Boost

$Arbor^{\rm \tiny \it B}$



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen⁻ Smart Faucet 7594EVC �⊕





FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense⁻ 7594E ♣○



One-Handle Pulldown Kitchen Faucet with MotionSense Wave⁻ 7594EW**®**○



One-Handle Pulldown Kitchen Faucet 7594 � ூ



One-Handle Kitchen Faucet 7790 **③**



One-Handle Pulldown Bar Faucet 5995 �○

Arbor®





MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB2818



Towel Ring YB2886



Modern Soap Dispenser S3946



Sip⁻One-Handle Beverage Faucet S5520 **⑤**

FINISH OPTIONS









Chrome (C), Matte Black (BL), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen* | MotionSense* | MotionSense Wave* | Spot Resist* Power Boost* | Power Clean* | Reflex*

ADA-Compliant

Power Boost

O Power Clean

SELECT FAUCETS WITH NEW

UBY MOEN
SMART FAUCET.

Camerist®



FAUCETS



One-Handle Pullout Kitchen Faucet 7545 �○



One-Handle Kitchen Faucet 7840 **⑤**



One-Handle Bar Faucet 4905 ♦



One-Handle Kitchen Faucet 7835 **⑤**



One-Handle Kitchen Faucet 7825 **⊗**

Camerist®





MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar YB2818



Towel Ring YB2886



Modern Soap Dispenser S3946



Sip⁻One-Handle Beverage Faucet S5520 **③**

FINISH OPTIONS







Chrome, Spot Resist Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284. $\label{eq:chart} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{$

PRODUCT INNOVATIONS: Spot Resist" | Power Clean" | Reflex"

ADA-CompliantPower Clean

Sleek™



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen - Smart Faucet 7864EVC 🚳 🗇





FAUCETS



Kitchen Faucet with MotionSense Wave 7864EW**©**O





One-Handle Pulldown Spring Kitchen Faucet 5925@@



One-Handle Pulldown Kitchen Faucet 786480



One-Handle Pulldown Kitchen Faucet 7871 🕲 🗇



One-Handle Kitchen Faucet 7870 🚳



One-Handle Pulldown **Bar Faucet** 766480

Sleek™





COORDINATING ACCESSORIES



18" Towel Bar YB2318



Towel Ring YB2386



24" Towel Bar YB2324



Double Equal Bowl GS20210 313/4" x 181/4" x 71/2"

FINISH OPTIONS











Chrome, Matte Black (BL), Spot Resist* Stainless (SRS), Black Stainless (BLS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen" | MotionSense Wave" | Spot Resist" | Power Boost" | Power Clean" | Reflex"

- ADA-Compliant
- Power Boost
- O Power Clean

SELECT FAUCETS WITH NEW

UBY MOEN
SMART FAUCET.

Belfield™





FAUCETS



One-Handle Kitchen Faucet 7240 🚳



One-Handle Kitchen Faucet 7245 🚳



Two-Handle Kitchen Faucet 7250 ❸



Two-Handle Kitchen Faucet 7255 ❸

MATCHING AND COORDINATING ACCESSORIES



Towel Ring YB9886



Traditional Soap Dispenser S3945



Sip⁻ One-Handle Beverage Faucet S5510 **③**



18" Towel Bar YB9818



D-Shape Double Bowl G18252 32½" x 18½" x 9"

FINISH OPTIONS







Chrome (C), Spot Resist* Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist*

Integra®



FAUCETS



One-Handle Pullout Kitchen Faucet 67315 �○

MATCHING AND COORDINATING ACCESSORIES



Towel Ring YB2386



Soap Dispenser 3944



18" Towel Bar Only YB8098

FINISH OPTIONS





Chrome (C), Spot Resist* Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Clean*

ADA-CompliantPower Clean

$Method^{\mathsf{m}}$





FAUCETS



One-Handle Pullout Kitchen Faucet 7585 �○

MATCHING ACCESSORIES



18" Towel Bar YB2418



Hand Towel Bar YB2486

FINISH OPTIONS





Chrome (C), Spot Resist* Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist* | Power Clean*

ADA-Compliant

O Power Clean

Chateau[®]



LEVER- HANDLE KITCHEN FAUCETS



One-Handle Kitchen Faucet 7437 **③**



One-Handle Kitchen Faucet 7434 **⑤**



One-Handle Kitchen Faucet 7425 **⊗**



One-Handle Kitchen Faucet 7423 (6)



One-Handle Kitchen Faucet 7430 **③**

Chateau[®]

TWO-HANDLE KITCHEN FAUCETS



Two-Handle Kitchen Faucet 7907 **③**



Two-Handle Kitchen Faucet 7906 **③**



Two-Handle Kitchen Faucet 7910



Two-Handle Kitchen Faucet 7900

ONE-HANDLE BAR/PREP FAUCET



One-Handle Bar Faucet 4904 €

TWO-HANDLE HI-FILL BAR FAUCET



Two-Handle Bar Faucet 4903 **⑤**

TWO-HANDLE LAUNDRY FAUCET



Two-Handle Laundry Faucet 4975



Two-Handle Laundry Faucet 74998 **⑤**

COORDINATING ACCESSORIES



Soap Dispenser 3944



Soap Dispenser

FINISH OPTIONS





Chrome, Spot Resist* Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist*

Torrance™



FAUCETS



One-Handle Kitchen Faucet 7081 🚳



One-Handle Kitchen Faucet 7082 **③**

COORDINATING ACCESSORIES



Double Equal Bowl GS202134Q 33" x 22" x 8"

FINISH OPTIONS





Chrome, Spot Resist* Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist*

Banbury®



FAUCETS



One-Handle Kitchen Faucet 7050



One-Handle Kitchen Faucet 7051 🚳

COORDINATING ACCESSORIES



Double Offset Bowl GS202334Q 33" x 22" x 9" and 7"

FINISH OPTIONS





Chrome, Spot Resist* Stainless (SRS)
Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS: Spot Resist*

Pot Fillers



POT FILLERS



Traditional Pot Filler S664 3



Modern Pot Filler S665 3

FINISH OPTIONS











Chrome, Lifeshine* Polished Nickel (NL), Matte Black (BL), Spot Resist* Stainless (SRS), Lifeshine*Brushed Gold (BG) Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS: Spot Resist*

Sip[™] Beverage Faucet





BEVERAGE FAUCETS



Nio One-Handle Beverage Faucet S5550 ❸



Modern One-Handle Beverage Faucet S5530 ❸



Sinema⁻ One-Handle Beverage Faucet S5535 **⑤**



Transitional One-Handle Beverage Faucet S5520 ❸



Paterson Traditional One-Handle Beverage Faucet S5540 ❸



Traditional One-Handle Beverage Faucet S5510 ♠

FINISH OPTIONS



Chrome, Lifeshine* Polished Nickel (NL), Matte Black (BL), Spot Resist* Stainless (SRS), Lifeshine*Brushed Gold (BG), Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS: Spot Resist*

ADA-Compliant

REPLACEMENT FILTER



Filtration System S5500

Soap Dispensers



SOAP DISPENSERS



Modern Soap Dispenser S3947



Transitional Soap Dispenser S3946



Paterson⁻ Traditional Soap Dispenser S3955



Soap Dispenser 3944



Transitional Soap Dispenser S3948



Traditional Soap Dispenser S3945



Soap Dispenser 3942

FINISH OPTIONS



Chrome, Lifeshine* Polished Nickel (NL), Matte Black (BL), Spot Resist* Stainless (SRS), Lifeshine* Brushed Gold (BG), Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS: Spot Resist*

Kitchen Sinks



Align° One-Handle Pre-Rinse Spring Pulldown Kitchen Faucet Featured in Chrome Finish **Sip**° Modern One-Handle High-Arc Beverage Faucet

Modern Soap Dispenser

1800™ Series Undermount Single Bowl Stainless Steel Sink







Moen Granite Offset 60/40 Double Bowl Low Divide Sink

Align° One-Handle High-Arc Pulldown Kitchen Faucet Featured in Matte Black

1800° Series Undermount Single Bowl Stainless Steel Sink

Granite Sinks





FINISH OPTIONS









Black (B), Gray (R), Mocha (M), White (W)

Please see moen.com/consumer-support/ warranty for complete product warranty information.

Page 85 Available Accessories

SINGLE BOWL



Single Bowl Undermount Sink

GGB4010B - Black GGR4010B - Gray GGM4010B - Mocha GGW4010B - White 33" x 181/2" x 91/2"



Single Bowl Dual Mount Sink

GGB3019B - Black GGR3019B - Gray GGM3019B - Mocha GGW3019B - White 25" x 22" x 91/2"



Single Bowl Dual Mount Sink

GGB3026B - Black GGR3026B - Gray GGM3026B - Mocha GGW3026B - White 33" x 20⁷/8" x 9⁷/16"

DOUBLE EQUAL BOWL



NEW

Double Equal Undermount Sink

GGB4012B - Black GGR4012B - Gray GGM4012B - Mocha GGW4012B - White 33" x 181/2" x 91/2"



Double Equal Bowl Dual Mount Sink

GGB3027B - Black GGR3027B - Gray GGM3027B - Mocha GGW3027B - White 33" x 22" x 9½"



Double Equal Bowl Dual Mount Sink

GGB3028B - Black GGR3028B - Gray GGM3028B - Mocha GGW3028B - White 33" x 22" x 91/2"

DOUBLE OFFSET BOWL



NEW

Double Offset Undermount Sink

GGB4014B - Black GGR4014B - Gray GGM4014B - Mocha GGW4014B - White 33" x 201/2" x 91/2"



Double Offset Bowl Dual Mount Sink

GGB3024B - Black GGR3024B - Gray GGM3024B - Mocha GGW3024B - White 33" x 22" x 91/2"



Double Offset Bowl Dual Mount Sink

GGB3029B - Black GGR3029B - Gray GGM3029B - Mocha GGW3029B - White 33" x 22" x 10"

BAR/PREP



Single Bowl Dual Mount Bar/Prep Sink

GGB3018B - Black GGR3018B - Gray GGM3018B - Mocha GGW3018B - White 15³/₄" x 15³/₄" x 7¹¹/₁₆"

1600[™] Series Professional Style





UNDERMOUNT SINKS: ZERO RADIUS



Double Offset Bowl G16221 Center Drain 34" x 20" x 10"



Single Bowl G16100 Center Drain 32" x 20" x 10"



Double Equal Bowl G16200 Center Drain 31" x 20" x 10"



Bar/Prep G16430 Center Drain 16" x 20" x 10"



1800[™] Series



PROFESSIONAL STYLE UNDERMOUNT SINKS: ZERO RADIUS



Double Offset Bowl G18287 Rear Drain 311/2" x 18" x 81/2"



Double Equal Bowl G18288 Rear Drain 28" x 18" x 81/2"



Single Bowl G18180 Rear Drain 31" x 18" x 81/2"



Single Bowl G18185 Rear Drain 22" x 18" x 81/2"

UNDERMOUNT SINKS: APRON FRONT



Apron Front
Double Equal Bowl
G18220
Rear Drain
30" x 21" x 9"



Apron Front Single Bowl G18121 Rear Drain 31¹⁵/16" x 20⁵/8" x 9"

UNDERMOUNT SINKS: LOW MIDDLE DIVIDE



Low Middle Divide Double Offset Bowl G18253 Center Drain 32" x 20⁵/8" x 9"



Low Middle Divide Double Equal Bowl G18252 Center Drain 321/2" x 181/8" x 9"

1800[™] Series

UNDERMOUNT SINKS: **D-SHAPE BOWLS**



D Shape Double Offset Bowl GS18246B Rear Center Drain 311/4" x 20" x 8" and



D Shape Double Offset Bowl GS18264B Rear Center Drain 311/4" x 20" x 8" and 10"





D Shape Single Bowl GS18160 Rear Center Drain 231/2" x 213/16" x 8"

UNDERMOUNT SINKS: DOUBLE BOWLS



Double Offset Bowl GS18231 Center Drain 313/4" x 201/2" x 10" and



Double Equal Bowl GS18212 Center Drain 313/4" x 181/4" x 9"



Double Equal Bowl GS18211 Center Drain 311/4" x 181/4" x 8"



D Shape Single Bowl GS18165B Rear Center Drain 301/2" x 181/4" x 9"





Double Equal Bowl GS18242 Center Drain 313/4" x 181/4" x 10" and 8" 313/4" x 181/4" x 7"



Double Equal Bowl GS18215B ADA FHA Rear Center Drain



Double Equal Bowl GS18210 Center Drain 313/4" x 181/4" x 7"

UNDERMOUNT SINKS: SINGLE BOWLS



Single Bowl GS18110 Center Drain 301/2" x 181/4" x 10"



GS18190 Center Drain 231/2" x 181/4" x 9"



Single Bowl GS18195B ADA FHA Rear Center Drain GS18195L ADA FHA Rear Left Drain



Single Bowl GS18161 ADA FHA Rear Center Drain 30¹/₂" x 18¹/₄" x 6



Single Bowl GS18191 Center Drain 231/2" x 181/4" x 8"



Single Bowl GS18192 Center Drain GS18192B ADA FHA Rear Center Drain GS18192L ADA FHA Rear Left Drain 231/2" x 181/4" x 7"

DROP-IN SINKS



Double Equal Bowl GS182154Q Center Drain 313/4" x 181/4" x 7"



Double Bowl Drop-in GS182114Q Center Drain 33" x 22" x 9"



Double Equal Bowl GS182133Q Center Drain GS182134Q Center Drain 33" x 22" x 8"



Single Bowl Drop-in GS181631BQ ADA FHA Rear Center Drain 33" x 22" x 7"



Single Bowl GS181953Q Center Drain GS181954Q Center Drain 25" x 22" x 10"



Single Bowl GS18163B Rear Center Drain 30¹/₂" x 18¹/₄" x 7"



UNDERMOUNT SINKS: BAR/PREP



Bar/Prep GS18440 Center Drain 16" x 201/2" x 8"



Bar/Prep GS18443 Center Drain 16¹/₂" x 18¹/₄" x 8"



Bar/Prep GS181873 Center Drain 13" x 16" x 5.5"





Bar/Prep GS18442 Center Drain 16¹/₂" x 18¹/₄" x 10"



Bar/Prep GS18450 Center Drain 14¹/₂" x 12¹/₂" x 6"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Page 85 Available Accessories

Q Model numbers ending in Q feature QuickMount" installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2000[™] Series



UNDERMOUNT SINKS



Double Equal Bowl GS20210 Center Drain GS20210B Rear Center Drain 313/4" x 181/4" x 71/2"



Double Equal Bowl GS20214 Center Drain GS20214B MM Rear Center Drain 313/4" x 181/4" x 6"



Single BowlGS20192
Center Drain
231/2" x 181/4" x 71/2"



Single Bowl GS20193 Center Drain GS20193B Rear Center Drain 231/2" x 181/4" x 61/2"



Single Bowl GS20194B AM TA Rear Center Drain 231/2" x 181/4" x 51/2"



Bar/Prep GS204502 Center Drain 141/2" x 121/2" x 51/2"

DROP-IN SINKS



Double Offset Bowl GS202334Q 4-hole Center Drain 33" x 22" x 9" and 7"



Double Offset Bowl GS202861Q 1-hole Center Drain GS202864Q 4-hole Center Drain 33" x 22" x 51/2" and 8"



Double Equal Bowl GS202131Q 1-hole Center Drain GS202133Q 3-hole Center Drain GS202134Q 4-hole Center Drain 33" x 22" x 8"



Double Equal Bowl GS202153BQ 3-hole Rear Center Drain GS202154BQ 4-hole Rear Center Drain 33" x 22" x 7"



Double Equal Bowl
GS202173BQ MM3-hole
Rear Center Drain
GS202174BQ MM4-hole
Rear Center Drain
33" x 22" x 51/2"



Single Bowl
GS201961BQ 1-hole
Rear Center Drain
GS201962BQ 2-hole
Rear Center Drain
GS201963BQ 3-hole
Rear Center Drain
GS201964BQ 4-hole
Rear Center Drain
GS201963Q 4-hole
Center Drain
GS201964Q 4-hole
Center Drain
CS201964Q 4-hole
Center Drain
CS201964Q 4-hole
Center Drain
CS201964Q 4-hole



Single Bowl
GS201974BQ 4-hole
Rear Center Drain
GS201974LQ 4-hole
Rear Left Drain
GS201974RQ 4-hole
Rear Right Drain
25" x 22" x 51/2"

DROP-IN BAR SINKS



Bar/Prep GS204571BQ 1-hole Rear Center Drain GS204573BQ 3-hole Rear Center Drain 17" x 211/4" x 61/2"



Bar/Prep GS201673 3-hole Rear Center Drain 20" x 20" x 10¹/₇"



Bar/Prep KGS2045622BQ 2-hole Rear Center Drain 15" x 15" x 51/2"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Page 85 Available Accessories

Q Model numbers ending in Q feature
QuickMount* installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2200[™] Series



DROP-IN SINKS



Double Equal Bowl GS222133 3-hole Center Drain GS222134 4-hole Center Drain 33" x 22" x 8"



Double Equal Bowl GS222163 3-hole Center Drain GS222164 4-hole Center Drain 33" x 22" x 61/2"



Single Bowl
GS221963B M3-hole
Rear Center Drain
GS221964B M4-hole
Rear Center Drain
25" x 22" x 7"



Single Bowl
GS221983B AM A3-hole
Rear Center Drain
GS221984B A4-hole
Rear Center Drain
25" x 22" x 61/2"

DROP-IN BAR SINKS



Bar/Prep GS2245622 2-hole Center Drain 15" x 15" x 51/2"



SoundSHIELD**

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Page 85 Available Accessories

Q Model numbers ending in Q feature
QuickMount* installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

Sink Accessories



DRAIN **ASSEMBLIES**



31/2" Stainless Strainer 22037



31/2" Stainless Strainer 22036



2" Stainless Strainer 22174

CUTTING

BOARDS

GA944 13" x 161/2"

SOAP **DISPENSERS**



Traditional Soap Dispenser S3945



Transitional Soap Dispenser S3948



Transitional Soap Dispenser S3946



Modern Soap Dispenser S3947



Soap Dispenser 3942



Soap Dispenser 3944

BOTTOM GRIDS



GA726 14" x 16" GSA401 127/16" x 1011/16" GSA431B 181/4" x 16 GSA401B 127/16" x 1011/16" GSA406B 87/8" x 127/16" GSA409B 12" x 131/2" GSA404B 137/16" x 151/16" GSA405 105/8" x 153/16" GSA405B 105/8" x 153/16"





GGA55B 12" x 133/4" GGA57B 11" x 145/8" GGA50B 111/2" x 111/2" GGA58B 12" x 153/4"



GGA56B 151/16" x 173/16" GGA53B 121/4" x 151/16" GGA54B 121/4" x 151/16"



GSA30 127/8" x 101/8"



GSA31 15" x 163/4"



30" x 18" GA760 13" x 18" GA763 GA768 18" x 18"

28" x 16"

GA771

GA772



GA780B 29" x 16"

GA781B 20" x 16"

GA785B 16" x 16"

GA7802B 121/2" x 16"

13³/5" x 16³/5" GSA402B 17¹/2" x 12¹/4" GGA52B 28⁵/1ε" x 14⁵/1ε" GSA402L 171/2" x 121/4" GSA402R 171/2" x 121/4"



GSA402 171/2" x 121/4" GGA51B 1913/16" x 1313/16"

WHAT'S GOING DOWN IN YOUR KITCHEN?

Do you go all out for dinner parties? Or would you rather just hang out? Moen® has the perfect garbage disposal for your kitchen based on how you use it.

LIGHTED SERIES



1 Horsepower EXL100C

Features:













GX SERIES



1 Horsepower GX100C

Features:















Designed for those who love to get creative in their kitchen and need the strongest cleanup possible.







Designed for those who frequently cook for guests and need advanced cleanup power.





GT SERIES



3/4 Horsepower GT75C

Features:













GX SERIES



3/4 Horsepower Batch Feed GXB75C



3/4 Horsepower GXS75C

Features:















GX PRO SERIES



½ Horsepower GXP50C

Features:











GX SERIES



½ Horsepower GX50C

Features:









GT SERIES



½ Horsepower GT50C

Features:



















Designed for those who slice, dice and peel as part of basic meal prep, and need a little more help with cleanup.







Designed for those who rarely cook from scratch and just want cleanup to be simple.



GX PRO SERIES



1/3 Horsepower GXP33C

Features:









GT SERIES



1/3 Horsepower GT33C

Features:

















Moen's Limited Warranty with In-Home Service guarantees help is there when you need it.

If service is requested during the warranty period, Moen® will have a service agent repair or replace the disposal in your home at no charge. Our garbage disposal portfolio includes warranties that vary from 2 to 10 years.



Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies





Continuous feed grinds as long as power is on



Batch Feed Stopper activates disposal for safer operation; no wall switch required (only for batch feed disposals)





High-speed VORTEX POWER™ motor provides fast, powerful grinding



Fast Track™Installation, -Simple Snap Tool quickly secures mounting assembly -Easy Open Dishwasher Inlet. No additional tools required.




SoundSHIELD™ designed to provide sound deadening insulation*



Pre-installed power cord is a savings over other models where cord must be purchased separately; cord removes easily for optional hardwiring

Bath and Shower



Flara° Featured in Chrome Finish









LAVATORY FAUCETS



One-Handle Bathroom Faucet S42107 † ❸



Two-Handle Widespread Bathroom Faucet TS42108 *†කම



Two-Handle Widespread Bathroom Faucet TS42114*†ක



Two-Handle Wallmount Bathroom Faucet TS42106*†@®



Two-Handle Wallmount Bathroom Faucet TS42112*†@









TUB FILLERS



Freestanding Tub Filler Cross Handle S22105 TS25105 @

Lever Handle S22110 TS25110 @ 6



Two-Handle Wallmount Tub Filler with Handshower Cross Handle S22105 @ Lever Handle S22110 @ ®

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower

Cross Handle TS21102*

Lever Handle TS21104*











EXACTTEMP® 3/4"



ExactTemp Valve Trim TS32110 ***എ**



ExactTemp Volume Control Trim TS52104*@6

TRANSFER VALVES



NEW

M-CORE™ Transfer Valve Trim UTS32205*@❸



Three Independent Function
Transfer Valve Trim
TS32206 * ⋒ ❸
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS 32205 * ♠ ७ Use with valve 3372 or 3375



NEW

M-CORE 3S with Integrated Transfer Valve Trim UTS4311 * എങ



NEW

Posi-Temp* with Integrated Transfer Valve Trim TS32100 * ♠ ❸

M-CORE[™] 3-SERIES







M-CORE 3S Tub/Shower TrimUTS33103***⋒⑤**UTS33103EP***◇⋒⑥**

M-CORE 3S Shower Only Trim UTS33102*ക© UTS33102EP*♦ക©

M-CORE 3S Valve Only Trim

UTS33101*⋒&



MOENTROL®





TS33101*⋒&



Moentrol Tub/Shower Trim TS33103NH*@& Moentrol Shower Only Trim TS33102NH***⋒**❸ Moentrol Valve Only Trim

POSI-TEMP®







Posi-Temp Tub/Shower Trim TS32104*໘**⋒**❸ TS32104EP*¤◊⋒&

Posi-Temp Shower Only Trim TS32102*മ**ക**8 TS32102EP*¤◊⋒७

Posi-Temp Valve Only Trim TS3210*⋒**७**

MATCHING ACCESSORIES



Tank Lever YB8401



Double Robe Hook YB8403



YB8418 24" Towel Bar

YB8424





Drawer Knob YB8405



Drawer Pull YB8407



Pivoting Paper Holder YB8408 (P



Towel Ring YB8486



COORDINATING ACCESSORIES



One Globe Bath Light YB9861



Two Globe Bath Light YB9862



Three Globe Bath Light YB9863



Four Globe Bath Light YB9864

WEYMOUTH FINISH OPTIONS













Chrome, Brushed Nickel (BN), LifeShine* Brushed Gold (BG), Lifeshine* Polished Nickel (NL) Oil Rubbed Bronze (ORB),

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED*



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet S43001†



Two-Handle Wallmount Bathroom Faucet TS43003*†⋒७



Two-Handle Widespread Bathroom Faucet TS43002*†@❸

TUB FILLER



Freestanding Tub Filler S93005 @ 6

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower TS93004*@❸



Two-Handle Roman Tub Trim TS93003 *♠❸









EXACTTEMP* 3/4"



ExactTemp Valve Trim TS33002*@



ExactTemp Volume
Control Trim
TS33003 * 6 6
For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS23005*@❸



Three Independent Function
Transfer Valve Trim
TS23006* 6
Use with valve 3362 only



Two- or Three-Function
Transfer Valve Trim
TS23005 * ♠ ♦
Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS3311* @ 😉



Posi-Temp* with Integrated Transfer Valve Trim TS22000*@め







M-CORE[™] 3-SERIES







M-CORE 3S Tub/Shower Trim UTS32003***എ** UTS32003EP***◇എ**

M-CORE 3S Shower Only Trim UTS32002*@© UTS32002EP*◊@®

M-CORE 3S Valve Only Trim UTS32001***ത**

MOENTROL®







Moentrol Tub/Shower Trim TS32003NH*@&

Moentrol Shower Only Trim TS32002NH*@&

Moentrol Valve Only Trim TS32001*@❸

POSI-TEMP®





Posi-Temp Tub/Shower Trim
TS22003*¤♠७
TS22003EP*¤♦♠७

Posi-Temp Shower Only Trim
TS22002*☆♠७
TS22002EP*¤♦♠७

Posi-Temp Valve Only Trim TS22001*@8









MATCHING ACCESSORIES



Tank Lever YB0801



Pivoting Paper Holder YB0808 (*)



18" Towel Bar YB0818 24" Towel Bar

YB0824



Double Robe Hook YB0803



5x Magnifying Mirror YB0892



Towel Ring YB0886




12" Designer Grab Bar YG0812

18" Designer Grab Bar YG0818

24" Designer Grab Bar YG0824

36" Designer Grab Bar YG0836

42" Designer Grab Bar YG0842



COORDINATING ACCESSORIES



Iso Drawer Knob DN0705



Iso Drawer Pull DN0707



Iso One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

ARRIS FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL)

Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 286-293.


- X Immersion Rainshower Technology
- Moen M●PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

Flara® NEW COLLECTION



LAVATORY FAUCETS



One-Handle
Bathroom Faucet
S6981 †



One-Handle Bathroom Faucet S6982 †❸



Two-Handle Widespread Bathroom Faucet TS6984*†@❸



Two-Handle Widespread Bathroom Faucet TS6985*†@

TUB FILLER



Freestanding Tub Filler S931 කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim TS926*@❸



Two-Handle Roman Tub Trim TS927 * ක





irl

Two-Handle Roman Tub Trim with Handshower TS928 *♠❸



Two-Handle Roman Tub Trim with Handshower TS929 *@♦♦♦

EXACTTEMP® 3/4"



ExactTemp Valve Trim TS4201 *@❸



ExactTemp Volume Control Trim TS4202*@&

TRANSFER VALVES



Three Independent Function
Transfer Valve Only Trim
TS4912*

Use with valve 3362 only



Two- or Three-Function Transfer Valve Only Trim TS4911*@❸



M-CORE™ Transfer Valve Trim UTS4911 *@❸



M-CORE 3S with
Integrated Transfer
Valve Trim
UTS2411*@6

Flara® NEW COLLECTION







M-CORE™ 3-SERIES







M-CORE 3S Tub/Shower Trim UTS3913***െ** UTS3913EP*****♦**െ**

M-CORE 35 Shower Only Trim UTS3912*@७ UTS3912EP*♦@७

M-CORE 3S Valve Only Trim UTS3911* തെ

MOENTROL®







Moentrol Tub/Shower Trim TS3913NH*കെ

Moentrol Shower Only Trim TS3912NH*@&

Moentrol Valve Only Trim TS3911***@**

POSI-TEMP®





Posi-Temp Tub/Shower Trim TS2913*എ8 TS2913EP*�എ8 TS2913NH*എ8

Posi-Temp Shower Only Trim TS2912*എ& TS2912EP*�ഐ& TS2912NH*എ&

Posi-Temp Valve Only Trim TS2911*@8

Flara® NEW COLLECTION









MATCHING ACCESSORIES



Tank Lever YB0301



Double Robe Hook YB0303



Pivoting Paper Holder



Drawer Knob YB0305



Drawer Pull YB0307



Mirror YB0392



Hand Towel Bar YB0386



18" Towel Bar YB0318

24" Towel Bar YB0324

24" Double Towel Bar YB0322



12" Designer Grab Bar YG0312

18" Designer Grab Bar YG0318

24" Designer Grab Bar YG0324

36" Designer Grab Bar YG0336

42" Designer Grab Bar YG0342



Vanity Shelf YB0390

Flara® NEW COLLECTION





MATCHING ACCESSORIES



One Globe Bath Light YB0361



Two Globe Bath Light YB0362



Three Globe Bath Light YB0363



Four Globe Bath Light YB0364

FLARA® FINISH OPTIONS









Chrome, Brushed Nickel (BN), Brushed Gold (BG), Polished Nickel (NL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- □ Immersion Rainshower Technology
- Moen M●PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c LISTED US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not

Colinet™ NEW COLLECTION



LAVATORY FAUCETS



One-Handle Bathroom Faucet S44101 †



Two-Handle Widespread Bathroom Faucet TS44102*†කම



Two-Handle Widespread Bathroom Faucet TS44103 *†ක



Two-Handle Wallmount Bathroom Faucet TS44104*†@め



Two-Handle Wallmount Bathroom Faucet TS44105*†@

Colinet™ NEW COLLECTION



TUB FILLER



Freestanding Tub Filler S44507 කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim TS44503 *♠❸



Two-Handle Roman Tub Trim TS44505 *⋒



Two-Handle Roman Tub Trim with Handshower TS44504*@❸



Two-Handle Roman Tub Trim with Handshower TS44506*@

Colinet™ NEW COLLECTION



EXACTTEMP® 3/4"



ExactTemp Valve Trim TS44401 *@



ExactTemp Volume
Control Trim
TS44402* 6
For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS9381*@❸



M-CORE 3S with Integrated Transfer Valve Trim TS9211 * 命 & Use with valve 3362 only

POSI-TEMP®



Posi-Temp Valve Only Trim Trim TS44201*@❸

M-CORE* 3-SERIES







M-CORE 35 Tub/Shower TrimUTS344303*♠७
UTS344303EP*♦♠७

M-CORE 3S Shower Only TrimUTS344302*♠७
UTS344302EP*♦♠७

M-CORE 3S Valve Only Trim UTS344301 *@❸

Colinet™ NEW COLLECTION



MATCHING ACCESSORIES



Tank Lever YB0501



Double Robe Hook YB0503



Pivoting Paper Holder YB0508 (P



Drawer Knob YB0505



Drawer Pull YB0507



Towel Ring YB0586



18" Towel Bar YB0518 **24" Towel Bar** YB0524





MATCHING ACCESSORIES



One Globe Bath Light YB0561



Two Globe Bath Light YB0562



Three Globe Bath Light YB0563



Four Globe Bath Light YB0564

COLINET® FINISH OPTIONS









Chrome, Brushed Nickel (BN), Brushed Gold (BG), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M◆PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c LISTED us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not



LAVATORY FAUCETS



One-Handle
Bathroom Faucet
S6700 ↑

Deckplate sold seperately / 147204



One-Handle
Bathroom Faucet
S6705 †

Deckplate sold seperately / 147204



One-Handle
Bathroom Faucet
\$6710 †
Deckplate sold seperately / 147204



One-Handle Vessel
Bathroom Faucet
\$6711 † Deckplate sold seperately / 147204



One-Handle Vessel Bathroom Faucet S6712 † © Deckplate sold seperately / 147204



Two-Handle Widespread Bathroom Faucet TS6720*†@❸



Two-Handle Widespread Bathroom Faucet TS6721*†@®









Two-Handle Wallmount Bathroom Faucet TS6730*†⋒❸



Two-Handle Wallmount Bathroom Faucet TS6731*†@❸

TUB FILLER



Freestanding Tub Filler S905 **@&**

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
TS903 *⋒❸



Two-Handle Roman Tub Trim with Handshower TS904*@❸



Two-Handle Roman Tub Trim TS913 * കെ



Two-Handle Roman Tub Trim with Handshower TS914*@❸



EXACTTEMP® 3/4"



ExactTemp Valve Trim TS3100 *@❸



ExactTemp Volume
Control Trim
TS3300 * 6 5
For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS4172*@❸



Three Independent Function Transfer Valve Trim TS 4173 * 6 S Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS4172*@& Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim
UTS9011 *♠❸



Posi-Temp* with Integrated Transfer Valve Trim TS2710 * ക







M-CORE™ 3-SERIES







M-CORE 3S Tub/Shower Trim UTS3713*@© UTS3713EP*¤♦@©

M-CORE 3S Shower Only Trim UTS3715*എ**©** UTS3715EP*¤**ംഎ©**

M-CORE 3S Valve Only Trim UTS3711*ക

MOENTROL®







Moentrol Tub/Shower Trim TS3713*മക TS3713NH*ക⊜

Moentrol Shower Only Trim TS3715*മക് TS3715NH*ക്ക

Moentrol Valve Only Trim TS3711*@❸

POSI-TEMP®







Posi-Temp Tub/Shower Trim
TS2713*¤♠७
TS2713EP*¤◊♠७
TS2713NH*♠७

Posi-Temp Shower Only Trim TS2712*മ**െ** TS2712EP*മ**െ** TS2712NH***െ**

Posi-Temp Valve Only Trim TS2711*@❸









MATCHING ACCESSORIES



Tank Lever YB8801



Single Robe Hook YB8803



Pivoting Paper Holder



Drawer Knob YB8805



Drawer Pull YB8807



Hand Towel Bar YB8886



18" Towel Bar YB8818 **24" Towel Bar** YB8824



12" Designer Grab Bar YG8812

18" Designer Grab Bar YG8818

24" Designer Grab Bar YG8824

36" Designer Grab Bar YG8836

42" Designer Grab Bar YG8842



MATCHING ACCESSORIES



One Globe Bath Light YB8861



Two Globe Bath Light YB8862



Three Globe Bath Light YB8863



Four Globe Bath Light YB8864

90° FINISH OPTIONS





Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M◆PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet S8000 +&



Bathroom Faucet TS8002***†⋒**❸





One-Handle Low Profile Bathroom Faucet S8001 + 3

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim TS955 ***⋒**❸

EXACTTEMP® 3/4"



ExactTemp Valve Trim TS9711 *⋒**&**



ExactTemp Volume Control Trim TS9712*@& For showerhead options, see page 180









TRANSFER VALVES



NEW

M-CORE™ Transfer Valve Trim UTS2171*@❸



Three Independent Function Transfer Valve Trim TS2172*@❸

Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim TS2171 *♠ S Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim UTS2811 *⋒❸



Posi-Temp" with Integrated Transfer Valve Trim TS8710 * കെ

M-CORE* 3-SERIES







M-CORE 35 Tub/Shower TrimUTS3773*⋒**७**UTS3773EP*�**⋒७**

M-CORE 3S Shower Only Trim
UTS3772*@७
UTS3772EP*◇@७

M-CORE 3S Valve Only Trim UTS3771* ക

POSI-TEMP®



Posi-Temp Tub/Shower Trim TS8713*¤ଲ⊜ TS8713EP*¤◊ଲ⊜

Posi-Temp Shower Only Trim TS8712*മക് TS8712EP*മ**െ**

Posi-Temp Valve Only Trim TS8711*@❸









MATCHING ACCESSORIES



Single Robe Hook YB5003



Hand Towel Bar YB5086



Pivoting Paper Holder YB5008 (P



12" Towel Bar YB5012 18" Towel Bar YB5018

24" Towel Bar YB5024



90° Drawer Pull YB8807

COORDINATING ACCESSORIES



90° Tank Lever YB8801



90° Drawer Knob YB8805



90° 12" Designer Grab Bar YG8812

90° 18" Designer Grab Bar YG8818

90° 24" Designer Grab Bar YG8824

90° 36" Designer Grab Bar YG8836

90° 42" Designer Grab Bar YG8842





90° One Globe Bath Light YB8861



90° Two Globe Bath Light YB8862



90° Three Globe Bath Light YB8863



90° Four Globe Bath Light YB8864

VIA FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- 🏻 Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet S6910 †



Two-Handle Widespread Bathroom Faucet TS6925*†@❸

TUB FILLER



Freestanding Tub Filler S3105 **ക**

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower TS984*@❸



Two-Handle Roman Tub Trim TS983 * ക









EXACTTEMP* 3/4"



ExactTemp Valve Trim TS3101 *@&



ExactTemp Volume
Control Trim
TS3102*@&
For showerhead options, see page 203

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS9204*@❸



Three Independent Function
Transfer Valve Trim
TS9205*66
Use with valve 3362 omly



M-CORE 3S with Integrated Transfer Valve Trim
UTS2611 *♠❸

NEW




Two- or Three-Function Transfer Valve Trim TS9204*@❸



Posi-Temp* with Integrated Transfer Valve Trim TS2200 * ക

Use with valves 3372 or 3375











M-CORE 3S Tub/Shower Trim UTS3203*@© UTS3203EP*◊@©

M-CORE 3S Shower Only Trim
UTS3202*@७
UTS3202EP*◇@७

M-CORE 3S Valve Only Trim UTS3201*@❸

MOENTROL®







Moentrol Tub/Shower Trim TS3203NH* ക

Moentrol Shower Only Trim TS3202NH*@❸

Moentrol Valve Only Trim TS3201*@᠖

POSI-TEMP®







Posi-Temp Tub/Shower Trim
TS2203*¤♠७
TS2203EP*¤◊♠७
TS2203NH*♠७

Posi-Temp Shower Only TrimTS2202*¤**@&**TS2202EP***◇@&**TS2202NH***@&**

Posi-Temp Valve Only Trim TS2201*@❸









MATCHING ACCESSORIES



Tank Lever YB0201



Pivoting Paper Holder



Hand Towel Bar YB0286



Corner Shower Basket YB0275



Single Robe Hook YB0203



18" Towel Bar YB0218

24" Towel Bar YB0224

DOUX FINISH OPTIONS








Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- Moen M◆PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 4500†



One-Handle Bathroom Faucet 4507 ❸



Two-Handle Centerset Bathroom Faucet 4505†⊜



Two-Handle Widespread Bathroom Faucet T4520 *†⋒❸



Two-Handle Widespread Bathroom Faucet T4524*†@

TUB FILLERS



Freestanding Tub Filler Cross Handle 655 @ Lever Handle 655 @ §

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower

Cross Handle T658 *ଲ Lever Handle T654 *ଲଞ



Two-Handle Roman Tub Trim

Cross Handle T657*

Lever Handle T653*

©









EXACTTEMP® 3/4"



ExactTemp Valve Trim T6601*@&



ExactTemp
Volume Control Valve Trim
T6602*@
For showerhead options, see page 203

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UT4511 *@❸



Three Independent Function Transfer Valve Trim T4512*@❸

Use with valve 3362 only



M-CORE 3S with Integrated Transfer Valve Trim UT5500*@❸



Moentrol* with Integrated Transfer Valve Trim T5500*@め



Two- or Three-Function Transfer Valve Trim T4511 * ♠ ❸

Use with valves 3372 or 3375



Posi-Temp* with Integrated Transfer Valve Trim T4500*@の



M-CORE* 3-SERIES







M-CORE 35 Tub/Shower TrimUT35503***⋒७**UT35503EP***♦⋒७**

M-CORE 35 Shower Only Trim UT35502***@** UT35502EP***♦@**

M-CORE 3S Valve Only Trim UT35501*@©

MOENTROL®



Moentrol* Tub/Shower Trim T5503*@& T5503NH*@&

Moentrol Shower Only Trim T5502*@७ T5502NH*@७

Moentrol Valve Only Trim T5501*കെ

POSI-TEMP®





Posi-Temp Tub/Shower Trim T4503***എ** T4503EP*�**@** T4503NH***@**

Posi-Temp Shower Only TrimT4502*♠᠖
T4502EP*◇♠᠖
T4502NH*♠᠖

Posi-Temp Valve Only Trim T4501*ക









BIDET



Two-Handle Bidet Faucet T5245 * ♠ ❸

MATCHING ACCESSORIES



Tank Lever YB5201



Pivoting Paper Holder



Towel Ring YB5286



Double Robe Hook YB5203



24" Double Towel Bar YB5222



18" Towel Bar YB5218 **24" Towel Bar** YB5224



Shower Basket YB5275

COORDINATING ACCESSORIES




Kingsley* Drawer Knob YB5405



Kingsley Drawer Pull YB5407







Waterhill® One Globe Bath Light YB9861



Waterhill Three Globe **Bath Light** YB9863



Waterhill Two Globe **Bath Light** YB9862



Waterhill Four Globe **Bath Light** YB9864

FINISH OPTIONS









Chrome, Brushed Nickel (BN), Lifeshine* Polished Nickel (NL), Oil Rubbed Bronze (ORB) Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c (Lister) US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6190†⊜



One-Handle Bathroom Faucet 6191 †



One-Handle Bathroom Faucet 6192†



Two-Handle Widespread Bathroom Faucet T6193 *†කම





Freestanding Tub Filler 395 **ക**


ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T394*@❸



Two-Handle Roman Tub Trim T393*@❸





EXACTTEMP® 3/4"



ExactTemp Valve Trim
T4291 *⋒❸



ExactTemp Volume Control Valve Trim T4292*@&

TRANSFER VALVES



M-CORE⁻ Transfer Valve Trim UT4191 *@❸



Three-Function Transfer Valve Trim T4192*@&



Moentrol* with Integrated Transfer Valve Trim T3290 *@❸

NEW



M-CORE 3S with Integrated Transfer Valve Trim UT3290 * ത




Two- or Three-Function Transfer Valve Trim T4191 * @ & Use with valves 3372 or 3375



Posi-Temp* with Integrated Transfer Valve Trim T2190 * ♠ ❸











M-CORE 3S Tub/Shower TrimUT3293*♠७
UT3293EP*♦♠७

M-CORE 3S Shower Only TrimUT3292*♠७
UT3292EP*�**♠**७

M-CORE 3S Valve Only Trim UT3291*ക്ക

MOENTROL®





Moentrol Tub/Shower Trim T3293*¤ക© T3293NH***ക**©

Moentrol Shower Only Trim T3292*്മക© T3292NH*****ക©

Moentrol Valve Only Trim T3291* ക

POSI-TEMP®







Posi-Temp Tub/Shower Trim T2193*എ& T2193EP*◇⋒& T2193NH*⋒&

Posi-Temp Shower Only Trim T2192*കെ T2192EP*♦കെ T2192NH*കെ

Posi-Temp Valve Only Trim T2191*@&

BIDET



Two-Handle Bidet Faucet T5191 *@❸









MATCHING ACCESSORIES



Swiveling Double Robe Hook YB0402



Single Robe Hook YB0403



18" Towel Bar YB0418 **24" Towel Bar** YB0424



Pivoting Paper Holder



Single-Post Paper Holder YB0409



Hand Towel Bar YB0486



12" Designer Grab Bar YG0412

18" Designer Grab Bar YG0418

24" Designer Grab Bar YG0424

36" Designer Grab Bar YG0436

42" Designer Grab Bar YG0442

COORDINATING ACCESSORIES



Iso™ Drawer Knob DN0705



Iso Drawer Pull DN0707





Iso™ One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

ALIGN FINISH OPTIONS









Chrome, Brushed Nickel (BN), Matte Black (BL), Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 277-283.

- X Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



CUJUS All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6903†6



Two-Handle Centerset Bathroom Faucet 6901 †❸



Two-Handle Widespread Bathroom Faucet T6905 *†කම



Two-Handle Wallmount Bathroom Faucet T6906 *†@ම

TUB FILLER



Freestanding Tub Filler 695 කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T694*@❸



Two-Handle Roman Tub Trim T693 * 🍙 😂









EXACTTEMP® 3/4"



ExactTemp Valve Trim T4691 *@❸



ExactTemp Volume Control T4692*@6

TRANSFER VALVES



M-CORE⁻ Transfer Valve Trim UT4611 *@&



Three Independent Function
Transfer Valve Trim
T4612*@\&
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim T4611 * 6 Use with valves 3372 or 3375




M-CORE 3S with Integrated Transfer Valve Trim UT3611 * തെ



NEW

Posi-Temp* with Integrated Transfer Valve Trim
T2690 *♠❸











M-CORE 35 Tub/Shower TrimUT3693 *♠७
UT3693EP *♦♠७

M-CORE 3S Shower Only TrimUT3692 ***⋒⑤**UT3692EP ***◇⋒⑥**

M-CORE 3S Valve Only Trim UT3691 *കെ

MOENTROL®







Moentrol Tub/Shower Trim T3693 *മക T3693NH*ക

Moentrol Shower Only Trim T3692*മക T3692NH*ക

Moentrol Valve Only Trim T3691*ക

POSI-TEMP®



Posi-Temp Tub/Shower Trim T2693 * എ**&** T2693EP * **> എ&** T2693NH * **എ&**

Posi-Temp Shower Only Trim T2692 * **ශ ම** T2692EP * **\@ ම** T2692NH * **@ ම**

Posi-Temp Valve Only Trim T2691 ***െ**

BIDET



Two-Handle Bidet Faucet T5191 * ♠ ❸

$Voss^{\mathsf{m}}$







MATCHING ACCESSORIES



Tank Lever YB5101



Double Robe Hook YB5103



18" Towel Bar YB5118





Pivoting Paper Holder YB5108 P



Hairdryer Holder YB5170



Towel Ring YB5186



12" Designer Grab Bar YG5112

18" Designer Grab Bar YG5118

24" Designer Grab Bar YG5124



MATCHING ACCESSORIES



One Globe Bath Light YB5161



Two Globe Bath Light YB5162



Three Globe Bath Light YB5163



Four Globe Bath Light YB5164

COORDINATING **ACCESSORIES**



90° Drawer Knob YB8805



90° Drawer Pull YB8807

VOSS FINISH OPTIONS












Chrome, Brushed Nickel (BN), Brushed Gold (BG), Lifeshine* Polished Nickel (NL), Oil Rubbed Bronze

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c listed us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6402† 6



Two-Handle Widespread Bathroom Faucet T6405*†@❸



Two-Handle Centerset Bathroom Faucet 6401†⊜

TUB FILLER



Freestanding Tub Filler 9025 කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T9024*@❸



Two-Handle Roman Tub Trim T9023 *@❸







EXACTTEMP* 3/4"



ExactTemp Valve Trim
T4411 *⋒❸

TRANSFER VALVES



M-CORE⁻ Transfer Valve Trim UT4301 * ♠ 😂



M-CORE 3S with Integrated Transfer Valve Trim UT3322 * ത



Posi-Temp* with Integrated Transfer Valve Trim T2310 *♠❸



ExactTemp Volume Control Valve Trim T4412*@®



Two- or Three-Function Transfer Valve Trim T4301 *♠❸



Moentrol* with Integrated Transfer Valve Trim T3322*@❸



M-CORE[™] 3-SERIES







M-CORE 3S Tub/Shower TrimUT3313***⋒७**UT3313EP***♦⋒७**

M-CORE 3S Shower Only Trim UT3312*@७ UT3312EP*◊@७

M-CORE 3S Valve Only Trim UT3311* ക MOENTROL*







Moentrol Tub/Shower Trim T3313NH*⋒⊜

Moentrol Shower Only Trim T3312NH***ക**

Moentrol Valve Only Trim T3311*കെ POSI-TEMP®







Posi-Temp Tub/Shower Trim T2313*කම T2313EP*◇කම T2313NH*කම

Posi-Temp Shower Only Trim
T2312*¤⋒७
T2312EP*¤◊⋒७
T2312NH*⋒७

Posi-Temp Valve Only Trim T2311*ക്ക









MATCHING ACCESSORIES



Tank Lever YB6401



Double Robe Hook YB6403



Pivoting Paper Holder



18" Towel Bar YB6418 **24" Towel Bar** YB6424



Hand Towel Bar YB6486




24" Double Towel Bar YB6422



12" Designer Grab Bar YG6412 18" Grab Bar YG6418 24" Grab Bar YG6424

Belfield™





One Globe Bath Light YB6461



Two Globe Bath Light YB6462



Three Globe Bath Light YB6463



Four Globe Bath Light YB6464

BELFIELD FINISH OPTIONS











Chrome, Brushed Nickel (BN), Lifeshine* Polished Nickel (NL) (Ships Q2), Oil Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M●PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs LISTED not included.

Kingsley[®]



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6102†❸



Two-Handle Centerset Bathroom Faucet 6121 †⊜



Two-Handle Widespread Bathroom Faucet T6125*@†8



Two-Handle Wallmount Bathroom Faucet T6107 * ♠† ७

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T922*@❸



Two-Handle Roman Tub Trim T920 *@®

Kingsley®









TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T4311 * 🔊 😂 Use with valves 3372 or 3375

MOENTROL®



Moentrol* with Integrated Transfer Valve Trim T4111 * തര



Moentrol Valve Only Trim T3111 *⋒❸

POSI-TEMP®





Posi-Temp Tub/Shower Trim
T2113*@७
T2113EP*◇@७
T2113NH*@७

Posi-Temp Shower Only Trim T2112*എ& T2112EP*♦എ& T2112NH*എ&

Posi-Temp Valve Only Trim

Kingsley®









MATCHING ACCESSORIES



Tank Lever YB5401



Double Robe Hook YB5403



Pivoting Paper Holder YB5408 (P



Drawer Knob YB5405



Drawer Pull YB5407



Towel Ring YB5486



24" Double Towel Bar YB5422



18" Towel Bar YB5418 **24" Towel Bar** YB5424



Vanity Shelf YB5490



Towel Shelf YB5494

Kingsley®





12" Designer Grab Bar YG5412

18" Designer Grab Bar YG5418

24" Designer Grab Bar YG5424

30" Designer Grab Bar YG5430

36" Designer Grab Bar

42" Designer Grab Bar YG5442

COORDINATING ACCESSORIES



Waterhill* One Globe Bath Light YB9861



Waterhill Three Globe Bath Light YB9863



Waterhill Two Globe Bath Light YB9862



Waterhill Four Globe Bath Light YB9864

KINGSLEY FINISH OPTIONS









Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB), Wrought Iron/Matte Black (WR)

Wrought Iron and Matte Black are the same finish and interchangeable.

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 2886-293.

- X Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



U) us All lighting fixtures can be mounted facing either upward or downward (rings need to be LISTED removed if mounted up). Bulbs not included.

Rizon®







LAVATORY FAUCETS



One-Handle Bathroom Faucet 6900 † ❸



Two-Handle Widespread Bathroom Faucet T6920 *†කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T936*@❸




Two-Handle Roman Tub Trim T935 *♠❸

Rizon®









TRANSFER VALVES



Three Independent Function
Transfer Valve Trim
T2082 * 🕒 🐧

T2082*@& Use with valve 3362 only



M-CORE⁻Transfer Valve Trim UT2081*⋒❸



Two- or Three-Function Transfer Valve Trim T2081 *⋒❸

Use with valves 3372 or 3375



Posi-Temp* with Integrated Transfer Valve Trim T2810*@め

M-CORE* 3-SERIES







M-CORE 3S Tub/Shower Trim UT3813EP*�**െ**®

M-CORE 3S Shower Only Trim UT3812EP*♦@®

M-CORE 3S Valve Only Trim UT3811*@&

POSI-TEMP®







Posi-Temp Tub/Shower Trim T2813***කම** T2813EP***\කම** T2813NH***කම**

Posi-Temp Shower Only Trim
T2812*@७
T2812EP*◊@७
T2812NH*@७

Posi-Temp Valve Only Trim T2811*@8

Rizon®



COORDINATING ACCESSORIES



Method Tank Lever YB2401



Method Pivoting Paper Holder (P' YB2408



Method Hand Towel Bar YB2486



Method 18" Towel Bar YB2418 Method 24" Towel Bar YB2424



Method 18" Double Towel Bar YB2422

Method 24" Double Towel Bar YB2423

RIZON FINISH OPTIONS NEW







Chrome, Brushed Nickel (BN), Matte Black (BL) Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moon lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



Method Double Robe Hook YB2403

$Dartmoor^{\mathsf{m}}$



LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet 6802 †❸



Two-Handle Widespread Bathroom Faucet T6805*†⋒७

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim T683 *♠❸

Dartmoor™







TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T2031 *♠❸

Use with valves 3372 or 3375



M-CORE⁻Transfer Valve
Trim
UT2031 *♠❸

Use with valves 3372 or 3375

POSI-TEMP®







Posi-Temp Tub/Shower Trim with Rainshower T2283EP*◇⋒७

Posi-Temp Shower Only Trim with Rainshower T2282EP*◊♠᠖







Posi-TempTub/Shower Trim T2183*എ® T2183EP*♦എ®

Posi-Temp Shower Only Trim T2182*කම T2182EP*◊කම

Posi-Temp Valve Only Trim T2181*കെ

Dartmoor™







MATCHING ACCESSORIES



Tank Lever YB2101



Paper Holder YB2108



Towel Ring YB2186



Double Robe Hook YB2103



18" Towel Bar YB2118 **24" Towel Bar** YB2124

COORDINATING ACCESSORIES



Flara* Drawer Knob YB0305



Belfield⁻ 12" Grab Bar YG6412

Belfield 18" Grab Bar YG6418

Belfield 24" Grab Bar YG6424



Flara Drawer Pull YB0307

Dartmoor™



COORDINATING ACCESSORIES



Belfield One Globe Bath Light YB6461



Belfield Two Globe Bath Light YB6462



Belfield Three Globe Bath Light YB6463



Belfield Four Globe Bath Light YB6464

DARTMOOR FINISH OPTIONS







Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c Ulus All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs LISTED not included.

Glyde™







LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet 6172 † ❸



Two-Handle Widespread Bathroom Faucet T6173 *†කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
T373 *♠ ❸

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T2721 * ♠ ७ Use with valves 3372 or 3375



M-CORE⁻ Transfer Valve Trim UT2721 * ക

POSI-TEMP®







Posi-Temp Tub/Shower Trim with Rainshower
T2843EP*

Posi-Temp Shower Only

Posi-Temp Shower Only Trim with Rainshower T2842EP*♦⋒७







Posi-Temp Tub/Shower Trim
T2743*⋒७
T2743EP*◇⋒७

Posi-Temp Shower Only Trim T2742* ക T2742EP* ് ക

Posi-Temp Valve Only Trim T2741*@&

Glyde™









MATCHING ACCESSORIES



Double Robe Hook YB2303



Paper Holder YB2308



Towel Ring YB2386



18" Towel Bar YB2318 **24" Towel Bar** YB2324

COORDINATING ACCESSORIES



Doux[™] Tank Lever YB0201



Iso* Drawer Knob YB0705



Iso Drawer Pull YB0707

GLYDE FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- Immersion Rainshower Technology
- ⋒ Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Vichy™





LAVATORY FAUCET



One-Handle Bathroom Faucet 6710 † S

POSI-TEMP®







Posi-Temp Tub/Shower Trim T2663EP*◊@& T2663NH***⋒**❸

Posi-Temp Shower Only Trim T2662EP*♦**⋒**❸ T2662NH*@&

Posi-Temp Valve Only Trim T2661*@8

Vichy™







COORDINATING ACCESSORIES



Genta⁻ Single Robe Hook BH3803



Genta Pivoting Paper Holder BH3808 (P



Genta 18" Towel Bar BH3818 Genta 24" Towel Bar BH3824



Genta Hand Towel Bar BH3886

VICHY FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- ⋒ Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- ি Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6600 † ❸



Two-Handle Widespread Bathroom Faucet T6620 *†කම



Two-Handle Centerset Bathroom Faucet 6610 † ❸

GARDEN TUB FAUCET



Two-Handle Garden Tub Faucet T4943 *⋒❸

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T924*@❸



Two-Handle Roman Tub Trim T933 * ♠ ❸


TRANSFER VALVES



Two- or Three-Function
Transfer Valve Trim
T2021 * ♠ ♦
Use with valve 3372 or 3375



M-CORE⁻ Transfer Valve Trim UT2021 *@❸









BIDET FAUCET



Two-Handle Bidet Faucet T5225 * ⋒ ❸

POSI-TEMP®





Posi-Temp Shower Only Trim with Rainshower T2252EP*◇⋒❸



Posi-Temp Tub/Shower Trim
T2153 *♠᠖
T62153EP *♦♠᠖
T62153NH *♠᠖

Posi-Temp Shower Only Trim
T2152 *♠᠖
T62152EP *♦♠᠖
T62152NH *♠᠖


Posi-Temp Valve Only Trim T2151 * ക



Posi-Temp Tub/Shower with Remodel Valve Trim T2157EP *���









MATCHING ACCESSORIES



Tank Lever YB2201



Double Robe Hook YB2203



Paper Holder YB2208



Towel Ring YB2286



18" Towel Bar YB2218 24" Towel Bar YB2224



12" Designer Grab Bar YG2212 **18" Designer Grab Bar**

YG2218

24" Designer Grab Bar YG2224



One Globe Bath Light YB2261



Two Globe Bath Light YB2262





Three Globe Bath Light



Four Globe Bath Light YB2264

COORDINATING **ACCESSORIES**



Kingsley™ Drawer Knob YB5405



Kingsley Drawer Pull YB5407

BRANTFORD FINISH OPTIONS







Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M●PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- \Diamond $\;$ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs LISTED not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6400 † ❸



Two-Handle Centerset Bathroom Faucet 6410 † ❸



Two-Handle Widespread Bathroom Faucet T6420 *†⋒❸

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower T944*@᠖



Two-Handle Roman Tub Trim
T943 *♠❸

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim T2011 *♠ S Use with valves 3372 or 3375



M-CORE™ Transfer Valve Trim UT2011 *@❸









BIDET



Two-Handle Bidet Faucet T5220 * ♠ ❸

POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower T2233EP*♦♠ෙ



NEW





Posi-Temp Tub/Shower Trim with Remodel Valve T2137EP*���







Posi-Temp Tub/Shower Trim
T2133*@७
T62133EP*◇@७
T62133NH*@७

Posi-Temp Shower Only Trim
T2132*@७
T62132EP*◇@७
T62132NH*@७

Posi-Temp Valve Only Trim T2131*@&









MATCHING ACCESSORIES



Tank Lever YB2801



Single Robe Hook YB2803



Paper Holder YB2808



Towel Ring YB2886



Towel Shelf YB2894



18" Towel Bar YB2818

24" Towel Bar YB2824



12" Designer Grab Bar YG2812

18" Designer Grab Bar YG2818

24" Designer Grab Bar YG2824


COORDINATING ACCESSORIES



Iso* Drawer Knob YB0705



Iso Drawer Pull YB0707



MATCHING ACCESSORIES



One Globe Bath Light YB2861



Two Globe Bath Light YB2862



Three Globe Bath Light YB2863



Four Globe Bath Light YB2864

EVA FINISH OPTIONS








Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 286-293.

- X Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



CULUSTED US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6810 † ❸



One-Handle Bathroom Faucet with Vessel Extension 6810† + A2020



Two-Handle Widespread Bathroom Faucet T6820 *@†®

$Method^{\mathsf{m}}$









ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim T986 *⋒❸


TRANSFER VALVES



Posi-Temp* with Integrated Transfer Valve Trim T2800*@め

POSI-TEMP®





Posi-Temp Shower Only Trim T2802***@** T2802EP***♦@** T2802NH***@**

Posi-Temp Valve Only Trim T2801*@&

Method™







MATCHING ACCESSORIES



Tank Lever YB2401



Double Robe Hook YB2403



Pivoting Paper Holder YB2408



9" Hand Towel Bar YB2486



18" Towel Bar YB2418 **24" Towel Bar** YB2424



18" Double Towel Bar YB2422 24" Double Towel Bar

YB2423

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull DN0707



90°™ 12" Designer Grab Bar YG8812

90º 18" Designer Grab Bar YG8818

90° 24" Designer Grab Bar YG8824

90° 36" Designer Grab Bar YG8836

90° 42" Designer Grab Bar YG8842

Method™



COORDINATING ACCESSORIES



Iso One Globe Bath Light DN0761



Iso Two Globe Bath Light DN0762



Iso Three Globe Bath Light DN0763



Iso Four Globe Bath Light DN0764

METHOD FINISH OPTIONS





Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 286-293.

- □ Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



c LISTED us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

Gibson™



LAVATORY FAUCETS



One-Handle **Bathroom Faucet** 6145 + 3



Two-Handle Widespread Bathroom Faucet T6142***†⋒**❸

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim T961 *@8



Two-Handle Centerset **Bathroom Faucet** 6150 † S

Gibson™









TRANSFER VALVES



M-CORE⁻ Transfer Valve Trim UT2921 *@❸



Posi-Temp with Integrated Transfer Valve Trim T2900 *⋒❸



Three Independent Function
Transfer Valve Trim
T2922* 6
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim T2921 *@❸

Use with valves 3372 or 3375

POSI-TEMP®







Posi-Temp Tub/Shower Trim with Rainshower T3003EP*◊⋒७

Posi-Temp Tub/Shower Trim with Rainshower T3002EP*◇⋒❸







Posi-Temp Tub/Shower Trim
T2903EP*◇⋒७
T2903NH*⋒७

Posi-Temp Shower Only Trim T2902EP*෮කුම T2902NH***ක**ම

Posi-Temp Valve Only Trim T2901*@&

Gibson™







COORDINATING ACCESSORIES



Iso Single Robe Hook DN0703



Iso Pivoting Paper Holder DN0708 (P



Iso Towel Ring DN0786



Iso 18" Towel Bar DN0718 Iso 24" Towel Bar DN0724

GIBSON FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- Immersion Rainshower Technology
- Moen M●PACT* Common Valve System
- EP Eco-Performance
- NH Without Showverhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Genta[™]



LAVATORY FAUCETS



One-Handle Bathroom Faucet 6702 † ❸



Two-Handle Widespread Bathroom Faucet T6708*†කම

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim T908*@❸

Genta™









TRANSFER VALVES



M-CORE⁻ Transfer Valve Trim UT2401 ***െ**



Three Independent Function
Transfer Valve Trim
T2402* 6
Use with valve 3362 only



Posi-Temp* with Integrated Transfer Valve Trim T2470*@❸



Two- or Three-Function Transfer Valve Trim T2401* 6 Use with valves 3372 or 3375

POSI-TEMP®







Posi-Temp Tub/Shower Trim T2473EP*♦@७ T2473NH*@७

Posi-Temp Shower Only Trim T2472EP*♦♠७ T2472NH*♠७

Posi-Temp Valve Only Trim T2471*@❸

Genta[™]







MATCHING ACCESSORIES



Single Robe Hook BH3803



Pivoting Paper Holder BH3808 (P



Hand Towel Bar BH3886



18" Towel Bar BH3818 24" Towel Bar BH3824

GENTA FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- □ Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showverhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Chateau®

LAVATORY FAUCETS



One-Handle Bathroom Faucet



One-Handle Bathroom Faucet L4635†



One-Handle Bathroom Faucet L4605†&



Two-Handle Centerset Bathroom Faucet 4925 †❸



One-Handle Bathroom Faucet



Two-Handle Widespread Bathroom Faucet 4945 *†❸



One-Handle Bathroom Faucet L4625†❸



Two-Handle Widespread Bathroom Faucet 4962*†

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim T999 *⋒



Two-Handle Roman Tub Trim with Handshower T991 * ⋒ ❸



Two-Handle Roman Tub
Trim
T990 *@❸

GARDEN TUB FAUCETS



Two-Handle Garden Tub 4902 ത



Two-Handle Garden Tub
T994*⋒❸

Chateau[®]







Tub/Shower Trim
TL183*⋒❸/TL183EP*⋒◊❸

Shower Only TrimTL182*⋒७/TL182EP*◇⋒७
TL182NH*⋒७

Shower Only Trim with Valve 2352*/L2352***⋒७** / L2352EP***◇⋒७**

Valve Only Trim with Valve L2361*⋒❸



Tub/Shower with Remodel Valve Trim Only TL2369EP*◇⋒❸

Tub/Shower with Remodel Valve Trim L2369EP*♦

Shower Remodel Valve Trim Only TL2368EP*◇⋒❸

Shower Remodel Valve Only with Trim L2368EP*♦⋒७

STANDARD



Standard Tub/Shower Trim T471*♥ T471EP*♦♥

Standard Shower Only Trim T473*७ T473EP*♦७



Standard Tub/Shower Trim TL471*⊜ TL471EP*♦⊜

30



Standard Tub/Shower Trim with Valve

2995EP ◊





Standard Tub/Shower Trim with Valve 2919EP♦ 2982EP♦

Chateau®





BIDET



Two-Handle Bidet Faucet TL5265 *കെ

COORDINATING ACCESSORIES



Mason* Double Robe Hook YB8003



Mason Towel Ring YB8086



Mason Paper Holder (Roller Only) YB8099

+


Mason Mounting Posts (Pair)



Mason Double Paper Holder
YB8088
(3 mounting posts, roller not included)
+
Mason Mounting Posts (Pair)

YB8000

Chateau[®]





Mason 24" Towel Bar (Bar Only) YB8094

+

Mason Mounting Posts (Pair) YB8000



Mason 18" Towel Bar (Bar Only) YB8098

+ Mason Mounting Posts (Pair) YB8000

CHATEAU FINISH OPTIONS





Chrome


To view ordering instructions, see reference chart on pages 286-293.

- 🌣 Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Custom Showering











Voss™ Tub Filler 695

Overhead-Mount Rainshower Showerhead S1004

Now there's a shower to go with every body.

With expanded lines of tub fillers, body jets, rainshowers, handheld showers and the **U by Moen™** showering system, an at-home spa is right at your fingertips. Experience the ultimate in customization and transform any bathroom into a personalized escape, no matter the size and space.

There are numerous configurations for pairing products to create the perfect system for you. Combine a four-outlet U by Moen system with a showerhead, rainshower, handshower and body sprays, and bring the spa home. From soothing aching muscles to overindulging in self-care, there's a combination for every need.



Once upon a time,

people turned a handle to start their shower.

That was before Moen® made it possible to start your shower with the sound of your voice or a tap on your smartphone. Smart home assistants, such as Amazon's Alexa, allow us to adjust lighting to fit our mood, play our favorite music and even order late-night pizza. So why not use the same technology to make an everyday shower amazing?

Compatible with Amazon Alexa, Apple HomeKit and Google Home, **U by Moen**™ connects to your Wi-Fi for a customizable shower experience for your whole smart home portfolio. U by Moen remembers personalized settings by name and offers elegant finishes to fit harmoniously with any shower design. Make your shower work for you — all at the sound of your voice or the touch of an app.

With U by Moen, the wave of the future starts with a shower designed just for you.



- · Personalized setting for every occasion
- Remote activation with Amazon Alexa, Apple HomeKit, Google Home and U by Moen smartphone apps
- Digital controller with LCD display
- · Water-saving warm-up and pause
- Flexible installation with two- and four-outlet valves and controllers















(Available Q1) (Available Q2)







Digital Showering for Every Space



U by Moen[™] with Two- and Four-Outlet Controller and Valve From cozy showers to spacious spas, **U by Moen** combines luxuries such as body sprays and hand showers that turn a shower into an escape. Available with a two-outlet digital controller and valve for smaller spaces and a four-outlet digital controller and valve for larger spaces, make any shower you get in feel like getting away.

Two- and Four-Outlet Controllers

- · Wi-Fi connected shower controller
- · Easy-to-read 5-inch non-touch LCD screen
- Soft-touch buttons for each outlet and power, temperature and present buttons
- Stylish matte black and terra beige finishes coordinate with any shower design
- · Five-Year Limited Warranty

Two- and Four-Outlet Valves

- Thermostatic digital valve with precise temperature and outlet control
- Compact valve design and 30-foot data cable for flexibility in install locations
- Easy servicing with accessible filter screens
- Optional battery backup kit (179573) for continued operation during power outages
- Four-outlet valve uses % " inlets and $1\!\!/\!\!2$ " outlets; 16.0 gpm flow rate
- Two-outlet valve uses 1/2" inlets and 1/2" outlets; 10.3 gpm flow rate
- · Five-Year Limited Warranty

Smartphone App

 Operates U by Moen shower remotely and allows customization and personalization of many additional preferences

Voice Activation

 Compatible with Amazon Alexa, Apple HomeKit and Google Home





U by Moen Two-Outlet Controller TS3302TB, TS3302BL



U by Moen Two-Outlet Valve S3102





U by Moen Four-Outlet Controller TS3304TB, TS3304BL



U by Moen Four-Outlet Valve S3104

Compatible with:







EXACTTEMP® 3/4" THERMOSTATIC SHOWERING

Choose up to four showering products — rainshowers, handshowers or body sprays — in any combination you desire.



Weymouth® Valve Trim TS32110 *@&



Arris® Valve Trim TS33002*@®



Flara™ Valve Trim TS4201*@❸



 Colinet™
 90°™

 Valve Trim
 Valve

 TS44401 *☆●
 TS31



 90°™
 Moen®

 Valve Trim
 Valve Trim

 TS3100 * ♠ ♦
 TS3411 * ♠ ♦



Weymouth Volume Control TS52104*@❸



Arris Volume Control TS33003 *@®



Flara Volume Control TS4202*@8



Colinet Volume Control TS44402*@❸



900 Volume Control TS3300 * ക



Moen Volume Control TS3600 * ക



Via® Valve Trim TS9711 *@&



Doux™ Valve Trim TS3101 *@®



Wynford® Valve Trim T6601 *@❸



Align® Valve Trim T4291 *ക**8**



Voss™ Valve Trim T4691*@❸



Belfield™ Valve Trim T4411 *@®



Volume Control TS9712 *@❸



Doux Volume Control TS3102 * ക



Wynford Volume Control T6602*@❸



Align Volume Control T4292*@&



Voss Volume Control T4692*@❸



Belfield Volume Control T4412 *@❸

- Moen M•PACT[®] Common Valve System
- ADA-Compliant
- Rough-in valve required. Please see price catalog for rough-in model numbers.

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.



The **ExactTemp®** valve uses thermostatic technology for precise temperature control while delivering the high-volume capability to feed multiple showering devices. Its thermostatic cartridge automatically compensates for fluctuations in hot and cold water supply to ensure comfort and pinpoint temperature accuracy. There's no need to readjust temperature as your hot water tank begins to cool. In addition, the handle position sets maximum water temperature and temperature memory, so you can easily dial up the same experience day after day.

M-CORE™ WITH TRANSFER VALVE

Introducing **M-CORE**, a valve system that's faster to install and offers functionality with desired style choices to create and ideal shower system.



Weymouth® with Transfer Valve UTS4311 *ക



with Transfer Valve UTS3311 *@®



Flara® with Transfer Valve UTS2411 *@❸



Colinet™ with Transfer Valve UTS9211 *@❸



90º™ with Transfer Valve UTS9011 *@®



Via® with Transfer Valve UTS2811 *@®



Doux™ with Transfer Valve UTS2611 *@❸



Wynford® with Transfer Valve UT5500*@❸



Align® with Transfer Valve UT3290*@®



Voss™ with Transfer Valve UT3611 *@❸



Belfield™ with Transfer Valve UT3322*@❸



A Designer's Dream

Enjoy M-CORE™'s improved style options including perfectly matching transfer trim, and attention to details that reflects a desire for a dream bathroom. Not only does M-CORE allow for a wider array of trim selections, it also lets those going through the new construction or remodeling process take their time with selections as functionality and style choices can be made after the valve is plumbed.

With M-CORE transfer valves, consumers can choose from a wide range of options to flow showering devices in a single or shared mode.

- Offers 3 or 6 function transfer ability:
 3 function: Three distinct or two distinct/one shared
 6 function: Three distinct or three shared
- Broad range of finishes and perfectly matched style





Weymouth® Transfer Valve Trim UTS32205*@®



Arris® Transfer Valve Trim UTS23005*@®



Flara® Transfer Valve Trim UTS 4911 *@®



900™ Transfer Valve Trim UTS 4172 * 🔊 🕲



Via®
Transfer Valve
Trim
UTS2171 *@®



Transfer Valve
Trim
UTS9204*@❸



Wynford® Transfer Valve Trim UT4511 *@®



Align® Transfer Valve Trim UT4191 *@®



Voss™ Transfer Valve Trim UT4611 *@®



Belfield™ Transfer Valve Trim UT4301 *@❸



Rizon® Transfer Valve Trim UT2081*@®



Dartmoor™ Transfer Valve Trim UT2031 *@❸



Glyde™ Transfer Valve Trim UT2721 *@❸



Brantford®
Transfer Valve
Trim
UT2021 *@®



Eva® Transfer Valve Trim UT2011 *@®



Gibson™ Transfer Valve Trim UT2921*@❸



Genta™ Transfer Valve Trim UT2401*@❸

MOENTROL®

Operate one function at a time, such as showerhead or handshower, or operate two functions simultaneously.

Our Moentrol and Posi-Temp® valves offer the ability to incorporate two-or three-function transfer valves for exactly the shower experience you want. Both valves let you select from a broad range of modern, transitional and traditional suites.

- Two-function design offers two distinct operations, such as a showerhead or handshower.
- Three-function design permits the operation of one showering device at a time (i.e., showerhead or handshower) or the combination of both.
- Three independent functions allow for singular operation of any one of three showering devices (i.e., showerhead, handshower or tub spout).





Weymouth® Valve Trim TS33101 *⋒**®**



Weymouth Two- Or Three-**Function Transfer** Valve Trim

TS32205 *⋒&

Use with valves 3372 or 3375



Valve Trim TS32001 *@❸



Arris Two- Or Three-**Function Transfer** Valve Trim TS23005 *⋒**®**

Use with valves 3372 or 3375



Valve Trim TS3911 *⋒&



NEW

NEW

Flara Two- Or Three-**Function Transfer** Valve Trim TS4911 *⋒**3**

Use with valves 3372 or 3375



900 Valve Trim TS3711 *⋒&



Two-Or Three-**Function Transfer** Valve Trim TS 4172 * 🔊 \delta Use with valves 3372 or 3375



Doux™ Valve Trim TS3201 *⋒**3**



Two- Or Three-**Function Transfer** Valve Trim TS9204 *⋒& Use with valves 3372 or 3375



Wynford® Valve Trim T5501*@@



Wynford Two- Or Three-**Function Transfer** Valve Trim T4511 *⋒**❸**

Use with valves 3372 or 3375



Align® Valve Trim T3291 *@@



Two- Or Three-**Function Transfer** Valve Trim T4191 *@@ Use with valves 3372 or 3375



Voss" Valve Trim T3691 *@@



Two- Or Three-**Function Transfer** Valve Trim T4611 *@& Use with valves 3372 or 3375



Belfield™ Valve Trim T3311 *@8





Kingsley Two- Or Three-**Function Transfer** Valve Trim T4311 *@8

Use with valves 3372 or 3375



Moen M●PACT® Common Valve System

Rough-in valve required. Please see price catalog for rough-in model numbers.



Belfield Two- Or Three-**Function Transfer** Valve Trim T4301 *@& Use with valves 3372 or 3375

ADA-Compliant

MOENTROL® THREE-FUNCTION

Choose up to two spray outlets — handshowers, showerheads or two body sprays — in addition to tub shower.



Weymouth® Valve Trim TS33101 *@❸



Weymouth
Three Independent Function
Transfer Valve Trim
TS32206 *♠ ᠖
Use with valve 3362 only



Arris® Valve Trim TS32001*@®





Flara™ Valve Trim TS3911 *@❸



Flara
Three Independent Function
Transfer Valve Trim
TS4912*@®



Valve Trim

TS3711 *@@

900
Three Independent Function
Transfer Valve Trim
TS 4173 * 6

Use with valve 3362 only



Doux™ Valve Trim TS3201*@❸





Wynford® Valve Trim T5501 * ക



Wynford
Three Independent Function
Transfer Valve Trim
T4512 * &
Use with valve 3362 only



Use with valve 3362 only

Align® Valve Trim T3291*@&



Align
Three Independent Function
Transfer Valve Trim
T4192*@
Use with valve 3362 only



Voss™ Valve Trim T3691*@❸



Voss
Three Independent Function
Transfer Valve Trim
T4612* 6
Use with valve 3362 only



Belfield™ Featured in Chrome Finish

MOENTROL® MULTI-FUNCTION

With built-in two- or three-function transfer valve.

Choose up to two showering products — handshowers, showerheads or two body sprays — in any combination you desire.



Wynford® T5500***⋒©**



Align® T3290 ***⋒**❸



Belfield™ T3322*@❸



Kingsley® T4111 * **െ** &

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

- Moen M•PACT[®] Common Valve System
- ADA-Compliant
- Rough-in valve required. Please see price catalog for rough-in model numbers.



POSI-TEMP® WITH TRANSFER VALVE



Weymouth® Posi-Temp with Transfer Valve TS32100 * ക



Doux™ Posi-Temp with Transfer Valve TS2200*@®



Arris®
Posi-Temp with
Transfer Valve
TS2200*@®



Wynford® Posi-Temp with Transfer Valve T4500*@❸



90º™ Posi-Temp with Transfer Valve TS2710 *@❸



Align® Posi-Temp with Transfer Valve T2190*@®



Via® Posi-Temp with Transfer Valve TS8710 *@❸



Voss™ Posi-Temp with Transfer Valve T2690*@®



POSI-TEMP® MULTI-FUNCTION

With built in two- or three-function transfer valve.

Choose up to two showering devices – handshowers, showerheads or two body sprays – in any combination you desire.



Belfield™ Posi-Temp with Transfer Valve T2310*@®



Genta™ Posi-Temp with Transfer Valve T2470*@



Rizon® Posi-Temp with Transfer Valve T2810 *@®



Method™ Posi-Temp with Transfer Valve T2800 *@®



Gibson™ Posi-Temp with Transfer Valve T2900 * കെ

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

Moen M●PACT® Common Valve System

ADA-Compliant

 Rough-in valve required. Please see price catalog for rough-in model numbers.

POSI-TEMP®

Choose up to two showering products - handshowers, showerheads or two body sprays - in addition to tub spout if desired.

VAL	۷E	TR	IM

3 INDEPENDENT FUNCTIONS Use with valve 3362

2-OR-3 FUNCTION Use with valves 3372 or 3375

VALVE TRIM

3 INDEPENDENT FUNCTIONS Use with valve 3362

2-OR-3 FUNCTION Use with valves 3372 or 3375



Weymouth® Valve Trim TS3210 * ക



Weymouth Transfer Valve Trim TS32206*@❸



Weymouth Transfer Valve Trim TS32205 * ക



Doux™ Valve Trim TS2201*@®



Doux Transfer Valve Trim TS9205*@❸



Doux Transfer Valve Trim TS9204*@❸



Arris® Valve Trim TS22001*@&



Arris Transfer Valve Trim TS23006 *



Arris
Transfer Valve Trim
TS23005 * 🗝 🚳



Wynford® Valve Trim T4501*@❸



Wynford Transfer Valve Trim T4512*@❸



Wynford Transfer Valve Trim T4511 *@❸



Flara® Valve Trim TS2911*@®



Flara Transfer Valve Trim TS4912 *@❸

NEW



Flara Transfer Valve Trim TS4911 *@®

NEW



Align® Valve Trim T2191 *@®



Align Transfer Valve Trim T4192*@8



Align Transfer Valve Trim T4191 * 6



NEW

Colinet™ Valve Trim TS44201*@®



Voss™ Valve Trim T2691*@®



Voss Transfer Valve Trim T4612 *@❸



Voss Transfer Valve Trim T4611 *@❸



900™ Valve Trim TS2711 *@❸



90° Transfer Valve Trim TS4173 *ക



90º Transfer Valve Trim TS4172 *@®



Belfield™ Valve Trim T2311 *@❸



Belfield Transfer Valve Trim T4301 * ⋒ ❸



Via® Valve Trim TS8711 *ക



Via Transfer Valve Trim TS2172 * ⋒ ❸



Via Transfer Valve Trim TS2171 *⋒❸



Kingsley® Valve Trim T2111 * ക



Kingsley Transfer Valve Trim T4311 *@❸

VALVE TRIM

3 INDEPENDENT **FUNCTIONS**

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375

Rizon® Valve Trim T2811 *@8



Transfer Valve Trim T2082*@@



Transfer Valve Trim T2081*@@





Dartmoor™ Valve Trim T2181 *@@



Dartmoor Transfer Valve Trim T2031 *⋒**®**



Gibson™ Valve Trim T2901*@❸

VALVE TRIM

Vichy[™]

Valve Trim

T2661*@@



Transfer Valve Trim T2922*@@

3 INDEPENDENT

FUNCTIONS

Use with valve 3362



Transfer Valve Trim T2921 *@@

2-OR-3 FUNCTION

Use with valves 3372 or 3375



Glyde™ Valve Trim T2741 *⋒**❸**



Glyde Transfer Valve Trim T2721 *@8



Genta Valve Trim T2471 *@& T2402*@8



Transfer Valve Trim Transfer Valve Trim T2401 *⋒**®**



Brantford® Valve Trim T2151 *@@



Brantford Transfer Valve Trim T2021*⋒&



Eva® Valve Trim T2131 *⋒**®**



Transfer Valve Trim T2011*@@



Method™ Valve Trim T2801 *@@ Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages

Moen M•PACT[®] Common Valve System

Rough-in valve required. Please see price catalog for rough-in model numbers.





Annex® Featured in Chrome

ANNEX™

With industrial-inspired sophistication, Moen's **Annex** Shower Rail combines fashion and function, letting you enjoy both the showerhead and handshower of your choice.

Versatile Annex installs without disturbing existing tile or having to change the height of the showerhead, so you can easily add a handshower to your shower design.

With 2½" adjustability between the shower rail and wall, Annex installs easily against any surface. In addition, it mounts directly to a flush wall or a wall with up to a 1" offset. The secure Annex mounting system meets ADA pull-force requirements, up to 250 lbs. Annex pairs with Moentrol® or Posi-Temp® valves and corresponding trims.



Annex Shower Rail TS366NH

Showerhead and handheld shower sold seperately








Nebia by Moen™ Featured in Chrome Finish

NEBIA BY MOEN™

A Blissful Shower Experience That Saves Water

Nebia by Moen leverages the best of science and technology to create a showering experience engineered for optimal warmth, rinse-ability and body coverage. Through a process called atomization, the method of breaking water into tiny droplets. Atomization creates the sensation of more water while actually using up to 45% less*.



Nebia by Moen™ Shower Rail N207R0CH




Nebia by Moen Shower Rail and Handshower N207C0CH

Tub Fillers



Arris™ Featured in Chrome Finish

TUB FILLERS



Weymouth® Freestanding or Wallmount Tub Filler Cross Handle S22105 / TS25105 @ Lever Handle

S22110 / TS25105 @ 6



Arris® Freestanding Tub Filler S93005 @&



Flara® Freestanding Tub Filler S931 @\$



Colinet™ Freestanding Tub Filler S44507 @ ❸



900™ Freestanding Tub Filler S905 @ ❸

Tub Fillers







Flara® Featured in Chrome Finish



Doux™ Freestanding Tub Filler S3105 @ ❸



Wynford® Freestanding Tub Filler 655 @ ❸



Align® Freestanding Tub Filler 395 **ക**



Belfield™ Freestanding Tub Filler 9025 @ &

Includes cross and lever handle options.



Voss™ Freestanding Tub Filler 695 @ 🕲

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

- Moen M•PACT[®] Common Valve System
- ADA-Complian
- Rough-in valve required. Please see price catalog for rough-in model numbers.

Rainshowers



\$6345 Featured in Chrome Finish

S1004 Featured in Chrome Finish



One-Function 10" Showerhead S112 ¤ S112EP ♦¤



One-Function 7" Showerhead S176 ¤ S176EP ♦¤



Two-Function 9" Showerhead S1311 ¤ S1311EP ◊¤



One-Function 7" Showerhead S6310 ¤ S6310EP ♦¤



Two-Function 8 1/2" Showerhead S6345 \text{ \text{\text{\text{S}}}} S6345 \text{ \text{\te}\text{\texi\texi{\text{\text{\texi}\text{\text{\texit{\text{\texi{\text{\text{\text{\texi{\text{\texi}\text{\tex



One-Function 6" Showerhead \$6340 \text{ \text{\$\text{\$G}\$}} \$6340 \text{ \text{\$\$\text{\$}\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\tex{




Two-Function 8" Showerhead S6320 \text{\text{\text{\$\text{\$\text{S}}}}} S6320 \text{\text{\$\$\text{\$\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$}\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\}\$}}



One-Function 6" Showerhead S6365 ¤ S6365EP ♦¤

Rainshowers



\$6340 Featured in Brushed Nickel Finish



One-Function 8" Showerhead S6360 X S6360EP ¢¤



One-Function 8" Showerhead 6345 ◊



One-Function 10" Diameter Spray Head Rainshower S1001 S1001EP\$



One-Function 12" Diameter Spray Head Rainshower S1002 S1002EP\$



One-Function 10" Diameter Spray Head Rainshower S1003 S1003EP♦



One-Function 12" Diameter Spray Head Rainshower S1004 S1004EP♦



One-Function 8" Diameter Spray Head Rainshower S1005 S1005EP♦



One-Function 8" Diameter Spray Head Rainshower S1006 S1006EP♦

All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Showerheads

STANDARD AND ECO-PERFORMANCE SHOWERHEADS



One-Function 6" Showerhead S6335 S6335EP ♦ S6335EP15 ♦



Six-Function Eco-Performance 4 1/2" Showerhead 6512EP



One-Function 3 ³/4" Showerhead 6370 6370EP



One-function 2 ½" Showerhead 6304 6304EP♦



One-Function 5 ⁷/₈" Showerhead S6312 S6312EP ♦



One-Function 4 ³/₈" Showerhead 6302 6302EP ♦ 6302EP15 ♦



One-Function 4" Showerhead 6371 6371EP



Four-Function 3" Showerhead 23026



Three-Function Eco-Performance 4" Showerhead 3233EP ♦



One-Function 3 ³/₄" Showerhead 6322 6322EP ♦



One-Function 3 ³/₄" Showerhead 26500 26500EP ♦



Three-Function Eco-Performance 3 ³/₄" Showerhead 20001 ♦



Four-Function 4 ³/8" Showerhead 3638 3638EP ♦



One-Function 4 1/16" Showerhead 6325 6325EP ♦



One-Function 3 1/2" Showerhead 6303 6303EP ♦



One-Function 2 1/2" Showerhead 6300 6300EP ♦ 6300EP15 ♦



Five-Function 4" Showerhead 3855 3855EP♦





One-Function Eco-Performance 3 1/2" Showerhead 6313 ♦

Handheld Showers

ECO-PERFORMANCE HANDSHOWERS



Weymouth® One-Function Eco-Performance Handheld Shower S12107EP♦



One-Function Eco-Performance Handheld Shower 3869EP♦



One-Function Eco-Performance Handheld Shower 3868EP♦



One-Function Eco-Performance Handheld Shower S11705EP♦



Twist
Four-Function
Eco-Performance
Handheld Shower
S3870EP♦



Four-Function Eco-Performance Handheld Shower 3667EP♦



One-Function Eco-Performance Handheld Shower 3668EP♦



One-Function Eco-Performance Handheld Shower 3865EP♦



Five-Function Eco-Performance Handheld Shower 3670EP♦❸



Four-Function Eco-Performance Handheld Shower 3669EP♦



Five-Function Eco-Performance Handheld Shower 3558EP♦



MAGNETIX

Six-Function

Eco-Performance

Handheld Shower

3662EP\$



Five-Function Eco-Performance Handheld Shower 3671EP♦�



One-Function Eco-Performance Round Handheld Shower 3887EP♦



Four-Function Eco-Performance Handheld Shower 3636EP♦



MAGNETIX Six-Function Eco-Performance Handheld Shower 26100EP♦



90°™ One-Function Eco-Performance Handheld Shower S3879EP♦



One-Function Eco-Performance Soft Square Handheld Shower 3988EP♦



One-Function Eco-Performance Round Handheld Shower 3861EP♦

□ Immersion® Rainshower Technology

EP Eco-Performance

Drop ell sold seperately

ADA-Compliant

All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



One-Function Eco-Performance Square Handheld Shower 3880EP♦

Handheld Showers

ECO-PERFORMANCE HANDHELD SHOWERS



Handheld Shower 187504



One-Function Eco-Performance 1" Square Handheld Shower 189575



One-Function Eco-Performance 1 1/8" Round Handheld Shower 155891



Five-Function Eco-Performance 4" Handheld Shower 180238

MOEN > INLY



One-Function Eco-Performance 33/8" Handheld Shower 154305



One-Function Eco-Performance 2" Handheld Shower 176015



One-Function Eco-Performance 4" Handheld Shower 157276 157276EP15



Aromatherapy Handheld Shower IN208H2

Aromatherapy Handshower infuses essential oils directly into your shower water when desired



Three-Function Eco-Performance 4" Handheld Shower 147913



Four-Function Eco-Performance 4" Handheld Shower 164928



One-Function Eco-Performance 4" Handheld Shower 164929

One-Function Eco-

Square Handheld

Performance 1" Soft



Inly Aromatherapy Shower Capsule

INC20801 - Energetic Morning INC20802 - Tropical Day INC20803 - Sweet Morning INC20804 - Zen Time

Compatible with Aromatherapy Shower products (sold separately)



Twist Four-Function Eco-Performance 31/4" Handheld Shower 160042



Four-Function Eco-Performance 4" Handheld Shower 164927



One-Function Eco-Performance 4" Handheld Shower 155747



Five-Function Eco-Performance 43/8" Handheld Shower 189315



One-Function Eco-Performance 3" Handheld Shower 176257

Handheld Showers Accessories and Body Sprays

HANDHELD SHOWERS ACCESSORIES



Drop Ell A721



Shower Arm Diverter A720



Drop Ell A725



Shower Arm Diverter CL703



Drop Ell Handshower Bracket A755



Shower Arm Diverter with Handshower Bracket CL707



Handshower Bracket A701



Handshower Bracket 114348



Handshower Bracket A730



Handshower Bracket 155694



Magnetix Handheld Remote Dock 186117 MOSAIC™ FLUSHMOUNT BODY SPRAYS



Multi-Function Body Spray TS1420*



One-Function Body Spray TS1320*



Multi-Function Body Spray TS1422*



One-Function Body Spray TS1322*

EXPOSED BODY SPRAYS



One-Function Body Spray A501

[□] Immersion® Rainshower Technology

EP Eco-Performance

Drop ell sold seperately

Rough-in valve required. Please see price catalog for rough-in model numbers.

Tub Spouts and Drains

DIVERTER TUB SPOUTS



Weymouth® Slip Fit / S12104



Belfield™ Slip Fit / 185820



Align® IPS / 172657 Slip Fit / 172656



IPS / 3911 Slip Fit / 3960



Colinet™ Slip Fit / S5000



Glyde™ Slip Fit / 179791



Kingsley® Slip Fit / 3808



Eva® Slip Fit / 3853



90°™ IPS / S3894 Slip Fit / S3896



Brantford® IPS / 3814 Slip Fit / 3814



Moen® IPS / 3800 Slip Fit / 3801



Rizon® Slip Fit / 3839



Via® Slip Fit / S3900



IPS / 3806 Slip Fit / 3807



Wynford® Slip Fit / 175385



Level Slip Fit / 3890



Doux[™] IPS / 3800 Slip Fit / S3835



Dartmoor™ Slip Fit / 3737



Method™ Slip Fit / 152027



Chateau® IPS / 3931 Slip Fit / 3931



Arris® Slip Fit / 165914



Voss™ Slip Fit / 161955



Long-Reach Slip Fit / 3830



Legend® IPS / 3911 Slip Fit / 3960

Tub Spouts and Drains

NON-DIVERTER TUB SPOUTS



Weymouth® Slip Fit / S12105



Collinet™ Slip Fit / S5001



Arris® Slip Fit / S16900



Flara® Slip Fit / S990



90°™ Slip Fit / S3898



Via® Slip Fit / S3901



Doux™ IPS / S3836 Slip Fit / S3836



Align® IPS / 195827



Wynford® Slip Fit / 195386



Voss® Slip Fit / 191956



Belfied™ IPS / 193371



Brantford® Slip Fit / 3858



Chateau® IPS / 3804 Slip Fit / 3805



Moen® IPS / 3828 Slip Fit / 3829



Legend® Slip Fit / 3959

TUB/SHOWER DRAIN COVERS



3" Tub/Shower Drain Covers 101663BN Refer to price catalog for finishes



2 5/8" Tub/Shower Drain Covers 101664BN Refer to price

Refer to price catalog for finishes




3 3/8" Tub/Shower Drain Covers 102763BN

Refer to price catalog for finishes



Level Slip Fit / 3892

Coordinating Accessories



Danbury° Featured Brushed Nickel Finish







Six Ways to Complete Your Bath

Double Curved Shower Rods



Knobs and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched kitchen or bath, available in an array of styles and finishes.

Pivoting
Paper Holders

Now there's no excuse to leave the bath tissue roll empty! Many Moen* paper holders feature an innovative, spring-free design that makes changing the roll quick and easy. Simply lift the arm, insert the new roll and set the arm back into place. The pivoting arm remains attached so there's no spring to lose and no extra parts to drop.

All of our bath accessory collections feature a towel ring, robe hook, 18" and 24" towel bars, and a paper holder. And there is so much more — hotel shelves, tank levers, mirrors and glass shelves are offered in many collections.

Decorative Hotel Shelves

Kingsley*, Eva* and Iso* Decorative Hotel Shelves help create the high-end, coordinated styling of an upscale hotel while adding valuable storage space.



Stylish grab bars like Voss bring safety and style to the bath in your choice of chrome, brushed nickel, oil rubbed bronze, matte black, and brushed gold finishes. Even better, SecureMount Anchors make installation possible anywhere on the wall, with or without studs.

Bathroom Lighting

Lighting fixtures are available in ten of the most popular Moen* bathroom collections. All of the styles can be mounted with globes facing either up or down.

In addition to high-end style, our lighting provides installation benefits. The Quick-Connect Wiring System lets you pre-wire the light fixture to the junction box, meaning there is no need to hold the fixture up to the wall during the wiring process. Glazed sockets help ensure the socket rings install with ease. Additionally, the UL*-listed fixtures are backed by the Moen warranty and our industry-leading customer service.



SAVE TIME WITH THE

Pro-Fit® Installation System

The Moen® three-step Pro-Fit Installation System is the simple, most innovative way to mount bath accessories. Installation is as easy as 1-2-3.



1. DRILL IT

The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.



2. SCREW IT

The single-screw mounting system creates a fast and solid installation.



3. CLICK IT

The locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

DRILL IT

Use the installation mounting template with built-in level.

SCREW IT

Screw in fastener.

CLICK IT

Press on the post until it locks into place.



IT REALLY IS THAT SIMPLE!

Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer callbacks. And of course, there's the extra assurance of quality that comes with the Moen brand.



Kitchen Compliments

EXCEPTIONAL FAUCETS ARE ONLY THE BEGINNING

Who says Moen towel bars are just for the bathroom? With several faucet-matching collections featuring both kitchen and bath fixture options — such as Weymouth*, 90°*, Waterhill* and more — we've made sure our accessories can also do double-duty in the kitchen.

Position a towel bar or towel ring beside the kitchen sink or on a kitchen island. Place a hook to hang potholders. Install a decorative shelf to house spices. And don't forget matching drawer knobs and pulls that help you carry the style throughout the workspace.

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality you need in a dream kitchen — now with the convenience of getting it all from one trusted brand. That means a guaranteed style compatibility, quality and satisfaction.







Make Every Bath a Safe Bath™

While bath safety is often only considered for older adults, it should be for all stages of life. From babies to boomers, Moen® offers a full range of products to make baths safe and stylish.

GRAB BARS

GRAB ON TO SAFETY



Moen's line of grab bars is designed to reduce the risk of falls in the tub or shower, while blending in seamlessly with varying styles of bathroom décor.

SHOWER SEATING

SITTING PRETTY



Moen seats, chairs and transfer benches make showering safer and more relaxing. Our products not only provide stability, but they also offer a host of convenient features that will make every shower more pleasant, safe and enjoyable.

HANDHELD SHOWERS

PAUSE CONTROL



Water flow is reduced at the touch of a button with this handheld shower's innovative pause control feature. An easy-to-turn, oversized spray control offers shower, pulsating or massage sprays in addition to the water-saving pause feature.



SecureMount[™] Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

SECUREMOUNT SYSTEM







GRAB BARS

ANCHORS

SYSTEM

MOUNT SECURELY TO A VARIETY OF SUBSTRATES*:

- 1/2" drywall
- 1/2" drywall with tile
- 1/2" drywall with marble
- 1/8" fiberglass tub surround
- 5/8" drywall
- 5/8" drywall with tile
- 5/8" drywall with marble
- 1/4" fiberglass tub surround

There is a 300-pound weight capacity when securely installed into above substrates. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

EASY, SECURE INSTALL... ANYWHERE ON THE WALL

1. SECUREMOUNT GRAB BARS

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

2. SECUREMOUNT ANCHORS

Precision-engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

3. SECUREMOUNT SYSTEM

The SecureMount System is the ultimate choice in easy, secure grab bar installation. Plus, it provides stylish designs and choices in finishes and features.



SMA1000 SecureMount Anchors

DID YOU KNOW that 16" grab bars can typically mount directly into studs because the standard stud size is 16" on center? 18", 24", 36" and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood-block installation.

^{*}Including multiple layers up to 11/2" thick

Mason™









COORDINATING ACCESSORIES



Double Robe Hook YB8003



Towel Ring YB8086



Paper Holder (Roller Only) YB8099

Mounting Posts (Pair) YB8000



Double Paper Holder YB8088 Rollers not included



18" Towel Bar (Bar Only) YB8098

Mounting Posts (Pair) YB8000



24" Towel Bar (Bar Only) YB8094

Mounting Posts (Pair)

YB8000

FINISH OPTIONS









Chrome (CH), Brushed Chrome (BC), Satin Nickel (SN), Old World Bronze (OWB)

To view ordering instructions, see reference chart on pages 291-293.



Pro-Fit® Installation Template YB8081

See page 212 to order.

Retreat®







COORDINATING ACCESSORIES



Single Robe Hook DN8303▲



Towel Ring DN8386▲



24" Double Towel Bar DN8322▲



Pivoting Paper Holder DN8308 (P`▲



Vanity Shelf DN8390▲



18" Towel Bar DN8318▲ 24" Towel Bar DN8324▲

FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

Pivoting Technology

Arlys™ NEW COLLECTION





COORDINATING ACCESSORIES



Single Robe Hook Y5703▲



Paper Holder Y5708▲



Hand Towel Bar Y5786▲



18" Towel Bar Y5718▲ 24" Towel Bar

Y5724▲

FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 291-293.

Triva™







COORDINATING ACCESSORIES



Single Robe Hook BP1803



Single-Post Paper Holder BP1808



Single-Post Double Paper Holder BP1888



Hand Towel Bar BP1886



24" Double Towel Bar BP1822



18" Towel Bar

BP1818 **24" Towel Bar** BP1824

Rectangular Mirror BP1892

FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 291-293.

so™



COORDINATING ACCESSORIES



Single Robe Hook DN0703▲



Pivoting Paper Holder DN0708 (P ▲



Single-Post Paper Holder DN0709▲



Towel Ring DN0786▲



Towel Shelf DN0794



24" Double Towel Bar DN0722▲



Mirror DN0792▲



Vanity Shelf DN0790▲



18" Towel Bar DN0718▲

24" Towel Bar DN0724



12" Designer Grab Bar YG0712

18" Designer Grab Bar YG0718

24" Designer Grab Bar YG0724


36" Designer Grab Bar YG0736

42" Designer Grab Bar YG0742

lso[™]











Drawer Knob DN0705▲



One Globe Bath Light DN0761



Three Globe Bath Light DN0763



Two Globe Bath Light DN0762



Four Globe Bath Light DN0764

FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Brushed Gold (BG), Matte Black (BL)

To view ordering instructions, see reference chart on pages 291-293.

Pivoting TechnologyRetail Packaging



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



Drawer Pull DN0707▲

Sage®



COORDINATING ACCESSORIES



Tank Lever DN6801▲



Single Robe Hook DN6803▲



Paper Holder DN6808▲



Towel Ring DN6886▲



Freestanding Paper Holder DN6850▲



Vanity Shelf DN6890▲



Mirror DN6892▲

Sage®









SAGE FINISH OPTIONS



24" Double Towel Bar DN6822▲







Chrome (CH), Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 291-293.





18" Towel Bar DN6818▲ **24" Towel Bar** DN6824▲





COORDINATING ACCESSORIES



Double Robe Hook BP3703



Paper Holder BP3708



BP3718

18" Towel Bar

24" Towel Bar BP3724

KYVOS FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.



Towel Ring BP3786

Lounge™









COORDINATING ACCESSORIES



Double Robe Hook DN7703▲



European Paper Holder DN7708▲



Towel Ring DN7786▲



24" Double Towel Bar DN7722▲



18" Towel Bar DN7718▲ **24" Towel Bar** DN7724▲



Vanity Shelf DN7790▲

LOUNGE FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

Madison™







COORDINATING ACCESSORIES



Double Robe Hook BP6903▲



European Paper Holder BP6980



Paper Holder BP6908



Towel Ring BP6986▲



18" Towel Bar BP6918▲

24" Towel Bar BP6924▲

MADISON FINISH OPTIONS







Chrome (CH), Old World Bronze (OWB), Pewter (PW)

To view ordering instructions, see reference chart on pages 291-293.

Preston™





COORDINATING ACCESSORIES



Double Robe Hook DN8403▲



European Paper Holder DN8408▲



Towel Ring DN8486▲



Vanity Shelf DN8490▲



24" Double Towel Bar DN8422▲



18" Towel Bar DN8418▲ 24" Towel Bar

DN8424▲

PRESTON FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

Edgestone®









COORDINATING ACCESSORIES



Single Robe Hook YB4603



European Paper Holder YB4609



Towel Ring YB4686



18" Towel Bar (Bar Only) YB4698

+ Mounting Posts (Pair) YB4600



24" Towel Bar (Bar Only) YB4694

+ Mounting Posts (Pair) YB4600

EDGESTONE FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

FEATURED INNOVATIONS



Pro-Fit* Installation Template YB8081

See page 212 for details

Stockton®







COORDINATING ACCESSORIES



Double Robe Hook DN4103▲



Pivoting Paper Holder DN4108♠▲



Towel Ring DN4186▲



18" Towel Bar DN4118▲

24" Towel Bar DN4124▲



Freestanding Paper Holder DN4150▲

STOCKTON FINISH OPTIONS



Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

Pivoting Technology

Danbury®







COORDINATING ACCESSORIES



Double Robe Hook DN6703▲



European Paper Holder DN6708▲



18" Towel Bar DN6718▲

24" Towel Bar DN6724▲



Towel Ring DN6786▲

DANBURY FINISH OPTIONS





Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 291-293.

Yorkshire™









COORDINATING ACCESSORIES



Double Robe Hook 5303▲ BP5303



Paper Holder 5308▲ BP5308



European Paper Holder BP5380



18" Towel Bar 5318▲ BP5318

24" Towel Bar 5324▲
BP5324



Towel Ring BP5386▲

YORKSHIRE FINISH OPTIONS







Chrome (CH), Satin Nickel (SN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 291-293.

$\mathsf{Aspen}^{\scriptscriptstyle{\mathsf{IM}}}$



COORDINATING ACCESSORIES



Single Robe Hook 5802W▲



Paper Holder 5808W▲



18" Towel Bar 5818W▲

24" Towel Bar 5824W▲



Towel Ring 5886W▲

ASPEN FINISH OPTIONS






Chrome (CH), Glacier (W)

▲ Retail Packaging

30" Towel Bars



COORDINATING ACCESSORIES



30" Towel Bar Only DN9430CH (%" diameter) DN9830CH (%" diameter)



30" Towel Bar Only DN9430BN (%" diameter) DN9830BN (%" diameter)



30" Towel Bar Only DN9830NL (%" diameter)





DN9830BC (%" diameter)





30" Towel Bar Only DN98300RB (%" diameter)

TOWEL BAR FINISH OPTIONS



Chrome (CH), Brushed Chrome (BC), Brushed Nickel (BN), Satin Nickel (SN), Polished Nickel (NL), Oil Rubbed Bronze (ORB), Matte Black (BL)

PRODUCT DETAILS

Order both a 30" bar shown here and an 18" towel bar set (or posts only, if available).



Curved Shower Rods



SHOWER RODS



Double Curved Shower Rod DN2141CH▲



Double Curved Shower Rod DN21410WB▲



Double Curved Shower Rod DN2141BN▲



Double Curved Shower Rod
DN2141BL▲



Double Curved Shower Rod DN2141NL▲

SHOWER ROD FINISH OPTIONS











Chrome (CH), Brushed Nickel (BN), Polished Nickel (NL), Oil Rubbed Bronze (ORB), Matte Black (BL)

Retail Packaging

PRODUCT DETAILS

- 430 Stainless Steel
- Provides up to 5.5" more elbow room in the shower
- Features decorative covers
- · Separates the curtain and liner
- Adjusts from 57" to 60"
- Works with standard 72" x 72" shower curtains
- Adjustable curved rod
- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen* shower curtain rings can be purchased separately. See page 251.

Adjustable Curved Shower Rods



SHOWER RODS



Adjustable Curved Shower Rod CSR2160CH



Adjustable Curved Shower Rod CSR2160BN



Adjustable Curved Shower Rod CSR2160BG



Adjustable Curved Shower Rod CSR2160NL



Adjustable Curved Shower Rod CSR21600WB



Adjustable Curved Shower Rod CSR2160BI



Adjustable Curved Shower Rod CSR2164CH



Adjustable Curved Shower Rod CSR2164BN



Adjustable Curved Shower Rod CSR2164RG



Adjustable Curved Shower Rod CSR2164NL



Adjustable Curved Shower Rod CSR21640WB



Adjustable Curved Shower Rod CSR2164BL



Low-Profile Adjustable Curved Shower Rod CSR2168CH



Low-Profile Adjustable Curved Shower Rod CSR2168BN



Low-Profile Adjustable Curved Shower Rod CSR2168BL

SHOWER ROD FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN), Polished Nickel (NL), Oil Rubbed Bronze (ORB), Matte Black (BL)

PRODUCT DETAILS

- 304 Stainless Steel
- CSR2168 adjust to fit shower enclosures between 54" and 60". CSR2160 and CSR2164 adjust to fit shower enclosures between 54" and 72"
- Superior strength weight load capacity of more than 120 lb. (based on independent lab testing)
- · No cutting required
- Pivoting flanges provide an easy, secure installation on inconsistent or uneven wall surfaces
- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

Flanges Pivot 180 degrees for an easy install.







Shower curtains and shower curtain rings are not included with shower curtain rods. Moen's shower curtain rings can be purchased separately. See page 251.

Fixed Length **Curved Shower Rods**



SHOWER RODS



Fixed-Length Decorative Curved Shower Rod Set - Pivoting CSR2165 / CSR2166



Fixed-Length Curved Shower Rod Set - Non Pivoting CSR2155



Fixed-Length Low-Profile Curved Shower Rod - Pivoting CSR2167



Fixed-Length Low-Profile Curved Shower Rod - Non-Pivoting CSR2145



Fixed-Length Curved Shower Rod - Non Pivoting Flanges* 2-102-5* / 65-F-BS / 65-F-PS

SHOWER ROD FINISH OPTIONS













Chrome (CH), Polished Stainless (PS), Brushed Stainless (BS), Brushed Nickel (BN), Old World Bronze (OWB), Matte Black (BL)

PRODUCT DETAILS

- · Corrosion-resistant
- · Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

CSR2165 / CSR2166 Series: Flanges Pivot 180 degrees for an easy install.







Shower curtain rings are not included with shower curtain rods. Moen's shower curtain rings can be purchased separately. See

* For a complete curved shower rod unit, order both the curved rod and low-profile flange kit.

Tension Curved Shower Rods







SHOWER RODS



Tension Curved Shower Rods CSR2172CH



Tension Curved Shower Rods CSR2172BN

SHOWER ROD FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN),

PRODUCT DETAILS

- Adjusts to fit spaces between 57" and 60"
- Corrosion-resistant
- Works with standard 72" x 72" shower curtains
- Easy installation: expand the bar to the correct size, apply tension and snap on the decorative covers
- Adjustable curved rod
- · Secure holding strength

Decorative Tension Shower Rods



SHOWER RODS



Decorative Tension Shower Rod TR1000CH▲



Decorative Tension Shower Rod TR1000BNA



Decorative Tension Shower Rod TR10000WB▲



SHOWER ROD FINISH OPTIONS









Chrome (CH), Brushed Nickel (BN), Oil Rubbed Bronze (OWB)

▲ Retail Packaging

PRODUCT DETAILS

- Rod expands from 44" to 72"
- · Adjustable straight rod
- · Corrosion-resistant

FEATURED INNOVATIONS

with FASTELOCK" technology

No tools, no additional hardware, no long installation. In fact, our tension rods with FastLock™ technology can be up in a matter of minutes.

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen* shower curtain rings can be purchased separately. See page 251.

Shower Curtain Rings







SHOWER CURTAIN RINGS



Double Shower Curtain Roller Rings SR2201CH▲



Double Shower Curtain Roller Rings SR2201BN▲



Double Shower Curtain Roller Rings SR2201NL▲



Double Shower Curtain Roller Rings SR22010WB▲



Double Shower Curtain Roller Rings SR2201BL▲



Single Shower Curtain Roller Rings SR2100CH



Single Shower Curtain Roller Rings SR2100BN



Single Shower Curtain Roller Rings SR21000WB

CURTAIN RING FINISH OPTIONS













▲ Retail Packaging

PRODUCT DETAILS

- Corrosion-resistant
- · Fits curved and straight shower rods
- Smooth-rolling ball bearings eliminate snagging, tugging and pulling
- Includes 12 rings per package
- Separates decorative shower curtain from your bath liner
- Offset hook design helps hide your bath liner from view

Moen Lighting

Whether your tastes lean traditional, modern or somewhere in between, Moen* offers a bath lighting choice that will fit your style. Our distinctive lighting options are designed to accent some of our leading faucets. With nine collections to choose from, it's never been easier to tie together the look of your bathroom. Built in the Moen tradition, our lighting offers quality, durability and style.





Waterhill® Bath Lighting YB9862

VINTAGE and full of character, Waterhill lighting brings provincial elegance to today's more traditional homes.

Finish

Options

Finish

Options

See page 130 for product details.



Flara® Bath Lighting YB0362

vision of glamour.

BALANCED design that blends modern

flare and traditional elegance gives Flara

it's eye-catching appeal, and creates a new



Finish

Options

Finish

Options

Finish

Options

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

Finish

Options

Finish

Finish

Options

See page 111 for product details.

Colinet" Bath Lighting

YB0562



90° Bath Lighting YB8862

ULTRA-MODERN styling makes 90° lighting a study in minimalism. Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary

See page 117 for product details.



See page 106 for product details.

Voss* Bath Lighting YB5162



CRISP edges and uncomplicated style gives Voss lighting an ageless yet fashion-forward presence for transitional style rooms.

See page 140 for product details.



YB6462



WILLIAMSBURG-ERA details and intricate design cues give each Belfield light a timeless look, while multiple finish options add a distinctly personalized touch to the traditional styling.

See page 145 for product details.



Brantford® Bath Lighting YB2262

INTRICATE architectural features that transcend time ensure that Brantford lighting gives any room a polished, traditional look. The globe finial gives this collection a universal appeal.

See pages163-164 for product details.



Eva* Bath Lighting YB2862

FLOWING curves give Eva lighting's transitional design a pure and organic form, providing a relaxed feeling to any room.

See page 168 for product details.



Iso" Bath Lighting DN0762

TELESCOPING, machined-metal design is Iso lighting's take on European minimalism as it boldly, and beautifully, embraces the

See page 231 for product details.




Knobs and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched bath or kitchen and carry your style throughout the room.

Finish

Options





Weymouth® Drawer Knob YB8405



Weymouth Drawer Pull YB8407

VICTORIAN details throughout Weymouth's design make a gracious, extravagant design statement.

See page 95 for product details.



Finish

Options

Finish

Options

Finish Options





90° Drawer Pull YB8807

ULTRA-MODERN styling makes 90° knobs and pulls a study in minimalism. Geometric forms create an urban focal point for today's contemporary rooms.

See page 116 for product details.



Flara® Drawer Knob YB0305



Flara Drawer Pull YB0307

BALANCED design that blends modern flare and traditional elegance gives Flara it's eye-catching appeal.

See page 105 for product details.



Kingsley® Drawer Knob YB5405



Kingsley Drawer Pull YB5407

CLASSIC yet understated design details in Kingsley knobs and pulls create enduring, stand-out style.

See page 148 for product details.



Colinet Drawer Knob YB0505



Colinet Drawer Pull YB0507

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

See page 110 for product details.



Iso Drawer Knob DN0705



Iso Drawer Pull DN0707

TELESCOPING, machined-metal design of Iso knobs and pulls takes inspiration from European minimalism as it boldly, and beautifully, embraces the future.

See page 231 for product details.



















Donner® Straight Shower Rods

ALUMINUM RODS • 1" DIAMETER



5ft Rod with Chrome-Plated Adjustable Flanges 52-5



6ft Rod with Chrome-Plated Adjustable Flanges 52-6



5ft Rod with Chrome-Plated Poly Adjustable Flanges 54-5



6ft Rod with Chrome-Plated Poly Adjustable Flanges



5ft Rod with Exposed Chrome-Plated Flanges 63-5

HEAVY-DUTY STAINLESS STEEL RODS • 1" DIAMETER



5ft Polished Stainless Steel Rod with Chrome-Plated Adjustable Flanges 52-5-SS



5ft Polished Stainless Steel Rod with Concealed Chrome Flanges 61-5-SS



5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges 63-5-HD



5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges 63-5-SS



5ft Polished Stainless Steel Rod with Concealed Brushed Stainless Steel Flanges 55-5



5ft Polished Stainless Steel Rod with Exposed Brushed Stainless Steel Flanges 58-5

RODS WITH ADJUSTABLE FLANGES



5ft Stainless Steel Rod with Adjustable Flanges (1 set), Brushed Nickel 52-5-BN



5ft Aluminum Rod with Adjustable Flanges (1 set), Old World Bronze 52-5-0WB

Donner® Build-Your-Own Straight Shower Rod

STEP #1: PICK YOUR ROD

ALUMINUM



1" x 5ft Smooth Aluminum Rod, Chrome

2-100-5A



1" x 6ft Smooth Aluminum Rod, Chrome

2-100-6A

POLISHED STAINLESS STEEL



1" x 5ft .035 Polished Stainless Steel Rod

2-100-5SS



1" x 5ft .015 Polished Stainless Steel Rod

2-10155SS

STEP #2: PICK YOUR FLANGE



Chrome-Plated Adjustable Flange

52-F



Chrome-Plated Poly Adjustable Flange

54-F



Brushed Stainless Steel Concealed Flange

55-F



Brushed Stainless Steel Exposed Flange

58-F



Chrome Concealed Flange 61-F



Chrome Exposed Flange 63-F

Donner® Contemporary

ACCESSORIES



18" Aluminum Bar Only 23418A



Chrome Finish Plastic Roller 3C



Double Robe Hook P5030



Wallmount Toothbrush Holder P5340



Towel Ring / Lucite Ring P5500



24" Aluminum Bar Only 23424A



Chrome Finish Metal Roller 3CH



3/4" Chrome Towel Bar Posts for Square Bars (Pair) P5100



Wallmount Soap Holder P5360



Towel Ring / Lucite Ring P5860



30" Aluminum Bar Only 23430A



White Plastic Roller



18" Towel Bar Set with Aluminum Bar P5118



Paper Holder, White Roller P5080



Paper Holder, Chrome Roller P5050



24" Towel Bar Set with Aluminum Bar P5124

FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN), Stainless Steel

Donner® Stainless Steel

ACCESSORIES



18" Stainless Steel Bar Only 23418SS



3/4" Stainless Steel Towel Bar Posts (Pair) P1700



Double Robe Hook P1703



24" Stainless Steel Bar Only 23424SS



18" Towel Bar Set P1718



Towel Ring P1786



30" Stainless Steel Bar Only 23430SS



24" Towel Bar Set P1724



Paper Holder, Plastic Roller P1780

Donner® Economy Metal

ACCESSORIES



Single Robe Hook 902



Paper Holder, White Roller 908



18" Towel Bar Set with Aluminum Bar 910A18



18" Aluminum Bar Only 25818A



Towel Ring / Lucite Ring 950



5/8" Square Towel Bar Posts (Pair) 910



24" Towel Bar Set with Aluminum Bar 910A24



24" Aluminum Bar Only 25824A

Donner® Hotel/Motel

HOTEL SHELVES



Stainless Steel 24" Towel Shelf R5519▲

SHOWER BASKETS



Corner Shower Basket YB0275CH



Corner Shower Basket YB0275BN



Corner Shower Basket YB0275BL

MISCELLANEOUS



Recessed Coverless Facial Tissue box, Chrome Finished Fits Wall opening 10 1/2" x 5" x 2 1/4" 5520NC



Double Recessed Paper Holder, Chrome Roller , Horizontal, Overall Dimensions 12 1/2" x 6 1/4" -Wall Opening 11 3/8" x 5 1/4" x 1 1/2" 5577



Heavy Duty Retractable Clothesline, Polished Stainless Steel, Length 7'6" RR5506HD



Recessed Facial Tissue box, Chrome Finished Fits Wall opening 10 1/2" x 5" x 2 1/4" RR5520SS



Extra Roll Recessed Paper Holder, White Roller, Overall Dimensions 6 1/4" x 6 1/4" -Wall Opening 5 1/4" x 5 1/4" x 4" 5571

FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Matte Black (BL)

▲ Retail Packaging

Donner® Recessed Fixtures

RECESSED PAPER HOLDERS



Recessed Paper Holder (Includes 588 Clamp) DN5075



Paper Holder, Chrome Roller (Utilizes BR587 or 588 Clamp)* 575



Paper Holder, White Roller (Utilizes BR587 or 588 Clamp)* 1576SS



Recessed Paper Holder (Included 588 Clamp) DN5075W



Recessed Paper Holder, Matching Roller (Utilizes BR587 or 588 Clamp)* 2575

MISCELLANEOUS



Soap Holder and Utility Bar (utilizes BR587 or 588 Clamp)* 2565CH



C-Clamp (Boxed) 588



Clamp with Retaining Spring (Boxed) BR587

FINISH OPTIONS







Chrome (CH), Polished Stainless (PS), Glacier (W),

PRODUCT DETAILS

- *Clamps must be ordered separately.
- Chrome-Plated


 Overall Dimensions 6¼" × 6¼"

 Wall Opening 5¼" × 5½" × 2"
- Polished Brass Finish
 Overall Dimensions 6¼" × 6¼"
 Wall Opening 5¼" × 5½" × 2"

- Polished Stainless Steel
 Overall Dimensions 6¼" × 6¼"
 Wall Opening 5¼" × 5½" × 2"
- Economy Size Zinc Die Cast Overall Dimensions 6¼" × 5½" Wall Opening 5¼" × 4½" × 1½"



Grab Bar Guide



HOW MANY GRAB BARS DO I NEED AND WHERE SHOULD THEY BE INSTALLED?

Health professionals typically recommend three grab bars in a bathroom:

- (A) At least one near the toilet
- At least one along the showerhead wall or whichever end of the tub/shower you use to enter/exit
- At least one along the back wall in the bathtub or shower

WHO SHOULD USE GRAB BARS?

Everyone! People of all ages and abilities can benefit from using grab bars.

WHAT CAN A GRAB BAR DO?

- Reduce risk of falling in the tub or shower
- Help steady yourself while getting into and out of the bathtub or shower


THINGS TO CONSIDER WHEN SELECTING A GRAB BAR(S):

- Length: Select a grab bar that is the suitable length for your bath or shower area.
- Weight Capacity: Choose a grab bar that at least meets
 ADA requirements (250 lbs.); SecureMount Grab Bars
 have a 500-pound weight-pull capacity that exceeds ADA
 requirements (when securely installed into studs).
- Installation: Grab bars that feature SecureMount have a design that allows for secure installation into a stud or wood backing at any angle. When using SecureMount Anchors, there is no need for installation into a stud or wood backing.
- Grip Surface: Consider a grab bar with a textured surface or grip feature that provides a better hold in a wet bathroom environment.
- Finish: Consider a grab bar that matches your faucet and other fixtures.


Faucet-Matching Grab Bars



GRAB BARS - 11/4" CONCEALED SCREW



Available in 12", 18", 24", 36" and 42" lengths.




Available in 12", 18", 24", 36" and 42" lengths.



Finish



and 42" lengths.




FEATURED INNOVATIONS

SecureMount*

See page 225 for details. SecureMount™ Anchors for non-stud installation sold separately.





ADA-Compliant

Faucet-Matching Grab Bars





GRAB BARS



Kingsley Designer Grab Bar YG54 Series &

LENGTH OPTIONS

Available in 12", 18", 24", 30", 36" and 42" lengths.



Eva* Designer Grab Bar YG28 Series 🚱

LENGTH OPTIONS

Available in 12", 18" and 24" lengths.



Brantford® Designer Grab Bar YG22 Series ❸

LENGTH OPTIONS

Available in 12", 18" and 24" lengths.



Genta Designer Grab Bar MBHG Series ❸

LENGTH OPTIONS

Available in 18" length.

COORDINATING GRAB BARS



LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.

FEATURED INNOVATIONS

SecureMount**

See page 225 for details. SecureMount $^{\text{TM}}$ Anchors for non-stud installation sold separately.

ADA-Compliant

Designer Grab Bars





DESIGNER GRAB BARS A



Designer Elegance with Grip Pads

1 1/4" Diameter Concealed Screw R8716D1GCH 6

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Elite

1 1/4" Diameter Concealed Screw LR8724D2CH 6

LENGTH OPTIONS

Available in 24" length.



Designer Ultima

1 1/4" Diameter Concealed Screw LR8716D3CH 6

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Ultima with Curl Grips

1 1/4" Diameter Concealed Screw LR8716D3GCH &

LENGTH OPTIONS

Available in 12", 16" 18", 24", 36", 42" and 48" lengths.



Designer Elegance Angled Grab Bar

1 1/4" Diameter Concealed Screw RA8716D1GBN &

LENGTH OPTIONS

Available in 16" length.

some models.



Retail Packaging is available for FEATURED INNOVATIONS

SecureMount*

See page 225 for details. $Secure Mount^{\text{\scriptsize TM}} \ Anchors \ for \ non-stud$ installation sold separately.

& ADA-Compliant

FINISH OPTIONS









Chrome (CH), Brushed Nickel (BN), Oil Rubbed Bronze (OWB)

Grab Bars



CONCEALED SCREW GRAB BARS



1 1/4" Concealed Screw Grab Bar 8716 ❸



1 1/2" Concealed Screw Grab Bar R8916 ❸

FINISH OPTIONS









Stainless Steel, Polished Stainless Steel (PS), Polished Brass (PB), White Powder Coat (W)

PEENED GRAB BARS



1 1/4" Peened Grab Bar R8712 **3**



1 1/2" Peened Grab Bar R8912P **⑤**



Peened L-Shaped Grab Bar 8992 🕲

FINISH OPTIONS



Stainless Steel

LENGTH OPTIONS

Available in 12", 16", 18", 24", 30", 32", 36", 42" and 48" lengths.

FEATURED INNOVATIONS

SecureMount"

See page 225 for details.
SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging

* Retail Packaging available for Polished Stainless Steel finish only. ADA-Compliant

Grab Bars





EXPOSED SCREW GRAB BARS



1 1/4" Exposed Screw Grab Bar 7412 ❸



1 1/2" Exposed Screw Grab Bar LR7524▲ ७

FINISH OPTIONS





Stainless Steel, White (W)

FLIP-UP GRAB BARS



Flip-Up Grab Bars, Peened R8960FD ❸



Flip-Up Grab Bars, White R8960FDW ❸

FINISH OPTIONS





Stainless Steel, White (W)

LENGTH OPTIONS

Available in 12", 18", 24", 36", 42" lengths.

FEATURED INNOVATIONS

SecureMount[™]

See page 225 for details. SecureMount™ Anchors for non-stud installation sold separately. ▲ Retail Packaging

ADA-Compliant

Grab Bars with Accessories

GRAB BARS



24" Grab Bar with Towel Bar LR2350D ▲



8" Grab Bar with Paper Holder LR2352D ▲



9" Grab Bar with Corner Shelf LR2354D▲



16" Grab Bar with Shelf LR2356D*







FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Old World Bronze (OWB)

FEATURED INNOVATIONS

SecureMount"

See page 225 for details.

SecureMount™ Anchors for non-stud installation sold separately.

- ▲ Retail Packaging
 - * Retail Packaging available for Chrome finish only.

SecureMount™ Anchors







ANCHORS



SecureMount Anchors and Plates - 10 Pairs SMA1001



SecureMount Anchors and Plates - Single SMA1015

FINISH OPTIONS





Chrome (CH), Old World Bronze (OWB)

PRODUCT DETAILS

300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Hand Grips and Balance Assist Bars

GRAB BARS



Designer Hand Grip LR2250DCH ▲



Exposed Screw Hand Grip R2250





FINISH OPTIONS



Chrome (CH)

PRODUCT DETAILS

Each hand grip is tested to a 250 lb. weight capacity (when securely installed per instructions) and is easy to install.

▲ Retail Packaging

Tub/Shower Chairs, Seats and Transfer







Old World Bronze Fold-Down Teak Shower Seat DN71100WB &



Tool-Free Shower Chair DN7064▲ ❸



Adjustable Shower Seat DN7030▲ ❸



Adjustable Tool-Free Tub and Shower Chair DN7060 & 🗟



Adjustable Tub and Shower Chair DN8060▲ 🗞



Adjustable Tub and Shower Seat DN7025▲ ♦



Tranfer Bench DN7105▲ **⑤**



Mesh Shower Chair DN7100▲ ❸

Tub, Shower and Toilet Safety







TUB, SHOWER AND TOILET SAFETY



Elevated Toilet Seat DN7020▲ 😂



SecureLock™ Tub Grip DN7175▲ 🗞



Multi-Grip Tub Safety Bar DN7005▲ 😂



Toilet Safety Rails DN7015▲ 🚱



Locking Dual Tub Grip DN7075▲ **⑤**



Low-Prifile Tub Safety Bar DN7010▲ **③**



Bath Mat DN7050▲ ❸

FINISH OPTIONS



White (W

▲ Retail Packaging

ADA-Compliant

Handheld Showers







HANDHELD SHOWERS



Chrome Pause Control Handheld Shower DN8001CH **③**



White Pause Control Handheld Shower DN8001W▲ 😂

FINISH OPTIONS





Chrome (CH), White (W)


PRODUCT DETAILS

Multifunction Design


- Shower Spray
- Massage Spray
- Pulsating Spray
- Pause Feature



Reference



Genta™ Featured in Brushed Nickel



Premium Kitchen Finishes



Premium Kitchen Finishes

FAUCETS		Chrome (C)	Spot Resist™ Stainless (SRS)	LifeShine® Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black	Wrought Iron	LifeShine* Brushed Gold (BG)	Black Stainless (BLS)
Waterhill® -	LPr.	•	•		•		•	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
NEW Weymouth® with U by Moen™	U.	•	•	•	•			•	
NEW Weymouth® Spring	P	•	•	•	•			•	
Weymouth®	U	•	•	•	•			•	
NEW Sinema™ Spring *Secondary matching finish handle is packed in the kit.	A	•	•	•		•		•	
NEW Sinema™ *Secondary matching finish handle is packed in the kit.	[]	•	•	•		•			
NEW STō® with U by Moen™	P	•	•			•			
STō® with MotionSense™		•	•					-	
STō®	P	•	•			•		•	
Etch [®]	P	•	•						
NEW Nio™ with U by Moen™	C	•	•			•			•
Nio™ *Secondary two-tone handle is packed in the kit.	P	•	•			•			•
NEW Paterson™ with U by Moen™	P	•	•			•			
NEW Paterson™ Spring	A	•	•			•			
Paterson [™] *Secondary wheel handle is packed in the kit.	P.	•	•			•			

Kitchen Finishes

			Ga LD LET				Mail 51 1			NEW Black
FAUCETS		Chrome (C)	Spot Resist™ Stainless (SRS)	LifeShine® Classic Stainles (CSL)	LifeShine® S Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black (BL)	Wrought Iron (WR)	LifeShine® Brushed Gold (BG)	Stainless (BLS)
Aberdeen™	P	•		•		•				
Woodmere®	P	•	•			•				
Tilt™	F	•	•							
Voss™	P	•	•			•				
Notch®	A	•	•			•				
NEW Align® with U by Moen™	1	•	•				•		•	•
Align® with MotionSense™	P	•	•							
Align® Spring with MotionSense Wave™	A	•	•				•			•
Align® Spring	P	•	•				•			•
Align®	P	•	•				•		•	•
NEW Brantford® with U by Moen™	P	•	•			•				
Brantford® with MotionSense	P	•	•			•				
Brantford® with MotionSense Wave	P	•	•			•				
Brantford®	P	•	•			•				
Genta™	P	•	•				•			

Kitchen Finishes

CONTINUED (c) Stainless Classic Stainless Foliabed Nickel (RB) (RB) (RB) (RB) (RB) (RB) (RB) (RB)										NEW
Arbor* Arbor with MotionSense Arbor with MotionSense Wave Arbor Arbor A				Stainless	Classic Stainless	Polished Nickel	Bronze		Brushed Gold	Black Stainless (BLS)
Arbor with MotionSense Wave Arbor Camerist* NEW Sleek* with MotionSense Wave NEW Sleek* Spring Sleek* Spring Sleek* Chateau* Torrance* Arbor Arbor	Arbor®	P	•	•			•	•		
Arbor Camerist NEW Sleek* with MotionSense Wave NEW Sleek* Spring Sleek* Belfield* Method* Chateau* Torrance*		P	•	•			•			
Camerist® NEW Sleek" with U by Moen" NEW Sleek" Spring Sleek" Belfield™ Method™ Chateau® Torrance"		P	•	•			•	•		
NEW Sleek** with MotionSense Wave NEW Sleek** Spring Sleek** Belfield** Integra* Method** Chateau* Torrance** ** ** ** ** ** ** ** ** **	Arbor	P	•	•			•	•		
NEW Sleek* with MotionSense Wave NEW Sleek* Spring Sleek* Betfield* Integra* Method* Chateau* Banbury*	Camerist®	1	•	•			•			
MotionSense Wave NEW Sleek™ Spring Sleek™ Belfield™ Integra® Method™ Chateau® Torrance™ Method™ Method	Sleek™	P	•	•				•		•
Sleek™ Spring Sleek™		P	•	•				•		•
Belfield™ Integra® Method™ Chateau® Torrance™ Method™ Metho		A	•	•				•		•
Integra® Method™ Chateau® Torrance™ •	Sleek™	P.	•	•			•	•		•
Method™ Chateau® Torrance™ • • • • • • • • • • • • • • • • • •	Belfield™	F	•	•			•			
Chateau® • • • • • • • • • • • • • • • • • • •	Integra®	b	•	•						
Torrance [™] • •	Method™	HU	•	•						
	Chateau®	fr.	•	•						
Banbury®	Torrance™	K	•	•						
	Banbury®	10	•	•						

Premium Kitchen and Bar/Prep Platforms



Sinema™ Featured in Spot Resist™ Stainless

PREMIUM FAUCETS		U by Moen" Smart Kitchen	MotionSense" Handsfree	MotionSense" Wave"	Spring Pulldown	Pulldown	Pulldown Handle In-Deck	Pullout	Fixed	Bar/Prep
Waterhill®	ali.								•	
Nio™ *Secondary two-tone handl is packed in the kit.	le	•				•				•
STō®		•	•			•				•
Weymouth®	D	•			•	•			•	•
NEW Sinema™	J.				•	•				•
Etch®	P					•				•
Paterson™ Secondary wheel handle is packed in the kit.	D.	•			•	•				•

Kitchen and Bar/Prep Platforms

FAUCETS		U by Moen" Smart Kitchen	MotionSense™ Handsfree	MotionSense" Wave"	Spring Pulldown	Pulldown	Pulldown Handle In-Deck	Pullout	Fixed	Bar/Prep
Aberdeen™	P					•				
Voss™	p							•		
Notch®	A					•				•
Align	b	•	•		•	•			•	•
Brantford®	P	•	•	•		•		•	•	•
Genta™	P					•				
Arbor®	b	•	•	•		•			•	•
Camerist®	F							•	•	•
Sleek™	P	•		•	•	•	•		•	•
Belfield™	F								•	
Integra™	h							•		
Method™	FU							•		
Chateau®	fr.								•	•
Torrance™	K								•	
Banbury®	6								•	

Kitchen Finishes

									NEW
BEVERAGE FAUCI		Chrome	Spot Resist™ Stainless	LifeShine® Polished Nickel	Oil Rubbed Bronze	Matte Black	Wrought Iron	LifeShine® Brushed Gold	Black Stainless
NEW Sip™ Paterson™ Beverage Faucet	E C	(c)	(SRS)	(NL)	(ORB)	(BL)	(WR)	(BG)	(BLS)
Sip™ Traditional Beverage Faucet	C	•	•	•	•	•		•	
NEW Sip™ Sinema™ Beverage Faucet	(F	•	•	•		•			
Sip™ Transitional Beverage Faucet	C	•	•		•	•		•	
NEW Sip™ Nio™ Beverage Faucet		•	•			•			•
Sip™ Modern Beverage Faucet	F	•	•			•		•	
Traditional Soap Dispenser	r	•	•	•	•	•		•	•
Transitional Soap Dispenser	T	•	•		•	•		•	
Transitional Soap Dispenser	K	•	•		•	•			
Modern Soap Dispenser		•	•			•		•	•
POT FILLERS									
Modern Pot Filler	4	•	•			•		•	•
Traditional	1	•	•	•	•	•		•	

Pot Filler

Sinks Series Options



SERIES	Description	Gauge	Undermount Options	Drop-In Options	Bar/Prep Options	Bowl Depth	Sound SHIELD™	Warranty
NEW Granite	Alternative Colors	N/A	•	•	•	Up to 10"		Limited Lifetime
1600™ Professional Series	Professional	16	•	•	•	10"	•	Limited Lifetime
1800™ Series	High-Quality, Extensive Selection	18	•	•	•	Up to 10"	•	Limited Lifetime
2000™ Series	Design and Functionality	20	•	•	•	Up to 8"	•	Limited Lifetime
2200™ Series	Sturdy Valve	22		•	•	Up to 8"	•	Limited Lifetime

Premium Bath and Shower Finishes



Doux™ Featured in Matte Black

FAUCETS		Chrome	Brushed Chrome (BC)	LifeShine® Brushed Nickel (BN)	LifeShine® Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black (BL/WR)	LifeShine® Brushed Gold (BG)
Weymouth®	P	•		•	•	•	•	•
Arris®	K	•		•			•	
NEW Flara®	P	•		•	•			•
NEW Colinet™	P	•		•			•	•
900™	F	•		•				
Via®	F	•						
Doux™	P	•		•			•	

Bath and Shower Finishes

	Chrome	Brushed	LifeShine*	LifeShine*	Oil Rubbed	Matte Black	LifeShine®
FAUCETS	(-)	Chrome (BC)	Brushed Nickel (BN)	Polished Nickel (NL)	Bronze (ORB)	(BL/WR)	Brushed Gold (BG)
Wynford®	<i>y</i> •		•	•	•		
Align®	•		•			•	•
Voss™	•		•	•	•		•
Belfield™ 	A •		•	•	•		
Kingsley®	•		•		•	•	
Rizon®	•		•			•	
Dartmoor™ 7	2 •		•		•		
Glyde™	9		•			•	
Vichy™	•						
Brantford®	•		•		•		
Eva®	•		•		•		
Method™			•				
Gibson™	•		•			•	
Genta™	•		•			•	
Chateau®		•					

Premium Bath and Shower Platforms





Weymouth™ Featured in Oil Rubbed Bronze

ВАТН	One-Handle, One-Hole Lavatory Faucet	One-Handle, Three-Hole Lavatory Faucet	Two-Handle Centerset Lavatory Faucet	Two-Handle Widespread Lavatory Faucet	Two-Handle Wallmount Lavatory Faucet	Floor Mount Tub Filler	Roman Tub Faucet without Handshower	Roman Tub Faucet with Handshower	Bidet	%" Thermostatic Showering	M-Core 3 Series Showering	Moentrol® Showering	Transfer Valve Trim	Posi-Temp® Showering	Rainshower Showerhead	Complementary Showerhead	Suite-Specific Handshower	Suite-Specific Showerhead	Matching Bath Accessories
Weymouth®	•			•	•	•	•	•		•	•	•	•	•	•		•	•	•
Arris®	•			•	•	•	•	•		•	•	•	•	•	•				•
NEW Flara®	•	•		•		•	•	•		•	•	•	•	•	•				•
NEW Colinet™	•			•	•	•	•	•		•	•			•	•				•
900™	•	•		•	•	•	•	•		•	•	•	•	•	•			•	•
Via®	•			•			•			•	•	•	•	•	•	•			•
Doux™	•			•		•	•	•		•	•	•	•	•	•	•			•

Bath and Shower Platforms

ВАТН	One-Handle, One-Hole Lavatory Faucet	One-Handle, Three-Hole Lavatory Faucet	Two-Handle Centerset Lavatory Faucet	Two-Handle Widespread Lavatory Faucet	Two-Handle Wallmount Lavatory Faucet	Floor Mount Tub Filler	Roman Tub Faucet without Handshower	Roman Tub Faucet with Handshower	Bidet	%" Thermostatic Showering	M-Core 3 Series Showering	Moentrol® Showering	Transfer Valve Trim	Posi-Temp [®] Showering	Rainshower Showerhead	Complementary Showerhead	Suite-Specific Handshower	Suite-Specific Showerhead	Matching Bath Accessories
Wynford®	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		•
Align®	•	•		•		•	•	•	•	•	•	•	•	•	•	•			•
Voss™	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
Belfield™	•	•	•	•		•	•	•		•	•	•	•	•	•	•			•
Kingsley®	•	•	•	•	•		•	•				•	•	•			•		•
Rizon®	•	•		•			•	•			•		•	•	•	•	•		
Dartmoor™			•	•			•				•		•	•	•	•	•	•	•
Glyde™			•	•			•				•		•	•	•	•	•	•	•
Vichy™	•													•			•		
Brantford®	•	•	•	•			•	•	•		•		•	•	•	•	•	•	•
Eva®	•	•	•	•			•	•	•		•		•	•	•	•	•	•	•
Method™	•	•		•			•							•			•		•
Genta™	•	•		•			•				•		•	•			•		•
Gibson™	•	•	•	•			•						•	•		•	•	•	•
Chateau®		•	•	•			•	•	•		•				•		•		•

Bath-Matching Accessories Finishes

PREMIUM COLLECTION	Chrome	Brushed Chrome (BC)	LifeShine® Brushed Nickel (BN)	LifeShine® Polished Nickel (NL)	Satin Nickel (SL)	Oil Rubbed Bronze (ORB)	Old World Bronze (OWB)	Matte Black (BL/WR)	LifeShine® Brushed Gold (BG)
Weymouth®	•		•	•		•			•
Arris®	•		•					•	
NEW Flara®	•		•	•					•
NEW Colinet™	•		•					•	•
900™	•		•						
Via®	•								
Doux™	•		•					•	
	Chrome	Brushed Chrome	LifeShine® Brushed Nickel	LifeShine® Polished Nickel	Satin Nickel	Oil Rubbed Bronze	Old World Bronze	Matte Black	LifeShine* Brushed Gold
COLLECTION	(-)	(BC)	(BN)	(NL)	(SL)	(ORB)	(OMB)	(BL/WR)	(BG)
Wynford™	•		•	•		•			
Align®	•		•					•	•
Voss™	•		•	•		•			•
Belfield™	•		•			•		•	
Kingsley®	•		•			•		•	
Genta™	•		•					•	
Dartmoor™	•		•			•			
Glyde™	•		•					•	
Brantford®	•		•			•			
Eva®	•		•			•			
Method™	•		•						
Mason®	•	•			•		•		

Coordinating Accessories Finishes

COLLECTION	Chrome (CH)	LifeShine® Brushed Nickel (BN)	Satin Nickel	Oil Rubbed Bronze (ORB)	Old World Bronze (OWB)	Pewter (PW)	Matte Black	LifeShine® Brushed Gold (BG)
		,511,	(02)		(0.112)	,		(20)
Waterhill®	•	•		•			•	
Retreat®	•	•						
lso™	•	•					•	•
NEW Arlys	•						•	
Triva™	•	•					•	
Sage®	•	•		•				
Kyvos™	•	•						
Lounge™	•	•						
Madison™	•				•	•		
Preston™	•	•						
Edgestone®	•	•						
Stockton®	•	•						
Danbury®		•		•				
Yorkshire™	•		•		•			

Premium Bath-Matching Accessories

PREMIUM COLLECTION	Tank Lever	Robe Hook	Knob and Pull	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Lighting	Grab Bar	Additional Feature Items
Weymouth®	•	•	•	•	•		•	Coordinates with Rothbury	Coordinates with Kingsley	
Arris®	•	•	Coordinates with Iso	•	•		•	Coordinates with Iso	•	Magnifying Mirror
NEW Flara®	•	•	•	•	•		•	•	•	
NEW Colinet™	•	•	•	•	•		•			
Waterhill®								•		
900™	•	•	•	•	•		•	•	•	
Via®	Coordinates with 90°	•	Coordinates with 90°	•	•		•	Coordinates with 90°	Coordinates with 90°	
Doux™	•	•		•	•					Corner Shower Basket

Coordinating Accessories

COLLECTION	Tank Lever	Robe Hook	Knob and Pull	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Lighting	Grab Bar	Shelf
Retreat®	Coordinates with Voss	•	•	•	•	•	•	Coordinates with Voss	Coordinates with Voss	Glass Shelf
Iso™	Coordinates with Arris	•	•	•	•	•	•	•	•	Mirror Glass Shelf Hotel Shelf
Arlys		•		•	•		•			
Triva™		•		•	•	•	•			Mirror
Sage®	•	•		•	•	•	•			Mirror Glass Shelf
Kyvos™	Coordinates with 90°	•	Coordinates with 90°	•	•		•	Coordinates with 90°	Coordinates with 90°	
Lounge™		•		•	•	•	•			Glass Shelf
Madison™		•	Coordinates with Kingsley	•	•		•	Coordinates with Kingsley	Coordinates with Kingsley	
Preston™		•		•	•	•	•			Glass Shelf
Edgestone®		•		•	•		•			
Stockton®		•		•	•		•			
Danbury®		•		•	•		•			
Yorkshire™		•		•	•		•			

Bath-Matching Accessories

COLLECTION	Tank Lever	Robe Hook	Knob and Pull	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Lighting	Grab Bar	Additional Feature Items
Wynford®	•	•	Coordinates with Waterhill	•	•	•	•	Coordinates with Waterhill		Corner Shower Basket
Align®		•	Coordinates with Iso	•	•		•	Coordinates with Iso	•	
Voss™	•	•	Coordinates with 90°	•	•		•	•	•	Hair Dryer Holder
Belfield™	•	•	Coordinates with Weymouth	•	•	•	•	•	•	
Kingsley®	•	•	•	•	•	•	•	Coordinates with Waterhill	•	Glass Shelf Hotel Shelf
Genta™		•		•	•		•			
Dartmoor™	•	•	Coordinates with Rothbury	•	•		•	Coordinates with Rothbury		
Glyde™	Coordinates with Icon	•	Coordinates with Icon	•	•		•			
Brantford®	•	•	Coordinates with Waterhill	•	•		•	•	•	
Eva®	•	•	Coordinates with Icon	•	•		•	•	•	Shelf
Method™	•	•	Coordinates with 90°	•	•	•	•	Coordinates with 90°	Coordinates with 90°	
Mason®		•		Two Options	•		•			

Choose the Right Moen® Shower Valve for Your Bathroom

How to Choose the Right Valve







ExactTemp* 34"

VALVE OPTIONS AT-A-GLANCE	U by Moen [™] Shower 2-Outlet Valve**	ExactTemp* ¾" Thermostatic Valve***					
	Thermostatic Valves						
COMFORT FEATURES							
Personalization Create settings for every occasion — post workouts, lazy mornings and more.	•	•					
Temperature consistency Water temperature won't fluctuate even as the hot water in your tank gets low.	•	•	•				
Maximum-flow shower spa experience Provides the greatest balance of force, flow and coverage in a Moen shower spa.	•	•	•				
Shower spa compatible Add an extra showerhead or handshower or design a complete shower spa experience.	•	•	•				
CONVENIENCE FEATURES							
Remote activation Sync your shower to your smartphone to start, stop and pause remotely.	•	•					
Precision thermostatic control Dial up the same water temperature every day, just like a thermostat.	•	•	•				
Voice activation Activate your shower with the sound of your voice.	•	•					
Volume control Lets you adjust the amount of water that flows through your tub/shower from a gentle stream to full force.			•				
Temperature memory Dial stays in the same temperature position you last used and returns to that temperature within a few seconds.			•				
Warm up and pause Save water by having the shower warm up to temperature and pause until you are ready to get in.	•	•					
SAFETY FEATURES							
Maximum temperature setting You can set the hottest temperature setting.	•	•	•				
Meets applicable pressure-balancing or thermostatic safety codes	•	•	•				
DEPENDABILITY FEATURES							
Limited Lifetime Warranty	•	•	•				
Easy-to-replace cartridge	N/A	N/A	•				

- * Must be used with diverting valves 3372, 3362 or 3375 to obtain shower spa compatibility.
- $\ensuremath{^{**}}\xspace$ U by Moen is warranted for 5 years against leaks, drips and operation defects to the original consumer purchaser; 1-year warranty if used in commercial applications. 5-year warranty on digital components, limited lifetime trim warranty.
- *** Use with ExactTemp ¾" volume control valves.







M-Core*
Pressure-Balancing
Volume Control



Posi-Temp* Pressure-Balancing







M-Core™




Nebia Annex*
Retrofit onto existing plumbing. No need to existing wall, add on

with Multi-Function Transfer Valve	M-Core™ Mixing Valve Body	Volume Control Cartridge	Pressure-Balancing Cycling Valve	ExactTemp Volume Control	M-Core [™] Transfer Valve	plumbing. No need to go behind the wall.	existing wall, add on to existing shower			
Pi	ressure-Balancing	y Valves and Cartr	idge	Volume Control and Transfer Valves						
				6.29						
			•	N/A	N/A	N/A	N/A			
			•	N/A	N/A	N/A	N/A			
	•	•			•	•				
	•					N/A	N/A			

Shower Valve Flow Rates

Flow Rate vs. Flowing Inlet Pressure of Moen Showering Valves (Unrestricted)



1. ¾" ExactTemp°

S3371 3/4" ExactTemp: 18.0 gpm

2. U by Moen™ Shower – Four-Outlet

S3104 Four-Outlet: 16.0 gpm

3. Volume Control

S3600 Volume Control: 13+ gpm

4. U by Moen Shower - Two-Outlet

S3102 Two-Outlet: 10.0 gpm

5. Posi-Temp® Tub Port

Four Port Valves Flow at Tub: 6.3 gpm

6. Posi-Temp Shower Port

Three Port Valves Flow at Tub: 6.3 gpm

7. M-CORE™ Tub Port

Flow at Tub: 6.2 gpm

8. M-CORE Shower Port

Flow at Shower: 5.8 gpm

9. M-CORE with Transfer

Two Outlets: 5.6 gpm

10. Posi-Temp Shower Port

Four Port Valves

Flow at Shower: 4.0 gpm

Shower Spa Installation Recommendations

Graph Line	Valve	Flow Rate Through Shower Port (gpm) @ 20 PSI	Flow Rate Through Shower Port (gpm) @ 40 PSI	Flow Rate Through Shower Port (gpm) @ 60 PSI	Use with M-CORE Transfer	Maximum Showering Devices
1	³¼" ExactTemp° S3371	11.4	15.7	18.0	No	4 showering devices: Any combination of showerheads, handshowers and body sprays (4 max)
2	U by Moen™ Four-Outlet S3104	9.0	13.0	16.0	No	4 showering devices: Any combination of showerheads, handshowers and body sprays (4 max)
4	U by Moen Two-Outlet S3102	6.0	8.5	10.0	No	Showerhead, handshower or showerhead, 2 body sprays
6	Posi-Temp® Three Port Valves	3.6	5.1	6.3	Yes	Showerhead, handshower or showerhead, 2 body sprays*
8	M-CORE™ Shower Port	3.1	4.6	5.8	Yes	Showerhead, handshower or showerhead, 2 body sprays*
9	M-CORE with Transfer	3.0	4.5	5.6	No	Showerhead, handshower or showerhead, 2 body sprays*
10	Posi-Temp Shower Port Four Port Valves	2.1	3.2	4.0	Yes	Showerhead, handshower*

^{*} Min 50 psi recommended when plumbing a showerhead and 2 body sprays for shared flow

PRICE BAND IDENTIFICATION

Kitchen and Bar/Prep Collections

Waterhill® – TRADITIONAL

Nio™ - MODERN

STō® - MODERN

Sinema™ - TRANSITIONAL

Weymouth® - TRADITIONAL

Etch® - TRANSITIONAL

Paterson™ - TRADITIONAL

Aberdeen® - TRADITIONAL

Voss® - TRANSITIONAL

Notch™ - TRANSITIONAL

Align® - MODERN

Sleek™ - MODERN

Genta™ – MODERN

Belfield™ – TRADITIONAL

Brantford® - TRADITIONAL

Arbor® - TRANSITIONAL

Brantford® - TRADITIONAL

Arbor® - TRANSITIONAL

Camerist® - TRANSITIONAL

Method™ - MODERN

Core Soap Dispensers

Integra® - TRANSITIONAL

Chateau® - TRANSITIONAL

Banbury® - TRADITIONAL

Torrance™ – TRANSITIONAL

Pot Fillers

Sip™ Beverage Faucets

Premium Soap Dispensers

Kitchen Sinks

Granite

1600® Professional Series

1800® Series

2000® Series

2200[®] Series

Garbage Disposals

GT Series - featuring Fast Track™ Installation

GX Series

GXPro Series

Flo by Moen™

Flo by Moen™

Digital Kitchen Collections

U by Moen™ Smart Kitchen

- Nio™
- STō®
- Weymouth®
- Paterson™

MotionSense™

• STō®

U by Moen™ Smart Kitchen

- Align®
- MotionSense™
- Align®

MotionSense Wave™

• Align®

U by Moen™ Smart Kitchen

- Sleek™
- Arbor®
- $\bullet \ \mathsf{Brantford}^{\scriptscriptstyle \textcircled{\tiny{0}}}$

MotionSense™

- Arbor®
- Brantford®

MotionSense Wave™

- Sleek™
- Arbor[®]
- Brantford®

Bath and Shower Collections

Weymouth®* - TRADITIONAL

Arris®* - MODERN

90°™* - MODERN

Doux™* – MODERN

Via®* – MODERN

Flara@* - TRANSITIONAL

Colinet™* – TRADITIONAL

U by Moen™ Shower

Premium Showerheads, Handshowers

& Shower Rails

Annex & Nebia

Premium Accessories

Wynford®* - TRADITIONAL

Align®* - MODERN

Voss®* - TRANSITIONAL

Belfield™* - TRADITIONAL

Kingsley®* – TRADITIONAL

Rizon® - MODERN

Dartmoor™* - TRADITIONAL

Glyde™* – TRANSITIONAL

Brantford®* - TRADITIONAL

Eva®* – TRANSITIONAL

Method®* - MODERN

Vichy™ - MODERN

Genta™* – MODERN

Gibson™ – MODERN

Chateau® - TRANSITIONAL

KEY

- Premium / Best IMAP Protected
- 2nd Upgrade / Better IMAP Protected
- 1st Upgrade / Good IMAP Protected
- 1st Upgrade / Good Not IMAP Protected
- Spec Not IMAP Protected
- Sinks & Disposals IMAP Protected
- * Suite has Matching Accessories