

Tote Storage System **LADDERMOUNT**

Need a place to store your tote? See the back for details on how to save valuable storage space..

SAFETY



Not to be used for potable water, gasoline, or any petroleum product. Do not pressurize the tank.



Do not exceed walking speed or five MPH during transport. Damage may occur to wheels or tank. This type of damage will void warranty.


To avoid damage to the tank, a universal tow strap MUST be used to transport the two wheel tank models using a vehicle.

To avoid damage to the tank, the tow handle MUST BE COLLAPSED before transporting the four wheel tank models using a vehicle. Refer to Fig. B for proper storage.

A CAUTION

To avoid damage to handle, fold beneath tank. DO NOT rotate handle.





MAINTENANCE

Tank Clean-Out

2w

Swish or rock the tank, flushing thoroughly with a garden hose through the tank sewer hose (held upright).

4_w

Swish or rock the tank, flushing thoroughly with a garden hose through the clean-out port located on top of the tank.

Odor Control

To control odors and maintain life of the product, use Thetford's Storage Deodorant after every emptying (Fig. A).


Winterize


Winterize properly with RV antifreeze.






To avoid splashing, CLOSE dump valve IMMEDIATELY upon red float activation.







FILL



EMPTY





REF. / PART NO.		T NO.	PARTS
	2 w	4 w	
1	40769	40753	Tank Sewer Hose
2	40530	NA	Vent Cap
3	40531	40757	AutoStopTM Level Gauge Assembly
4	40763	40763	Strap
5	40750	40750	Permastore (Sewage) Hosecap
6	40751	40751	Bayonet, O-Ring, Backer
7	40754	40754	Wheel 6" - 1 wheel, axle cap
8	NA	40755	Wheel 8" - 1 wheel, axle cap
9	40764	40764	Universal Tow Strap
10	40759	40759	Universal Elbow Sewer
11	NA	40761	Accessory Door Top
12	NA	40760	Accessory Door Rear
13	NA	40752	Tow Handle
14	NA	40827	Steering Wheel Assembly
15	40830	40830	Tote Storage System Ladder Mount