



VENTILATION



FAN BLADES

Impact resistant, plastic 6" white fan blades fit 12V powered roof vents and range hoods. Direction of spin is determined by looking down through the motor at the top of blade. CW=clockwise; CCW=counter clockwise.



- 65483 Ventline, 1/8" Round-Bore, CCW
- 65484 Ventline & Jensen 1/8" D-bore, CW
- 65485 Ventline & Jensen 1/8" D-bore, CCW
- 65491 Ventline 3/32" Round-bore, CCW

VENT COVERS

Lets fresh air circulate while keeping the weather out! Aerodynamic design lets you keep the vents open even when it is raining. Includes installation hardware and a rubber roof vent kit, which means there is no need to remove existing vent mounting screws or drill holes.



67310 Vent Cover, White



67313 Vent Cover, Black

VENT INSULATOR




Fits standard 14" x 14" vent openings



- Easy pull strap
 - Improves A/C efficiency
 - Keeps heat inside during winter and keeps heat and sun out during the summer
 - Easily removable cover for easy cleaning
- 67304 Vent Insulator With Pull Strap

RUBBER ROOF VENT MOUNTING KIT

For installing vent covers without removing existing, sealed vent mounting screws.



65213 Rubber Roof Mtg. Kit

AIR CONDITIONER GASKETS



62901

65526

65527

- For a perfect air conditioner installation
- Corners are pre-sealed for water tight integrity

Air Conditioner Gasket

62901 A/C Seal 14" x 14"


Gasket Kits for Coleman A/Cs

65526 A/C Gasket Kit 14" x 14"

65527 A/C Gasket Kit 14" x 16"

REPLACEMENT VENT LIDS FOR 14" x 14" VENTS

FITS:
Pre-1995 Jensen Vents
Heng's Pre-1995 Jensen Style Vents




- 61628 White Assembled (Boxed)
- 63110 White Unassembled (Bagged)
- 63112 Smoke Unassembled (Bagged)



63112

FITS:
1995+ Jensen Vents
Heng's 1995+ Jensen Style Vents




- 69284 White Assembled (Boxed)
- 69282 White Unassembled (Bagged)
- 69283 Smoke Unassembled (Bagged)



69283

FITS:
All Ventline Vents
1995+ Elixir Vents
Heng's Universal Vents



- 69280 White Assembled (Boxed)
- 65479 White Assembled (Boxed), Lifetime Warranty
- 69278 White Unassembled (Bagged)
- 69279 Smoke Unassembled (Bagged)
- 61255 White Assembled, Low Profile (Boxed)
- 63113 White Unassembled, Low Profile (Bagged)
- 63115 Smoke Unassembled, Low Profile (Bagged)

FITS:
Pre-1995 Elixir Vents



- 61634 White Assembled (Boxed)
- 63116 White Unassembled (Bagged)
- 63118 Smoke Unassembled (Bagged)



63118



69279



63115

REFRIGERATOR VENT LIDS

- Made of high-impact plastic
- UV-stabilized for long life
- Direct replacements for most Norcold and New & Old style Dometic applications

REFRIGERATOR VENT LIDS, WHITE



65528 Refrigerator Vent Lid, New Style Dometic



65529 Refrigerator Vent Lid, Old Style Dometic



65532 Refrigerator Vent Lid, Norcold

REFRIGERATOR VENT LIDS, BLACK



62712 Refrigerator Vent Lid, New Style Dometic



62718 Refrigerator Vent Lid, Norcold

UNIVERSAL REFRIGERATOR VENT LIDS & BASES

- Universal replacements that cover most Camco, Norcold and New & Old style Dometic refrigerator vent bases and lids
- Screws, alignment tools and detailed instructions are included for easy installation

LID & BASE, POLAR WHITE

- 68290 Universal Refrigerator Vent Lid w/screws.
68291 Universal Refrigerator Vent Base w/screws.



LID & BASE, BLACK

- 68292 Universal Refrigerator Vent Lid w/screws.
68294 Universal Refrigerator Vent Base w/screws.



ALIGNMENT TOOLS INCLUDED



INSECT SCREENS

- Ventmate® insect screens prevent insects, mice, and other pests from entering and nesting inside your vented appliances while maintaining maximum airflow
- Unique silicone rubber mount edging provides scratch-free application*
- Easy-grip tool with crossbar locater enables fast and easy spring installation*
- Chrome-finished wire ties look great and are long lasting*
- Protects children and pets from hot vent exposure
- Limited 1 year warranty protection against defects in material and workmanship



VNT-R600
and VNT-R600A
screens installed



VNT-F600 screen
installed

**Safeguard your RV Appliances
with Ventmate Insect Screens**



VNT-F100 (Furnace Vent)

Dimensions: 7-9/16"W x 4-1/8"H x 1-3/8"D
Use: Coleman, Hydro Flame, Sol-Aire, Suburban
Includes: (1) Screen, (2) 1" Springs, Installation Tool
68297 VNT-F100



VNT-F200 (Furnace Vent)

Dimensions: 2-7/8" Diameter x 1-3/16"D
Use: Duo-Therm (65900 Series), Suburban
Includes: (1) Screen, (2) 1" Springs, Installation Tool
68325 VNT-F200



VNT-F300 (Furnace Vent)

Dimensions: 4-7/8"W x 4-1/2"H x 1-1/8"D
Use: Hydro Flame 8500, 8900
Includes: (1) Screen
68304 VNT-F300



VNT-F400 (Furnace Vent)

Dimensions: 6-1/8" Diameter x 1-1/2"D
Use: Suburban DD
Includes: (1) Screen, (1) 1" Spring, Installation Tool
68307 VNT-F400



VNT-F500 (Furnace Vent)

Dimensions: 3-7/8" Diameter x 1-1/4"D
Use: Atwood 2004, Hydro Flame
Includes: (1) Screen, (2) 1" Springs, Installation Tool
68302 VNT-F500



VNT-F600 (Furnace Vent)


Dimensions: 6-7/8"W x 5-1/8"H x 2-3/8"D
Use: Atwood AFMD, Dometic
Includes: (1) Screen, (1) 1" Spring, (1) 1-3/4" Spring,
Installation Tool
68660 VNT-F600

*Application specific as indicated in screen descriptions



VNT-P100 (Plumbing Vent)

Dimensions: 2-1/2" Diameter
 Use: Camco, Bristol, & Heng's Industries circular plumbing vents
 Includes: (2) Screens
 68480 VNT-P100



VNT-R500 (Refrigerator Vent)

Dimensions: 19-5/8"W x 1-1/4"D
 Use: Norcold
 Includes: (3) Screens, 6 Chrome Wire Ties
 68393 VNT-R500



VNT-R600 (Refrigerator Vent)

Dimensions: 20"W x 1-1/2"D
 Use: Dometic
 Includes: (3) Screens, 6 Chrome Wire Ties
 68339 VNT-R600



VNT-R600A (Refrigerator Vent)

Dimensions: 2-5/8"W x 1-5/8"D
 Use: Dometic
 Includes: (3) Screens, 3 Chrome Wire Ties
 68671 VNT-R600A




VNT-R700 (Refrigerator Vent)

Dimensions: 27-1/2"W x 1-1/4"D
 Use: Norcold
 Includes: (3) Screens, 6 Chrome Wire Ties
 68585 VNT-R700



VNT-R800 (Refrigerator Vent)

Dimensions: 8"W x 1-1/2"D
 Use: Dometic
 Includes: (6) Screens, 12 Chrome Wire Ties
 68401 VNT-R800




VNT-S500 (Stove Vent)

Dimensions: 11"W x 4-1/4"H x 1-3/8"D
 Use: Atwood, Magic Chef, Suburban, Wedgewood
 Includes: (1) Screen, (2) 1" Springs, Installation Tool
 68581 VNT-S500



VNT-W200 (Water Heater Vent)

Dimensions: 4-1/2"W x 4-1/2"H x 1-1/4"D
 Use: Suburban water heaters 6, 10, 12 & 16 gal with 4" louvers, 4" battery vents, Suburban furnace vents 8525, 8531, 8535, 8940 AC & 8940 DC
 Includes: (1) Screen, (2) 1" Springs, Installation Tool
 68327 VNT-W200



VNT-W400 (Water Heater Vent)

Dimensions: 6-3/4"W x 6-3/4"H x 1-1/2"D
 Use: Suburban 6gal
 Includes: (1) Screen, (2) 1" Springs, Installation Tool
 68322 VNT-W400



VNT-W500 (Water Heater Vent)

Dimensions: 8-1/2"W x 5-7/8"H x 1-3/8"D
 Use: Atwood/Dometic 6 & 10gal, Suburban 6gal
 Includes: (1) Screen, (2) 1" Springs, Installation Tool
 68335 VNT-W500



VNT-W600 (Water Heater Vent)

Dimensions: 9-3/4"W x 7-1/2"H x 1-1/2"D
 Use: Suburban 10, 12 & 16gal
 Includes: (1) Screen, (2) 1" Springs, Installation Tool
 68309 VNT-W600



Deluxe Tool Kit

Deluxe installation kit to upgrade existing screens, of any brand, to have new springs and the rubber edging.
 Includes: Installation Tool, (2) 1" Springs, (1) 1-3/4" Spring, 34" length of Silicone Rubber Edging
 68673 Deluxe Tool Kit




VENTMATE APPLIANCE INSECT SCREEN DIRECTORY

Screen Model #	Part #	Appliance	Use	Dimensions	Material	Includes
VNT-F100	68297	Furnace	Coleman, Hydro Flame, Sol-Aire, Suburban	7-9/16"W x 4-1/8"H x 1-3/8"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-F200	68325	Furnace	Duo-Therm (65900 Series), Suburban	2-7/8" Diameter x 1-3/16"D	Stainless Steel & Silicone Rubber	(2) Screens, (2) 1" Springs, (1) Installation Tool
VNT-F300	68304	Furnace	Hydro Flame 8500, 8900	4-7/8"W x 4-1/2"H x 1-1/8"D	Stainless Steel	(1) Screen
VNT-F400	68307	Furnace	Suburban DD	6-1/8" Diameter x 1-1/2"D	Stainless Steel & Silicone Rubber	(1) Screen, (1) 1" Spring, (1) Installation Tool
VNT-F500	68302	Furnace	Atwood 2004, Hydro Flame	3-7/8" Diameter x 1-1/4"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-F600	68660	Furnace	Atwood AFMD, Dometic	6-7/8"W x 5-1/8"H x 2-3/8"D	Stainless Steel & Silicone Rubber	(1) Screen, (1) 1-3/4" Spring, (1) 1" Spring, (1) Installation Tool
VNT-P100	68480	Plumbing Vent	Camco, Bristol, & Heng's Industries circular plumbing vents	2-1/2" Diameter	Stainless Steel	(2) Screens
VNT-R500	68393	Refrigerator	Norcold	19-5/8"W x 1-1/4"D	Stainless Steel	(3) Screens, 6 Chrome Wire Ties
VNT-R600	68339	Refrigerator	Dometic	20"W x 1-1/2"D	Stainless Steel	(3) Screens, 6 Chrome Wire Ties
VNT-R600A	68671	Refrigerator	Dometic	2-5/8"W x 1-5/8"D	Stainless Steel	(3) Screens, 3 Chrome Wire Ties
VNT-R700	68585	Refrigerator	Norcold	27-1/2"W x 1-1/4"D	Stainless Steel	(3) Screens, 6 Chrome Wire Ties
VNT-R800	68401	Refrigerator	Dometic	8"W x 1-1/2"D	Stainless Steel	(6) Screens, 12 Chrome Wire Ties
VNT-S500	68581	Stove	Atwood, Magic Chef, Suburban, Wedgewood	11"W x 4-1/4"H x 1-3/8"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-W200	68327	Water Heater	Suburban water heaters 6, 10, 12 and 16gal with 4" louvers, 4" battery vents, Suburban furnace vents 8525, 8531, 8535, 8940 AC & 8940 DC	4-1/2"W x 4-1/2"H x 1-1/4"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-W400	68322	Water Heater	Suburban 6gal	6-3/4"W x 6-3/4"H x 1-1/2"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-W500	68335	Water Heater	Atwood/Dometic 6 & 10gal, Suburban 6gal	8-1/2"W x 5-7/8"H x 1-3/8"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool
VNT-W600	68309	Water Heater	Suburban 10, 12 & 16gal	9-3/4"W x 7-1/2"H x 1-1/2"D	Stainless Steel & Silicone Rubber	(1) Screen, (2) 1" Springs, (1) Installation Tool



VNT-R800 screens installed



VNT-F300 screen installed



VNT-W200 screen installed

VNT-W600 screen installed